Celebrating

60

years of innovation

1964 - 2024

INVEST IN THE FUTURE

French manufacturer
since 1964

Car Body Welding Systems

Catalogue Carrosserie

Catalogo Carrozzeria

Karosserie-Schweißtechnik Katalog

Catálogo de Soldadura para Carrocería

2024



SPOT WELDING - DENT PULLER - MIG-MAG/GMAW-FCAW - PLASMA CUTTING -
INDUCTION - RIVETING - LIFT - BODYSHOP TOOLS

A solid manufacturing group

900 people

€ 130 000 000

C1+
Credit Rating
Banque de France

55 000 m²
2 factories

INVEST IN THE FUTURE

French manufacturer since 1964

A family company



Nicolas & Bruno Bouygues

3 catalogues

3 500+ references



Welding, Plasma cutting & Induction heating



Car Body Welding Systems



Chargers, Boosters & Starters

A worldwide coverage

125 countries



GYS FRANCE
Laval

GYS GERMANY
Aachen

GYS U.K.
Rugby

GYS CHINA
Shanghaï

GYS ITALIA
Venezia

GYS IBERICA
Madrid

www.gys.fr

visit with

DENT PULLING

GYSPOT	6
GYSPOT PRO	7
GYSPOT ALU	8
GYSPOT COMBI	9
ACCESSORIES & CONSUMABLES	10
GYSPOT ARCPULL	12
COMBI ARCPULL	13
ACCESSORIES & CONSUMABLES	16
FAST EASY TOOLS	18
ACCESSORIES LEVELLING BARS	20
COMPLETE WORKSTATIONS	24

PULLING SYSTEMS

AIRFIX DRAW ALIGNER	39
DRAW ALIGNER	40
FRAME STRAIGHTENING	42

PAINTLESS DENT REPAIR

POWERDUCTION AUTO DENT REPAIR	46
GLUE PULLING KITS	50

SPOT WELDING

TECHNOLOGY	54
PORTASPOT / GYSPOT 32D-X / 100R-CX	56
GYSPOT BP-LX	58
GYSPOT PTI-S7	59
GYSPOT BP GENIUS	62
GYSPOT PTI PREMIUM PRO	64
GYSPOT PTI GENIUS	66
G ARMS	68
ACCESSORIES & CONSUMABLES	69

RIVETING

GYSPRESS 10T	71
GYSPRESS PREMIUM 10T PP	73
WORKSTATION	74
ADAPTERS	76
DIES BOXES & RIVETS	78
ACCESSORIES	81

MIG WELDING

GYS AUTO	84
E GYS AUTO	86
AUTOPULSE	88
TORCHES & CONSUMABLES	92

PLASMA

EASYCUT	98
CUTTER	99

INDUCTION HEATING


GYSDUCTION	102
COMBIDUCTION	103
POWERDUCTION	104
ACCESSORIES & CONSUMABLES	105

TRUCK TOOLS & MOBILE LIFTS

TROLLEY IW1 / MULTITOOL TRUCK	111
SPOT LIFT	112
QUICKLIFT / MANUAL WHEEL LIFT	114
ERGO LIFT	115

ACCESSORIES

WELDING HELMETS	118
FUME EXTRACTION	121
WINDSCREEN REPAIR	122
BUMPER REPAIR	124
HAND TOOLS	126
PNEUMATIC TOOLS	128
SANDING & DUST EXTRACTION	130
WORKING LIGHTS	132
WORKING SUPPORTS	134
SAFETY PROTECTION	137



DENT PULLING

STEEL / ACIER / STAHL

GYSPOT 6
GYSPOT PRO 7

ALU

GYSPOT ALU 8

ALU + STEEL / ACIER / STAHL

GYSPOT COMBI 9
ACCESSORIES & CONSUMABLES 10

DRAWN ARC
ALU + STEEL / ACIER / STAHL

GYSPOT ARCPULL 12
COMBI ARCPULL 13
ACCESSORIES & CONSUMABLES 16

FAST DENT PULLING 18
LEVELLING BARS 20

COMPLETE WORKSTATIONS 24

DENT PULLING
STEEL
ACIER - STAHL

OPTIONS

Consommables - Consumables
p.10



Chariots - Trolleys
p.24



- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux – Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten
- Tempering - Rétreinte - Temperieren
- Rivets - Rivets - Nieten
- Rings - Rondelles - Unterlegscheiben
- Studs - Goujons - Gewindebolzen

- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux – Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten
- Tempering - Rétreinte - Temperieren



- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux – Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten



NEW DESIGN

NEW DESIGN

FIXED GUN

FIXED GUN

SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS EUROPEAN TRADEMARK & DESIGN



EXPERT ★★★ SYNERGIC & MANUAL CONTROL

Welding current adjusment

Welding time adjusment





GUN WITH CONNECTOR


GYSPOT 26.02

2600 A | ×1 AUTOMATIC


230 V • 1 ~

052208

included



Automatic quick gun, 1.8 m, 70 mm² + Hammer (057272)



Earth cable 1.7 m, 50 mm² | Electrode warming point | Star copper coating (x3)


GYSPOT 27.02

2600 A | ×1 MANUAL


230 V • 1 ~

055353

included



Manual quick gun, 1.8 m, 70 mm² (058705) + Hammer (057272)




Earth cable 1.7 m, 50 mm² | Electrode warming point | Star copper coating (x3)

GYSPOT 34.02 & 34.04


3500 A | ×1 MANUAL

230 V • 1 ~	**GYSPOT 34.02** 065741
400 V • 2 ~	**GYSPOT 34.04** 067943

included



Manual quick gun, 2 m, 50 mm² + Hammer (057272)




Earth cable 1.7 m, 50 mm² | Electrode warming point | Star copper coating (x3)

GYSPOT 39.02 & 39.04

3800 A | ×1 AUTOMATIC

230 V • 1 ~	**GYSPOT 39.02** 052215
400 V • 2 ~	**GYSPOT 39.04** 052222

included



Automatic quick gun, 2 m, 70 mm² (057517) + Hammer (057272)




Earth cable 2 m, 70 mm² | SPOTTER BOX STANDARD (053915) (Details p.10)

GYSPOT PRO 230 & PRO 400


3800 A | ×2 AUTOMATIC MANUAL

230 V • 1 ~	**GYSPOT PRO 230** 052178
400 V • 2 ~	**GYSPOT PRO 400** 052185

included



Automatic quick gun, 3 m, 50 mm² (057500) + Hammer (057272)



Manual quick gun, 2 m, 70 mm² (057524)




Earth cable 2 m, 70 mm² | SPOTTER BOX PRO (050075) (Details p.10)

GYSPOT EXPERT 200, 230 & 400


3800-4500 A | ×2 AUTOMATIC MANUAL

230 V • 1 ~ 3800 A	**GYSPOT EXPERT 230** 066885
200-240 V • 1 ~ 4350 › 5100 A	**GYSPOT EXPERT 200** 058842
400 V • 2 ~ 4500 A	**GYSPOT EXPERT 400** 058859


included



Automatic quick gun, 3 m, 70 mm² (059207) + Hammer (057272)



Manual quick gun, 2 m, 70 mm² (057524)



Earth cable Thick 3 mm 2 m, 70 mm² | SPOTTER BOX PRO (050075) (Details p.10)

QUICK GUNS



PATENTS REGISTERED NUMBERS 001830845-0001 EUROPEAN TRADEMARK & DESIGN

AUTOMATIC



WITH CONNECTOR
2 m, Ø 70 mm²
included 39.02/04
057517



WITH CONNECTOR
3 m, Ø 50 mm²
included PRO 230/400
057500

WITH CONNECTOR
3 m, Ø 70 mm²
included EXPERT 200/230/400
059207

MANUAL



WITH CONNECTOR
cable 2 m, Ø 70 mm²
included PRO 230/400, EXPERT 200/230/400, COMBI 230EPRO
057524

No connector
cable 1.8 m, Ø 70 mm² for 27.02
058705

No connector
cable 2 m, Ø 50 mm² for 34.02/34.04

Mandrels for gun - Mandrins pour pistolets - Pistole & Anschlußstücke, Zubehör



QUICK GUN
057531





D1
048959



Nut - Écrou
053199



Microswitch
053267

	CE NORM. 62135	50/60 Hz		I2 max A	U2 V	AM A	I RMS A	kW			MANUAL	SYNERGIC			AUTOMATIC	MANUAL	SEPARATE CABLE GUN	LxWxH cm / kg
MADE IN GYS CHINA	**GYSPOT 26.02**	230V	2 m	2600	5,4	16	1800	10	OK	—	■	—	—	—	■	—	—	40 x 25 x 31 / 18
	GYSPOT 27.02	230V	2 m	2600	5,4	16	1800	10	OK	—	■	—	■	—	—	■	—	40 x 25 x 31 / 18
	GYSPOT 34.02	230V	2 m	3500	7,4	16	2500	20	OK	OK	■	—	■	■	—	■	—	42 x 36 x 31 / 23.9
	GYSPOT 34.04	400V, 2ph	4 m	3500	7,4	16	2500	20	OK	OK	■	—	■	■	—	■	—	42 x 36 x 31 / 24
MADE IN FRANCE	**GYSPOT 39.02**	230V	4 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	—	■	49 x 38 x 29 / 27.5
	GYSPOT 39.04	400V, 2ph	4 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	—	■	49 x 38 x 29 / 25.2
	GYSPOT PRO 230	230V	8 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	■	■	49 x 38 x 29 / 29.6
	GYSPOT PRO 400	400V, 2ph	8 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	■	■	49 x 38 x 29 / 29.4
	GYSPOT EXPERT 200	200-240V	8 m	4350 › 5100	7,2-8,7	30(D)	3100 › 3600	25 › 36	OK	OK	■	■	■	■	■	■	■	49 x 38 x 29 / 34.6
	GYSPOT EXPERT 230	230V	8 m	3800	7,4	16	2800	20	OK	OK	■	■	■	■	■	■	■	49 x 37 x 31 / 30.6
	GYSPOT EXPERT 400	400V, 2ph	8 m	4500	7,4	16(D)	3200	25	OK	OK	■	■	■	■	■	■	■	49 x 38 x 29 / 32.9

GYSPOT ALU

DENT PULLING
ALU

Youtube

SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN

Alu



Goujons - Studs



NEW 03/2024



FIXED GUN

GYSPOT ALU 66

13000 A ×1 AUTOMATIC

230 V • 1 ~

080188

included — for Ø 4 mm



Automatic alu gun 3 m, 25 mm²

+ 

ALU BOX STANDARD (050020) (Details p.11)

GYSPOT ALU PRO FV

13000 A ×1 AUTOMATIC

110 › 230 V • 1 ~ FV

021990

included — for Ø 4 mm



Automatic alu gun 3 m, 25 mm²

+ 

ALU BOX STANDARD (050020) (Details p.11)

FV FLEXIBLE VOLTAGE

85 V — 265 V

110 V — 230 V

100 m

ALU GUN



PATENTS REGISTERED NUMBERS
002446450-0001
EUROPEAN TRADEMARK & DESIGN

AUTOMATIC

3 m, Ø 25 mm²

included SPOT ALU FV & COMBISPOT 230


054066



(x 3) 065635

66 mF CAPACITOR DISCHARGE WELDING

Ø 4mm



with connectors for COMBISPOT 230



Joint rings for mandrel Ø 4/5/6 × 2 060814

OPTIONS

Consumables - Consommables p.11



ALU accessories - Accessoires ALU p.19



Trolleys - Chariots p.24



GYSPOT COMBI

DENT PULLING
ALU+STEEL
ACIER - STAHL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN

Steel / Acier / Stahl



Alu



- Stars - Étoiles
- Rings - Anneaux
- Wavy wires - Fils ondulés
- Impact shrinking - Rabattage d'impact
- Tempering - Rétreinte
- Rivets - Rivets
- Rings - Rondelles
- Studs - Goujons



2 GUNS INCLUDED

GUN WITH CONNECTOR

GYSPOT COMBI 230 E.PRO

3800 A Acier / Steel / Stahl

7500 A Alu

230 V • 1 ~

×2

AUTOMATIC
MANUAL
AUTOMATIC

021266

included



Manual quick gun, 2 m, 70 mm² (057524) + Hammer (057272)

+ 

Automatic alu gun, 3 m, 25 mm²



Earth cable 2 m, 70 mm²

+ 

SPOTTER BOX PRO (050075) (Details p.10)

+ 

ALU BOX STANDARD (050020) (Details p.11)

	CE NORM. 62135	50/60 Hz		I2 max	U2	AM	RMS	kW			MANUAL	SYNERGIC			AUTOMATIC	MANUAL	SEPARATE CABLE GUN			LxWxH cm / kg
				A	V	A	A													
MADE IN GYS CHINA	**GYSPOT ALU 66**	230 V	6 m	**13 000**	50 › 200	5	—	0.52	OK	OK	■	■	—	■	x 1	—	—	3 m	**Included** Alu box	27 x 20.5 x 27 / 13.5
MADE IN FRANCE	**GYSPOT ALU PRO FV**	110 › 230 V	6 m	**13 000**	50 › 200	5	—	0.65	OK	OK	■	■	—	■	x 1	—	—	3 m	**Included** Alu box	49 x 38 x 29 / 13.4
	GYSPOT COMBI 230 E.PRO	230 V	8 m	**3800 (steel) 7500 (alu)**	7,4 (steel) 50 › 200 (alu)	16	2800 (steel)	20	OK	OK	—	■	■	■	x 1	x 1	■	2/3 m	**Included** Spotter box + Alu box	54 x 76 x 34 / 47.5

GYSPOT ACCESSORIES & CONSUMABLES


STEEL / ACIER / STAHL



DENT BOX
CONSUMABLES / BAR / EASY




SPOTTER BOX
STANDARD / 2600 / 2700



SPOTTER BOX
PRO




Star - Étoile - Ausbeulstern



Ring - Rondelle - Unterlegscheiben



Tempering - Rétreinte - Temperieren




Impact shrinking & Lock nut - Rabattage d'impact & Écrou - Glätten




Wavy wire - Fil ondulé - Wellendraht



Rings - Anneaux - Zugösen



Studs - Goujons - Gewindebolzen



Rivets - Rivets - Nieten

Nails - Clous

Stitch welding - Molette

Rubber pad
062399

hexagon	Earth plate small	chuck for inertia hammer	copper coating star	electrode ø 16 for 8 x 16	ø 8 x 16	earth hook	carbon heating electrode	electrode warming point ø 16	Ball electrode warming point Ø16	for spot welding machine only M8	elec-trode	wavy wire	magnetic positioner	elec-trode	straight rings	twisted rings	lifting rod	electrode for threaded studs rivets ø 5 - M5, M6	threaded M5 x 18 x 0.8	self-threading ø 5 x 18	ø 5 x 12	electrode ø 16, 3 x 4,50	ø 3 x 3.25	ø 3 x 4.50	electrode ø2 - M4	ø2	for spot welding machine only electrode wheel ø16	flat n°27	Earth plate large	magnetic	Steel gun earth adapter Ø 25 mm²
×1		×1	×20	×1	×100	×1	×5	×1	×1	×100	×1	×50	×1	×1	×100	×50	×3 180, 300, 500 mm	×1	×100	×100	×100	×1	×100	×100	×1	×100	×1	×1	×1	×1	×1
049482	052239	049574	049444	056718	049468	049567	059726	050303	049789	049727	049772	050655	050648	050631	050792	049598	049383	049420	049413	049604	049345	049352	049277	041561	050310	049673	052529	049666	051997

DENT BOX

CONSUMABLES 051515				×20							×25							×50	×25												
BAR 050037	ideal PROLINER										×1	×25						×1	×50		×1 180mm									
EASY 053632	included EASYLINER	×1	×1	×1	×20	×1	×50	×1	×1	×1	×1	×25						×1	×50		×1 180mm									

SPOTTER BOX

PRO 050075	included PRO, EXPERT & COMBI 230	×1	×1	×1	×20	×1	×50	×1	×1	×1								×1	×50	×50	×50	×1	×100	×100						
STANDARD 053915		×1	×1	×1	×20	×1	×50	×1	×1	×1																				
2600 052277	ideal GYSPOT 2600				×20	×1	×50	×1																						
2700 053922	ideal GYSPOT 2700				×20	×1	×50	×1	×1																					




ELECTRODE FOR MAGNETIC EARTH (x1)
050013



THREADED ROD FOR MAGNETIC EARTH (x5)
055438



SINGLE HOOK (x1)
051218



Curved lifting rod 280 mm
064706

Steel Ring sharpener - Affuteur d'anneaux acier - Stahl Zugösenschneider
072565






072299
Pneumatic punch and die sharpener for steel rings
Poinçon et matrice affuteur pneumatique pour anneaux acier


SLIDE HAMMERS - Marteaux inertie - Ausbeulhammer

COMPLETE
057272



1.1 kg
049802
included (x1) 049482
included (x20) 052239

COMPLETE KIT
051225



2.5 kg
049819

Pulling handle 3 claws
- Poignée de tirage 3 dents
- Handzugkralle 3-fach
057326



057302

Pulling handle with hook
- Poignée de tirage avec crochet
057319




Nails - Clous - Nägel
041813



1.1 kg

Ø 2, M4 (x1) 049277
Ø 2 (x100) 041561
MIG/MAG nozzle for Nail welding 041523

Washers - Rondelles - Ringe
051201



1.7 kg

Ø 16, 8x16 (x1) 049574
8x16 (x100) 049444
(x1) 051218

Slide hammer kit - Kit marteau à inertie - Ausbeulhammerset
051928



6 kg

ALU



ALU BOX LIGHT Ø4 / STANDARD Ø4 / Ø5 & 6

Joint rings for mandrel Ø 4/5/6
× 2
060814

mandrel for ALU GUN ø 4 x2	mandrel for ALU GUN ø 5 x1	mandrel for ALU GUN ø 6 x1	alu magnesium screws 12 mm ø 4 - M4 x200	alu magnesium screws 12 mm ø 4 - M4 x1000	alu magnesium screws 12 mm ø 5 x100	alu magnesium screws 12 mm ø 6 x100	alu silicium screws 12 mm ø 4 - M4 x200	alu silicium screws 12 mm ø 4 - M4 x1000	alu silicium screws 12 mm ø 5 x100	alu silicium screws 12 mm ø 6 x100	screwable rings ø4 x5	fast pulling rings x5	lifting rod ×3 : 180, 300, 500 mm
049000	048157	048164	050273	050129	048140	048133	050280	050136	048126	048003	050297	058712	050792

ALU BOX

LIGHT Ø 4 051522				ø 4 ×200				ø 4 ×200																						
STANDARD Ø 4 050020	included GYSPOT ALU & COMBI 230			ø 4 ×200				ø 4 ×200																						
Ø 5 & 6 048195			×1	×1		ø 5 ×100 + ø 6 ×100				ø 5 ×100 + ø 6 ×100																				

DENT PULLING

DRAWN ARC ALU + STEEL

ACIER - STAHL

Youtube

FV FLEXIBLE VOLTAGE
85 V — 265 V
10 m

SR SECONDARY REGULATION
I (A) STABLE

AD ANTI-DUST

MANUAL & SYNERGIC CONTROL

SYNERGIC



PRO ★★★

EXPERT Control



MANUAL



- Rings - Anneaux – Zugösen
- Studs - Goujons - Gewindebolzen
- Stainless steel nails - Tiges inox - Edelstahlnägel

1. Start-up - Amorce - Zündung
2. Scouring (I & t) - Décapage - Abbeizen
3. Arc (I & t) - Arc - Lichtbogen
4. Hitching (I & t) - Accroche - Verklebung
5. Height - Hauteur - Höhe

7 languages
FR, EN, DE, SP, IT, NL & RU

2 GUNS INCLUDED



Ø max
Alu : 6 mm
Fe : 6 mm

GUN WITH CONNECTOR


SYNERGIC DIGITAL GUNS

★★★★

UNIQUE
Linear Motor

DRAWN ARC PROCESS
Gas protection







3 m, Ø 25 mm²

included
ARCPULL
200 & 350,
COMBI ARCPULL



Full control



Consumables for Gun



x2
059627



x1
059610

GYSPOT ARCPULL 200 CAR BODY REPAIR

100 › 230 V • 1 ~

200 A — ×1 MANUAL

FV SR AD

057470

included



Manual synergic gun
3 m, 25 mm²



ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429

x1
059610



+ Lifting rod 180 mm
(x1) 082915

OPTIONS — details p.24

Weld 810
for ARCPULL 200
037489



GYSPOT COMBI ARCPULL

230 V • 1 ~

ARCPULL	EXPERT
200 A	3800 A
Alu	Acier / Steel / Stahl
×1	×1
MANUAL	MANUAL

069824

OPTION : AUTOMATIC

Arcpull accessories included



Manual synergic gun
3 m, 25 mm²



ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429

x1
059610



+ Lifting rod 180 mm
(x1) 082915

Expert accessories included



Manual quick gun, 2 m, 70 mm² (057524)
+ Hammer (057272)

Earth cable
2 m, 70 mm²



SPOTTER BOX PRO (050075)
(Details p.10)

MADE IN FRANCE — CE NORM. 60974-1	50/60 Hz		I₂ A	SYNERGIC	MANUAL	IRMS (A)	Acier/Steel	Alu	U₂ V	AM A	kW			LxWxH cm / kg
GYSPOT ARCPULL 200 CAR BODY REPAIR	110 › 230 V	6 m	10 › 100 (110 V) 10 › 200 (230 V)	■	■	—	Manual + Digital Gun Motion Control		20.4 › 24 V (110 V) 20.4 › 28 V (230 V)	16	2.4 (110 V) 5.6 (230 V)	OK	OK	49 x 37 x 30 / 14.5
GYSPOT COMBI ARCPULL	230 V	8 m	Alu 10 › 200 Acier 3800	■	■	Steel 3800	Manual Automatic (not included)	Manual	Alu 20.4 › 28 V Steel 7.4 V	16	Alu 5.6 Steel 20	OK	OK	72 x 42 x 29 / 41.5


DENT PULLING

DRAWN ARC ALU + STEEL


ACIER - STAHL

Youtube


SPECIAL TEARING RIVETS
Spécial arrachage de rivets - Spezial-Zugnieten




PFC POWER FACTOR CORRECTION



SR SECONDARY REGULATION



AD ANTI-DUST



SYNERGIC



EXPERT Control



- Rings - Anneaux – Zugösen
- Studs - Goujons - Gewindebolzen
- Stainless steel nails - Tiges inox - Edelstahlnägel

1. Start-up - Amorce - Zündung
2. Scouring (I & t) - Décapage - Abbeizen
3. Arc (I & t) - Arc - Lichtbogen
4. Hitching(I & t) - Accroche - Verklebung
5. Height - Hauteur - Höhe

MANUAL



7 languages
FR, EN, DE, SP, IT, NL & RU



Ø max Alu/Fe : **8 mm**



Ø max Alu : **10 mm** Fe : **13 mm**


PRO ★★★




SYNERGIC DIGITAL GUNS

★★★★ DRAWN ARC PROCESS
Gas protection

UNIQUE Linear Motor






3 m, Ø 25 mm²

included
ARCPULL
200, 350 &
COMBI ARCPULL





Consumables for Gun



x2
059627



x1
059610

GYSPOT ARCPULL 350 CAR BODY REPAIR

208 › 240 V • 1 ~

350 A ×1 MANUAL

PFC SR AD

082953

included



Manual synergic gun
3 m, 25 mm²

+



ALU RING BOX 1.5 mm (AlSpec + AlMg3 + AlMgSi)
059429



x1
059610

+



ALU RING bag 2 mm (AlSpec x100)
065703

+

Lifting rod 180 mm (x1) 082915

OPTIONS details p.24

Weld 810
for ARCPULL 350
037489



GYSPOT ARCPULL 700 CAR BODY REPAIR

380 › 480 V • 3 ~

680 A ×1 MANUAL

SR IP 23

OPTIONS details p.24

Weld 910
for ARCPULL 700
070967



068315

included



Manual synergic gun
5 m, 50 mm²

+



Double earth clamps
700 A, 3 m, 50 mm²
068605



Arc Pull Rivet Box 700

+




ALU RING BOX
1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429

Lifting rod 180 mm (x1) 082915



Gas protection (x1)
068346



Ground studs holder
Ø 6 (x1) 075368
Ø 8 (x1) 075375
Ø 10 (x1) 075382





Threaded holder
Ø 5 (x1) 076174
Ø 6 (x1) 068391

MADE IN FRANCE / CE NORM. 60974-1	50/60 Hz	6 m	I_2 A	SYNERGIC	Acier/Steel	Alu	TECHNOLOGY Power Factor Correction	TECHNOLOGY Flexible Voltage	U_2 V	AM A	kW	OK	OK	LxWxH cm / kg
GYSPOT ARCPULL 350 CAR BODY REPAIR	208 › 240 V	6 m	10 › 350	■	Manual + Digital Gun Motion Control		■	—	20.4 › 34 V	16	1 1.9	OK	OK	48 x 36 x 30 / 17.4
GYSPOT ARCPULL 700 CAR BODY REPAIR	3x 400 V 3x 480 V	5 m	50 › 680	■	Manual + Digital Gun Motion Control		—	—	22 › 44 V	20 A (D) 16 A (D)	47.8 kW 45.7 kW	OK	OK	60 x 43 x 46 / 27.8

GYSPOT ARC PULL 200, 350 & COMBI ACCESSORIES & CONSUMABLES

ACIER / STEEL / STAHL



	×1 059634	×1 059641	mandrel Ø2mm	nail Ø2mm ×50mm	Ø2mm	mandrel Ø4mm	studs M4 ×16mm	inox - stainless steel Ø 4 ×50mm	mandrel Ø5mm	studs M5 ×18mm	self-threading studs M5 ×12mm	self-threading studs M5 ×18mm	mandrel Ø6mm	studs M6 ×20mm	studs internal M4 ×20mm	mandrel Ø7.1mm	studs internal M5 ×20mm	mandrel Ø8mm	studs M8 ×20mm
			×1 064065	×100 041561	×100 064034	×2 049000	×100 059603	×100 064607	×1 048157	×100 049383	×100 049413	×100 049420	×1 048164	×100 063969	×200 063990	×1 064041	×200 064003	×1 064058	×100 063976
STEEL STUDS BOX 200 & 350 059443	×1	×1				×1	×100		×1	×100	×100	×100							

ALU



	×1 059634	×1 059641	mandrel Ø4mm	studs M4 **AlMg3** ×16 mm		mandrel Ø5mm	studs M5 **AlMg3** ×16mm		mandrel Ø6mm	studs M6 **AlMg3** ×16mm	studs internal M4 ×20mm		mandrel Ø7.1mm	studs internal M5 **AlMg3** ×20mm		mandrel Ø8mm	studs M8 **AlMg3** ×16 mm						
			×2 049000	×100 059573		×1 048157	×100 059580		×1 048164	×100 059597	×200 064010		×1 064041	×200 064027		×1 064058	×100 063983						
ALU STUDS BOX 200 & 350 059436	×1	×1	×1	×100		×1	×100		×1	×100													



ALU RING BOX
1mm / 1.5 mm

		straight rings					twisted rings				
		Al-Special			AlMg3		AlMgSi	Al-Special		AlMg3 - x 50		AlMgSi - x 50	
		n°1 1 mm ×100 059535	n°4 1.5mm ×100 059559	n°8 2mm ×100 065703	n°2 1mm ×100 059498	n°5 1.5mm ×100 059511	n°3 1 mm ×100 059450	n°6 1.5mm ×100 059474	n°1 1mm ×50 059542	n°4 1.5mm ×50 059566	n°2 1mm ×50 059504	n°5 1.5mm ×50 059528	n°3 1mm ×50 059467	n°6 1.5mm ×50 059481
box	**ALU RING BOX 1 mm** 059412	1mm ×50			1mm ×50		1mm ×50		1mm ×20		1mm ×20		1mm ×20	
box	**ALU RING BOX 1.5 mm** 059429		1.5mm ×50			1.5mm ×50		1.5mm ×50		1.5mm ×20		1.5mm ×20		1.5mm ×20
sachet - bag	**ALU RING BOX 2 mm** 065703			2mm ×100										



Ring holder (x1)
059610


Tension mandrel for M4 (x1)
050327




Earth clamp
Croco T400.70
043787



Double earth clamp
25 mm², 3 m, 350 A
070714



Joint rings for mandrel Ø 4/5/6
x 2
060814





STUDS HOLDER BOX 350

DIFFICULT ACCESS BOX 350

		(Barrel not included in 070813 - Coiffe non incluse dans 070813)		Mandrel - Mandrin						Long barrel - Canon long		Long mandrel - Mandrin long				25 mm², 3 m, 350 A
	Mandrel support - Support porte-goujon x 1 059634	Nozzle + pad - Buse + patin x 1 059641	Ø2mm ×1 064065	Ø4mm ×2 049000	Ø5mm ×1 048157	Ø6mm ×1 048164	Ø7.1mm ×1 064041	Ø8mm ×1 064058	Opened - Ouvert x 1 070806	Closed - Fermé x 1 070790	M4 x 1 070752	M5 x 1 070769	M6 x 1 070776	M8 x 1 070783	x 1 070714
STUDS HOLDER BOX 350 064591	×1	×1	×1	×1	×1	×1	×1	×1							×1
ARCPULL DIFFICULT ACCESS BOX 350 070813	×1	×1							×1	×1	×1	×1	×1	×1	×1

Difficult access :




Porte-clou Ø3 - Nail holder Ø3
072251



Clou - Nail Ø3x100 (x100)
072244

To be used with : Earth clamp Croco T400.70 043787








				(Barrel not included in the box - Coiffe non incluse dans le coffret)							
	Stainless steel nail Tige inox Ø 4 x 50 mm x 100 064607	Barrel for stainless steel nail welding - Canon pour pose de tige inox —	Mandrel support - Support porte-goujon x 1 059634	Nozzle + pad - Buse + patin x 1 059641	mandrel Ø4mm ×2 049000	Rivet extraction insert - Buse d'extraction 24kN Ø 4 x 1 064683	Long barrel - Canon long + mandrin M4 x 1 067721	Long barrel - Canon long + mandrin M5 x 1 070738	Stainless steel nail Tige inox Ø 5 x 50 mm x 100 070745	Rivet extraction insert - Buse d'extraction 50KN Ø 5 x 1 066151
ARCPULL RIVET BOX 1 350 - 24kN 064584	×100	×1	×1	×1	×1	×1				
ARCPULL RIVET BOX 2 350 - 50 kN 073388			×1	×1			×1	×100	×1	

Extraction with GYSPRESS & adapters

details p.76




GYSPRESS + adapter **24kN for Ø 4**

GYSPRESS + adapter **50kN for Ø 4 & 5**

GYSPOT ARC PULL 700 - ACCESSORIES & CONSUMABLES



					(Barrel not included in the box - Coiffe non incluse dans le coffret)				
	Stainless steel nail - Tige inox Ø 5 x 50 mm x 100 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 x 1 070738	Rivet extraction insert - Buse d'extraction 50 Kn Ø 5 x 1 066151	Mandrel support - Support porte-goujon x 1 071377	Nozzle + pad - Buse + patin x 1 059641		Ring holder x 1 059610	Rod for pulling rings - Fourche pour anneau x 1 071384	Vis de butée x 1
ARCPULL RIVET BOX 700 068452	×100	×1		×1	×1	×2	×1	×1	×1



Gas protection (x1)
068346

Ground studs holders

Ø 6	x 1	075368
Ø 8	x 1	075375
Ø 10	x 1	075382

Threaded holders

Ø 5	x 1	076174
Ø 6	x 1	068391
Ø 8	x 1	068407




Double earth clamp
50 mm², 3 m, 700 A
068605

STEEL / ACIER / STAHL

EASY TOOL CONNECTION



for GYSPOT 39.02/04, PRO 230/400, EXPERT 230/400, COMBISPOT 230



MANUSPOT =
050679



Tools set & support for DENT 600, 800, 1000, 1600, Workstation & Dentstation


+ EASYGUN 051317



+ MANULINER 050471



4 positions
4 Positionen






Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317




Box of 3 electrodes for accessories
050822



FAST & EASY



RINGMATIC
052154




Option
Gun adapter
- Adaptateur pistolet
052499



MANULINER/GUN

056831

PATENTS REGISTERED NUMBERS
001652108-0003
EUROPEAN TRADEMARK & DESIGN



Gun adapter
- Adaptateur pistolet
included
052499

Pads - Patins (x2)
060807

DENT AXE PULLER

080508





Direct impact electrodes (x5)
050839

QUICK SPOT AIR GUN V2

057340



QUICK SPOT AIR GUN V2
+ Mini-fraiseuse - Mini-Druckluftfräser
065567



Included
Tungsten drill
Ø 6 mm
054172

Gun adapter
- Adaptateur pistolet
052826



MANU PULLER

079502



Included
Alu 3
065178

Included
Steel
079830

Included
Alu 4
065185

ALU


ARC PULLER PREMIUM

065161



Included
Alu 3
065178

Included
Alu 4
065185



Option
Steel
079830

Pads - Patins (x2)
069008

ULTRA RESISTANT
No deformation

GRIP

Full rotation

Multi positions

ARC PULLER PREMIUM PRO

072572




Pads - Patins (x4)
074958

Included
Alu 3
065178

Included
Alu 4
065185

ALU PULLER

4 positions




= 051003

+ Included
Alu 1
050938

+ Included
Alu 2
050945

Patins
- Pads (x2)
060807



STRAIGHT LINE LAMP
- Lampe ligne droite - Dentline-laser

056770



FAST PULLING RINGS
- Anneaux de tirage rapide

058743 =



x5
058712

goujons alu
- alu screws
ø 4, 5 & 6 mm

+ **Alu 1**
050938

+ **Alu 2**
050945



Marteau à inertie 380 g
050051

ALU HAMMERS
- Marteaux alu

020986



Heat gun
- Décapeur thermique
- Heißluftpistole

I : 100/300°C (450 W)
II : 300/650°C (1500 W)
Air flow : 450 l/min

230 V only



066311

Gas hot air gun - Pistolet à air chaud autonome à gaz



060777

Blow torch - Lampe à souder - Lötlampe



052741

Novacet + (Butane/propane/propylene) 380 ml/220 g



040441

Brushes
- Brosses
- Bürsten
- Brosses
- Cepillos



Inox
- Stainless - Edelstahl

044258

Thermal marking pencil - Crayon marqueur thermique

121°C / 250°F



052765

Freezer spray - Spray refroidisseur

-50 °C
400 ml



(x 12)
048898

Heat barrier spray - Spray barriere thermique



054325

Infrared Thermometer - Thermomètre infrarouge

-50 / +600 °C
-58 / +1112°F

Adjustable emissivity :
0.10 ~ 1.00

NEW



079922

PULLING BARS

3 PRODUCT LINES

1. **STANDARD**
2. **★ PREMIUM ★**
3. **★★★ PREMIUM PRO ★★★**



SLIDE & LOCK



QUICK HOOK



EASY REMOVABLE PULLING SYSTEM




SLIDE & LOCK

STANDARD

Levelling lever
- Levier de débosselage
- Zughebel

050686
1.6 kg
79 x 12 x 17 cm / 1.9 kg


PATENTS REGISTERED NUMBERS 001652108-0002 EUROPEAN TRADEMARK & DESIGN



Double action levelling bar
- Barre de débosselage double action
- Zughebelbrücke

053564
2.5 kg
77 x 12 x 13 cm / 3.2 kg


Licensed by BETAG.Innovation



Levelling bar
- Barre de débosselage
- Zugbrücke


050693
3.4 kg
87 x 17 x 19 cm / 4 kg

Licensed by BETAG.Innovation



Reinforced scissoring bar
- Barre de tirage renforcée
- Scherenzugbrücke

050716
5.1 kg
87 x 17 x 18 cm / 5.9 kg



SLIDE & LOCK

Removable system : pads and pulling systems
Système amovible : patins et chariots de tirage

FEET



PULLING SYSTEM
only for **059313**



LIGHTWEIGHT
Léger



GRIP 360
360° pads with grip
Patins à frein orientables à 360°




X-CROSS
Possibility of crossing the bars
Possibilité de croiser les barres

PREMIUM


Premium levelling lever
- Levier de débosselage Premium
- Premium Zughebel

059290
1.6 kg
100 x 16 x 17 cm / 2.2 kg




Premium levelling bar
- Barre de débosselage Premium
- Premium Zugbrücke

059306
2.8 kg
79 x 30 x 13 cm / 3.2 kg




Premium scissoring bar
- Barre de tirage Premium
- Premium Scherenzugbrücke

058996
3.1 kg
87 x 16 x 18 cm / 3.9 kg




Premium 1200 scissoring bar
- Barre de tirage 1200 renforcée Premium
- Premium Scherenzugbrücke 1200


059313
5.6 kg
127 x 26 x 9 cm / 6.2 kg



OPTIONS

Reinforced bar 1200 mm - Barre renforcée
051171







Fixing screw
058439

Double pads support
- Support double patin
- Doppelfüße

050723





x2 Extension
052451

STANDARD	STANDARD PREMIUM (LONG FEET NEEDED)			PREMIUM	
					
2 teeth hook *Ø M10* **057296**	**4** tooth claw *Ø M10 / M14* **049758**	**6** tooth claw *Ø M10 / M14* **049734**	**8** tooth claw *Ø M10 / M14* **049741**	**2** teeth hook *PREMIUM* *Ø M14* **059382**	**3** teeth hook *PREMIUM* *Ø M14* **059658**



OPTIONS





PREMIUM PRO

SUPER ERGONOMIC

BREVET GYS — PATENT PENDING — GYS PATENT



QUICK HOOK




2 teeth hook
PREMIUM PRO
072664



3 teeth hook
PREMIUM PRO
072671

NEW






4 tooth claw
PREMIUM PRO
072640




6 tooth claw
PREMIUM PRO
072657

8 tooth claw
PULLING CHAIN
080546

EASY REMOVABLE PULLING SYSTEM






SLIDE & LOCK

Removable system : pads and pulling systems
Système de patins et chariots de tirage amovibles




Premium Pro Levelling lever
- Levier de débosselage Premium Pro
- Premium Pro Zughebel

072619
1.6 kg
87 x 17 x 18 cm / 2.3 kg




Premium Pro Levelling bar 900mm / Single feet
- Barre de débosselage Premium Pro 900 mm
- Premium Pro Zugbrücke 900 mm

071643
120 x 26 x 8 cm / 4.4 kg
3.8 kg




Premium Pro Levelling bar 900mm / Double feet
- Barre de débosselage Premium Pro 900 mm
- Premium Pro Zugbrücke 900 mm

080102
3.8 kg



Premium Pro Scissoring bar 900mm
- Barre de tirage Premium Pro 900 mm
- Premium Pro Scherenzugbrücke 900 mm

072305
103 x 30 x 13 cm / 5.2 kg
4.5 kg



Premium Pro Scissoring bar 1150 mm
- Barre de tirage Premium Pro 1150 mm
- Premium Pro Scherenzugbrücke 1150 mm

072626
124 x 7 x 7 cm / 3.1 kg





GRIP 360 **GRIP 360+**



360° pads with grip
Patins à frein orientables à 360°



STRENGHTENED (DOUBLE) BAR
Improved mechanical resistance
Résistance mécanique renforcée

X-CROSS
Possibility of crossing the bars
Possibilité de croiser les barres





MULTIPLE PULLING SYSTEM
Additional removable pulling systems
Chariots de tirage amovible supplémentaire

OPTIONS

Single foot
- Pied simplet
- Fuß

x2 061293

x1 059320





Double foot levelling bar
- Pied double patin
- Doppelfuss



PREMIUM BAR SMARTHAND

for Premium & Premium Pro
072480









DENT PULLING
WORKSTATIONS

A COMPLETE SOLUTION
UNE SOLUTION COMPLÈTE
KOMPLETTLÖSUNGEN

Compatibility


SPOT	Dent 600	Dent 1000	Universal 800	Weld 810	Weld 910	Dent 1600	Dent 1600 WD	Dentstation Pro WD
26/27.02	✓	✓	✓	✓		✓		✓
34.02/04	✓	✓	✓	✓		✓		✓
39.02/04	✓	✓	✓	✓		✓		✓
PRO 230/400	✓	✓	✓	✓		✓		✓
EXPERT 230/400	✓	✓	✓	✓		✓		✓
ALU 66	✓	✓	✓					
ALU PRO FV	✓	✓	✓			✓		✓
COMBI 230 E.PRO						✓		✓
ARCPULL 200/350				✓	✓	✓		✓
COMBI ARCPULL						✓		✓
ARCPULL 700					✓	✓		✓

CHARIOTS / TROLLEYS


Dent 600
44 x 35 x 62 cm / 6,9 kg
60 x 39 x 14 cm / 7,4 kg
072831




Dent 1000
44 x 35 x 98 cm / 9,3 kg
60 x 39 x 14 cm / 9,9 kg
072848




Universal 800
60 x 48 x 83 cm
17,6 kg
79 x 39 x 18 cm
18,1 kg
051331




Weld 810
77 x 50 x 84 cm
20,1 kg
80 x 51 x 14 cm
21,6 kg
037489




Weld 910
89 x 52 x 84 cm
25 kg
80 x 52 x 22 cm
27 kg
070967



Dent 1600
70 x 69 x 161 cm
/ 35,8 kg
103 x 66 x 22 cm
/ 38,7 kg
072596



Dent 1600 WD
71 x 70 x 161 cm
/ 49,5 kg
103 x 66 x 22 cm
/ 52,4 kg
072169



Dentstation Pro WD
90 x 71 x 161 cm
/ 65 kg
120 x 80 x 28 cm
/ 68,5 kg
072800





4 m³ support
for Dent 1600 /
1600 WD &
Dentstation Pro WD
059665



Cable support for
Spot 800, 1600
& Denstation
052284



Protection cover - Housse de protection
- Schutzhaube

for Universal 800
062733

for Spot 1600 & Dent 1600
048881

for Dentstation Pro
059870

EASYLINER



EASYLINER 39.02 | EASYLINER PRO 230

STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

39.02	PRO 230
053618 : 058521	072398

ALL IN 1 BOX

INCLUDED ACCESSORIES



DENT 1000
072848



Dent box easy
053632



Levelling bar double action
053564

PROLINER



PROLINER 39.02
PROLINER 39.04

PROLINER PRO 230
PROLINER PRO 400



PROLINER ALU PRO FV | PROLINER ARCPULL 200

STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

39.02	PRO 230
035775	035799
39.04	**PRO 400**
035782	035805

INCLUDED ACCESSORIES



UNIVERSAL 800
051331
+ Cable support
052284



Dent box easy
050037



Levelling bar double action
053564

ALU



GYSPOT
(guns & consumables included)

ALU PRO FV	ARCPULL 200
035836	065260

INCLUDED ACCESSORIES



UNIVERSAL 800
051331
+ Cable support
052284



Alu puller
051003

INCLUDED ACCESSORIES



Weld 810
037489
+ Cable support
052284



Arc puller premium
065161

SPEEDLINER STANDARD



PRO 230, 400



EXPERT 200, 230, 400



COMBI 230 E.PRO




ARCPULL 200
+ PRO 230, 400



ARCPULL 200
+ EXPERT 200, 230, 400



ALU PRO FV



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

PRO 230	EXPERT 200
074446	074460
PRO 400	**EXPERT 230**
074453	074477
	EXPERT 400
	074484

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

COMBI 230 E PRO
074491



GYSPOT
(guns & consumables included)

ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
074507	074521
ARCPULL 200 + PRO 400	**ARCPULL 200 + EXPERT 230**
074514	074538
	ARCPULL 200 + EXPERT 400
	074545

ALU



GYSPOT
(guns & consumables included)

ALU PRO FV
074552

INCLUDED ACCESSORIES



DENT 1600
072596




Cable support
052284



Levelling bar 850 mm
050693

052451



Multihook heads
049758+049734




Levelling bar
050686



Magnetic earth
049666



Manuspot
050679



Dent box consumables 051515
3 lifting rods 050792



Ringmatic
052154



Alu puller
051003



Cable support
052284



Arc puller premium
065161



Cable support
052284 + 4 m² support
059665

without generator (excluded Ringmatic) : **035058**
2 062,50 €HT


INCLUDED ACCESSORIES



DENT 1600
072596



Cable support
052284



Levelling bar 850 mm
050693



Alu hammers
020986



Set of pencil punches with 6 teflon tips
052888



Multihook heads
049758



Alu puller
051003



Stainless stell brush
044258
Alu Box Ø5 & 6
048195



Infrared Thermometer
079922
Hot air gun 650°C
066311

SPEEDLINER PREMIUM



PRO 230, 400




EXPERT 200, 230, 400



COMBI 230 E.PRO




ARCPULL 200
+ PRO 230, 400



ARCPULL 200
+ EXPERT 200, 230, 400



ARCPULL 200, 350



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

PRO 230	EXPERT 200
073883	073906
PRO 400	**EXPERT 230**
073890	073920
	EXPERT 400
	073944

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

COMBI 230 E PRO	COMBI ARCPULL
073968	074569



GYSPOT
(guns & consumables included)

ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
073975	073913
ARCPULL 200 + PRO 400	**ARCPULL 200 + EXPERT 230**
073982	073937
	ARCPULL 200 + EXPERT 400
	073951

ALU



GYSPOT
(guns & consumables included)

ARCPULL 200	ARCPULL 350
073999	083042

077317
(without HOT AIR GUN)

INCLUDED ACCESSORIES



DENT 1600 WD
072169

Cable support
052284



Premium levelling bar 720 mm
059306



Hook head
049758
+ 059658
+ 059382




Premium levelling lever
059290



Magnetic earth
049666



Manuspot
050679



Dent box consumables 051515 + 3 lifting rods 050792



Manual pulling handle
057289
Ringmatic
052154



Fast pulling rings (x5)
058712
+ Alu puller
051003
+ Cable support
052284



4 m³ support
059665
Arc puller premium
065161
+ Cable support
052284



Arc puller premium
065161



Cable support
052284
4 m³ support
059665

INCLUDED ACCESSORIES



DENT 1600 WD
072169
Cable support
052284



Alu Ring Box 1 mm
059412
Premium 2-teeth hook
059382



Arc puller premium
065161



Premium levelling
bar 720 mm
059306



Alu hammers
020986



Infrared Thermometer
079922
Hot air gun 650°C
066311



Set of pencil punches
with 6 teflon tips
052888



3 lifting rods
050792



Stainless
stell brush
044258



4 m³ support
059665

SPEEDLINER PREMIUM PRO



PRO 230, 400



EXPERT 200, 400
+ ARCPULL 200, 350



COMBI ARCPULL



ARCPULL 200, 350



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

EXPERT 230	EXPERT 400
080201	080218

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

EXPERT 400 + ARCPULL 200	EXPERT 400 + ARCPULL 350
080232	083028

EXPERT 200 + ARCPULL 200
080553



GYSPOT
(guns & consumables included)

COMBI ARCPULL
080225

ALU



GYSPOT
(guns & consumables included)

ARCPULL 200	ARCPULL 350
080256	083035

INCLUDED ACCESSORIES



Dent 1600 WD
072169



Premium Pro levelling bar 900 mm
071643



Premium Pro levelling bar
072619



Ringmatic
052154




Manuspot
050679



Premium Pro teeth hook
072671 + 072664 + 072640



Manual pulling handle
057289



3 lifting rods
050792
Dent box consumables
051515



Magnetic earth
049666

+



Cable support
052284
4 m³ support
059665
Arc Puller Premium Pro
072572



Cable support
052284
4 m³ support
059665
Arc Puller Premium Pro
072572



Cable support
052284
4 m³ support
059665
Arc Puller Premium Pro
072572

INCLUDED ACCESSORIES



Dent 1600 WD
072169



Alu Ring Box 1 mm



072664



4 m³ support
059665



Premium Pro levelling bar 900 mm
071643



Set of pencil punches with 6 teflon tips
052888



Arc Puller Premium Pro
072572



Alu hammers
020986



Infrared Thermometer
079922
Hot air gun 650°C
066311



Stainless stell brush
044258



3 lifting rods
050792

DENTSTATION STANDARD



39.02, 39.04



PRO 230, 400



EXPERT 200, 230, 400




COMBI 230 E.PRO



ARCPULL 200
+ PRO 230, 400



ARCPULL 200
+ EXPERT 200, 230, 400



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

39.02	PRO 230	EXPERT 200
078161	078208	078321
39.04	**PRO 400**	**EXPERT 230**
078185	078260	078369
		EXPERT 400
		078444

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

COMBI 230 E PRO	ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
078529	078222	078338
	ARCPULL 200 + PRO 400	ARCPULL 200 + EXPERT 230
	078284	078384
		ARCPULL 200 + EXPERT 400
		078468



GYSPOT
(guns & consumables included)

INCLUDED ACCESSORIES



Dentstation Pro WD
072809
Fixing kit
051362



Double pads
050723



Levelling bar 850 mm
050693

Scissoring bar
050716



Multihook heads
049758
+049734
+049741



Levelling lever
050686




Strengthened bar 1200 mm
051171
Extensions (x2)
052451



Magnetic earth
049666



Manuspot
050679



Dent box consumables
051515
3 lifting rods
050792
Empty box
320x113mm



Manual pulling handle
057289



Ringmatic
052154



Fast pulling rings
(x5)
058712
+ Alu puller
051003

Cable
support
052284



Arc puller premium
065161



Cable support
052284
+ 4 m³ support
059665
+ Flanges (x 2)
062146

DENTSTATION PREMIUM




PRO 230, 400




EXPERT 200, 230, 400




COMBI 230 E.PRO
COMBI ARCPULL



ARCPULL 200
+ PRO 230, 400



ARCPULL 200
+ EXPERT 200, 230, 400



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

PRO 230	EXPERT 200
078239	078345
PRO 400	**EXPERT 230**
078291	078406
	EXPERT 400
	078482

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

COMBI 230 E PRO	COMBI ARCPULL
078543	078567



GYSPOT
(guns & consumables included)

ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
078253	078352
ARCPULL 200 + PRO 400	**ARCPULL 200 + EXPERT 230**
078314	078420
	ARCPULL 200 + EXPERT 400
	078505

INCLUDED ACCESSORIES



Dentstation Pro WD
072800
Fixing kit
051362



Manuspot
050679



Premium levelling bar 720 mm
059306



Premium levelling lever
059290



Hook head
049734
+ 059658
+ 059382



Premium scissoring bar 720 mm
058996




Premium scissoring bar 1200 mm
059313



Magnetic earth
049666



Premium double pads support 150 mm (x2)
059351
+ 220 mm (x2)
059375



Dent box consumables
051515
3 lifting rods
050792
Empty box 320x113mm



Manual pulling handle
057289



Ringmatic
052154



Fast pulling rings (x5)
058712
Alu puller
051003
Cable support
052284



Cable support
052284
4 m³ support
059665
Flanges (x 2)
062146
Arc puller premium
065161



Arc puller premium
065161



Cable support
052284
4 m³ support
059665
Flanges (x 2)
062146

DENTSTATION PREMIUM PRO



EXPERT 230, 400



COMBI ARCPULL



EXPERT 400
+ ARCPULL 200, 350



ARCPULL 200, 350



STEEL / ACIER / STAHL



1 BOX — GYSPOT (guns & consumables included)

EXPERT 230	EXPERT 400
080133	080140

ALU + STEEL / ACIER / STAHL



1 BOX — GYSPOT (guns & consumables included)



1 BOX — GYSPOT (guns & consumables included)

EXPERT 400 + ARCPULL 200	EXPERT 400 + ARCPULL 350	COMBI ARCPULL
080164	083004	080157

ALU



1 BOX — GYSPOT (guns & consumables included)

ARCPULL 200	ARCPULL 350
080461	083011

INCLUDED ACCESSORIES



1 BOX — Dentstation Pro WD 072800



Premium pro levelling bar 900mm
071643



Premium pro levelling lever
072619
Premium pro bar 1184 mm
072626



Manuspot
050679




(x2) 059375 + (x2) 072688



072664 + 072671 + 072640 + 072657



071650 + 072312



Dent box consumables
051515
3 lifting rods
050792
Empty box 320x113mm



Magnetic earth
049666
Ringmatic
052154
Manual pulling handle
057289

1 BOX — STEEL ACCESSORIES PACK V2 080126

\+



Cable support
052284



4 m³ support
059665



Arc Puller Premium Pro
072572

1 BOX — ALU ACCESSORIES PACK 073838

INCLUDED ACCESSORIES



1 BOX — Dentstation Pro WD 072800



Premium pro levelling bar 900mm
071643
(x2) 059375



072664 + 072640 + 071650



Alu Ring Box 1 mm
059412



Alu hammers
020986



Arc Puller Premium Pro
072572



Set of pencil punches with 6 teflon tips
052888



3 lifting rods
050792



Stainless stell brush
044258
Infrared Thermometer
079922
Hot air gun 650°C
066311




4 m³ support
059665

1 BOX — ARCPULL ACCESSORIES PACK 080485

PULLING SYSTEMS

AIRFIX DRAW ALIGNER	39
DRAW ALIGNER	40
FRAME STRAIGHTENING	42





DRAW ALIGNER


AIRFIX DRAW ALIGNER

Air 5-8 bars

077379

080669

Youtube




350 kg

Uniform pulling force

Force de tirage uniforme
Gleichmäßige Zugkraft
Forza di spinta uniforme





UNIQUE SYSTEM

PATENT PENDING

BREVET GYS - GYS PATENT


Designed for

- **Time saving**
- **Maximum grip**
- **Durability**

Ground anchor by suction

Fast installation

Ancrage au sol par aspiration : installation rapide
Verankerung durch Vakuumbildung – schnell einsatzfähig
Ancoraggio a terra: installazione rapida



Precision



Down-pulling




4 pads


Seal protection
Perfect stability


4 patins : protection du joint, stabilité parfaite
4 Pads: Dichtungsschutz, perfekte Stabilität
4 piedini: protezione sigillata, perfetta stabilità





Seal - Joint - Rahmen - Guarnizione









Options



Pads - Patins (x2)
069008



Plate seal
- Joint de plaque
079571




12 tooth claw
- Griffe 12 dents
082229

DRAW ALIGNER


PULLING SYSTEMS


Youtube



DRAW ALIGNER

Draw ligner - Équerre de tirage - Schnellausbeul-Richtausleger
052475







OPTION




Hydraulic oil 1L - Huile hydraulique 1L
053397

INCLUDED

Wedge for rocker panel - Câle pour bas de caisse



Pads kit for rocker panel - Kit patins pour bas de caisse






OPTION

Rocker panel arms for draw aligner - Bras de bas de caisse - Abstütztraverse für Richtausleger

052581







OPTION

12 tooth claw for pulling chain
082229

NEW









Youtube

DRAW ALIGNER PRO

069244





OPTION


Hydraulic oil 1L - Huile hydraulique 1L
053397

INCLUDED


Plate under the wheel - Câle sous roue **076693**
Compatible with Draw Aligner & Draw Aligner Pro



Wedge for rocker panel - Câle pour bas de caisse




Rocker panel arms and stabilisation bar - Kit bras de bas de caisse et barre de stabilisation



OPTIONS


Pads kit for rocker panel - Kit patins pour bas de caisse
071278








SMART PULLER SILVER PULLING SYSTEM
- Système de tirage Smart puller silver - Schnellausbeul-Richtausleger Smart puller silver







054820



- Doors - Portières - Türen
- Supports - Montants - Scheibenrahmen
- Hood/Bonnet - Capot - Haube
- Armature - Armature - Rahmen
- Rocker panel - Bas de caisse - Schweller
- Wings - Ailes - Kotflügel
- Roof - Toit - Dach
- Hatchback - Hayon - Heckdeckel




Autorobot®


INCLUDED

Accessories

Youtube



Applications / Applicazioni




ELECTRO POWER - Zug-Druckpresse

Non commercialisable en France

OPTION

Pince écarteur
079496



with accessories :
057425



- PULLING POWER: 5 Ton.
- PUSHING POWER: 5 Ton.
- PISTON
- STROKE: 130 mm

MADE IN ITALIA



INCLUDED

Standard kit :
425x620x210 mm
Standard kit
Total weight: 18 kg

057401

Li-Ion battery (included)
058514

INCLUDED

Accessories kit :
425x620x150 mm
Accessories kit
Total weight: 20 kg

057418



HYDRAULIC CYLINDER KIT - Coffret vérin hydraulique - Hydraulischer Drucksatz

MADE IN CHINA

BASIC 4T
052345



BASIC 10T
052338



PRO 4T
057432



OPTIONS



Hydraulic oil 1L - Huile hydraulique 1L
053397

PRO 10T
057449



ANCHOR BAR - Barre d'ancrage - Türspanner


MADE IN TAÏWAN

053045



053052





MEASURING TOOLS - Mesures - Vermessung

BODYMETER, Mechanical measurements

052130






GYSMETER, Electronic measurements


052093




SWIVEL CLAMP - Pince pivotante




PULL CLAMPS - Pinces de tirage - Ziehwerkzeuge




PULL HOOK - Crochet de tirage - Ziehwerkzeuge




ARCH HOOKS - Passage de roue




PULLING CHAIN - Chaînes de tirage - Ziehwerkzeuge




WIDE PULL CLAMPS - Pinces de tirage larges



SMALL PULL CLAMPS - Pinces de tirage faible largeur



MULTIPLE PULL CLAMP - Pince de tirage multiple



45 MM SCISSORS CLAMP - Pince ciseaux largeur 45 mm




90 DEGREE CORNER CLAMP - Pince de tirage pour angle 90°




C TYPE CLAMP - Pince de tirage type C



INERTIA HAMMER KIT - Kit marteau à inertie - Ausziehhammer kit




SMART SATELLITE - Satellite intelligent- Satellite Komplett-Kit



1 SATELLITE - Satellite - Satellite Basisbügel-Set

052710





2 KIT MAC PHERSON (A) - Mac Pherson Kit - Befestigungskit- Federbein (McPherson)

052703






3 BARRE POUR TIRER/POUSSER - Push/Pull Bar - Zug/Druck-Stangenset

052673





4 SATELLITE (B) - Bügelverlängerung

052680





5 SANGLE DE SÉCURITÉ - Safety Strap - Sicherungsgurt

044036





6 DOUBLE PINCE SATELLITE (C) - Double Clamp Satellite - Satellite Doppelklemme

052697





PINCE DE TIRAGE MULTI-USAGE - Versatile pulling clamp - Multifunktions-Zugklemme


053571 Autorobot






POWER-PULLER 4T

059740





PAINTLESS DENT REPAIR + GLUE PULLING REPAIR

DENT PULLING INDUCTOR
- Inducteur débosselage - Dellenmatrix

GYSDUCTION AUTO + Dent pulling inductor 054776 = **GYSDUCTION AUTO DENT REPAIR** 054981

Youtube

MADE IN FRANCE






	AM+		Freq.	INTEGRATED TECHNOLOGY		❄	Cable (m)			
50 Hz	A	W	kHz	**PFC**	**FV**	Liquid Cooling		Inductor	LxWxH cm / kg	LxWxH cm / kg
230 V, 1~	16	2 400	35→120	▪	▪	—	2	2.5	52 x 30 x 37 / 9.4	37 x 21 x 37 / 7.5

DENT PULLING INDUCTOR
- Inspection carrosserie
- Ausbeul Induktor

Planche flexible pour inspection de la carrosserie - Ausbeul-Matrix
Ø 800 mm
059122





OPTION
Freezer spray
- Spray refroidisseur
-50 °C
400 ml

(x 12)
048898

PAINTLESS DENT REPAIR MAGNETIC KIT
- Kit magnétique de débosselage sans peinture
- Magnetisches Ausbeul-Kit

053168 EXELTOOLS




PAINTLESS DENT REPAIR LAMPS
- Lampes de débosselage
- Ausbeullampe

ULTRA LIGHT CARBON X40 PW
053175 EXELTOOLS



DENT PULLING KIT (PAINTLESS)
- Kit débosselage sans peinture - Dellenausbeulhebel-Set





33 parts

051959

SET OF 6 PENCIL PUNCHES
- Kit de 6 coins de frappe - Beulenstemmer-Satz mit 6 Tefloneinsätzen


052888



MADE IN FRANCE

AIR CUSHION KIT
- Kit coussins gonflables - Luftpolster-Spreizkissen-Satz






051942

PNEUMATIC INERTIA HAMMER
- Marteau inertie pneumatique - Unterdruck-Schlaghammer



051904

PUMP AIR SUCTION SLIDE HAMMER
- Marteau à inertie à ventouses (pompage manuel) - Man. Unterdruck-Schlaghammer



048683

PAINTLESS DENT REPAIR

GLUE PULLER PRO (Acier/Alu • Steel/Alu)








MADE IN FRANCE

Glue Lifter
057364



061392

Glue Puller PRO
058699

x6
050952
Ø 16
Ø 21
Ø 32

250 W
110-240 V
052901


x10
050976

050983

Glue Puller PRO EXPORT
230 V 059160

BARRETTES ANNEAUX PLASTIQUE - Plastic Multipads Ösen-Klebepads





OPTIONS


Pulling handle 3 claws - Poignée de tirage
3 dents - Handzugkralle 3-fach
057326




057302



Slide hammer 380 g
- Marteau à inertie 380 g
- Gleithammer 380 g
050051



Slide hammer 500 g
- Marteau à inertie 500 g
- Gleithammer 500 g
057906



Steel-Acier-Stahl
1.6 kg

Set of 2 knives to cut glued reinforcements
- Jeu de 2 couteaux pour découpe de renforts colles
- 2-er Set Messer zur Klebepadentfernung
057913





GYSMART GLUE PULLING KIT



GYSMART GLUE PULLING KIT PLUS

Workstation 054233	Set of pincil punches with 6 tefon tips 052888	Infraded thermo-meter 079922 Heat Gun 066311	Levelling bar 050693 6 Gripping multihook head 049734	3 Lifting rods 150/300/500 mm 050792	Set of 3 conical plastic multipads 048096 048072 048089 048119 048102	Inertia hammer 057906	Set of 6 glue tips 050952	Glue Puller PRO 058699	Glue Puller PRO Export 059160	33PC Paintless dent repair kit 051959 PDR Light ultra light carbon X40PW 053175	Mini puller 050921 Aluminium clamp 2 050945
GYSMART GLUE PULLING KIT 076051				✓							
GYSMART GLUE PULLING KIT EXPORT 076105			✓						✓		
GYSMART GLUE PULLING KIT PLUS 076082				✓						✓	
GYSMART GLUE PULLING KIT PLUS EXPORT 076129			✓						✓		

GLUE PULLING REPAIR

Youtube

GPR HAIL IMPACT TABS

NEW

Barrettes pour impacts de grêle
081024



GPR I-BAR MINI


080324






GPR BAR TABS

080331



GPR FLEXIBLE TABS





152 x 38 mm	152 x 51 mm	64 x 20 mm	64 x 38 mm	64 x 51 mm
080348	080355	080362	080379	080386



GPR Plastic hooks
- Anneaux plastiques
080393
x 10



GPR M4 steel hooks
- Anneaux acier M4
080409
x 5


GPR FLAT TABS

Patins plats
080430




GPR 3D TABS

Barrettes 3D
080416




GPR 3D CURVE TABS

Barrettes 3D incurvées
080423




Flexible



GPR UNIVERSAL TABS


Barrettes universelles
080447




GPR FOLD TABS

Barrettes pour plis
080522





Flexible



GLUE GUN 400W - Pistolet à colle chaude 400W

082144



GPR Glue sticks
- Bâtons de colle
080454



GPR Glue sticks for stripped sheets
- Bâtons de colle pour tôles décapées
081017



Workstation Premium -
Servante Premium
076143



(p. 136)

GPR PRO KIT

080317





1	**GPR I-bar mini**	
	51 mm	x 1
2	**GPR Flexible tabs**	
	64 x 20 mm	x 1
	64 x 38 mm	x 1
	64 x 51 mm	x 1
3	**GPR Long tabs**	
	152 x 38 mm	x 1
	152 x 51 mm	x 1
4	**GPR Plastic hooks**	x 10
5	**GPR Bar tab**	x 1
6	**GPR 3D tabs**	
	12 mm	x 1
	22 mm	x 1
7	**GPR 3D curved tabs**	
	51 x 38 mm	x 1
	101 x 38 mm	x 1
8	**GPR M4 steel hooks**	x 5
9	**GPR Universal tabs**	
	Flat 38 x 22 mm	x 1
	Flat 51 x 22 mm	x 1
	Open angle 38 x 22 mm	x 1
	Closed angle 38 x 22 mm	x 1
	Straight angle 27 x 22 mm	x 1
	Dome Ø 22 mm	x 1
	Dome Ø 26 mm	x 1
	Dome Ø 40 mm	x 1
10	**GPR Flat tabs**	
	Ø 13 mm	x 1
	Ø 23 mm	x 1
	Ø 27 mm	x 1
	Ø 32 mm	x 1
	Ø 38 mm	x 1
	Ø 52 mm	x 1
11	**GPR Bars for folds**	
	35 mm	x 1
	50 mm	x 1
	90 mm	x 1
	140 mm	x 1
	Flexible 135 mm	x 1
	140 x 30 mm	x 1
12	**GPR Glue sticks**	x 5

Isopropyl alcohol 99.9% + spray - Alcool isopropyloque 99,9% + vaporisateur
082236



Heat gun - Décapeur thermique
066311



I : 100/300°C (450 W)
II : 300/650°C (1500 W)
Air flow : 450 l/min

Gas hot air gun
- Pistolet à air chaud autonome à gaz
060777



Blow torch - Lampe à souder
052741



Novacet +
Butane/Propane/Propylène
040441



380 ml (220 g)

Infrared thermometer
- Thermomètre infrarouge
079922



Adjustable emissivity :
0.10~1.00

Set of 6 pencil punches - Kit de 6 coins de frappe
052888



(p. 47)

3 plastic wedges
- 3 cales plastiques
051294



Lifting rod 180 mm
- Tige de tirage 180 mm
082915




Pulling hand 3 claws - Poignée de tirage 3 dents
057326




(p. 48)

Slide hammer 500g
- Marteau à inertie 500g
057906



(p. 48)

Slide hammer 1.7kg
- Marteau à inertie 1,7kg
051201



(p. 10)

Glue Lifter
057364



(p. 48)

Arc Puller Premium
065161




(p. 19)

Arc Puller Premium Pro
072572



(p. 19)

Premium Pro Levelling bar 900 mm
071643



(p. 22)

Airfix Draw Aligner
077379



(p. 39)





SPOT WELDING

TECHNOLOGY 54

GYSPOT 32D-X & 100R-CX 56
GYSPOT BP-LX 58
PTI-S7 59
X & C ARMS 60

BP GENIUS 62
PTI PREMIUM PRO 64
PTI GENIUS 66
G ARMS 68

ACCESSORIES & CONSUMABLES 69

ÉVOLUTION TECHNOLOGIQUE

TECHNICAL IMPROVEMENTS - TECHNISCHE ENTWICKLUNG - MEJORAS TECNICAS

Facteurs d'évolution :
- Challenge CO2 = faible poids
- Crash test = ★★★★★
- Anti corrosion = nouveaux revêtements
- Esthétique et visibilité plus sophistiquées.


Evolution factors :
- CO2 Challenge = low weight
- Crash test = ★★★★★
- Anti-corrosion = new coatings
- Improved aesthetics and demand for better occupant visibility.


Entwicklungsfaktoren :
- CO2 Challenge = geringes Gewicht
- Crash-Test = ★★★★★
- Anti-Korrosion = neue Beschichtung
- Modernes Technik-Design.

Fattori di evoluzione :
- Sfida CO2 = basso peso
- Crash test = ★★★★★
- Nuovi rivestimenti = anticorrosivi
- Estetica e visibilità più sofisticate

2004


OLD SOLUTIONS
- **Traditional machines**
- **180 daN max**
- **6 500 A max**
- **X clamps**
- Ø 4 mm max





2024

GYS SOLUTIONS
- **INVERTER Technology**
- **550 daN max**
- **14 500 A max**
- **X & C clamps**
- **Liquid cooled system**
- Ø 10 mm



- HSS - HLE
- VHSS - THLE
- UHSS - UHLE
- Bore - Boron
- Aluminium

An example of new generation car body
- Exemple de carrosserie nouvelle génération
- Beispiel einer Karosserie der neuen Generation
- Esempio di carrozzeria di nuova generazione


HOMOLOGATIONS PRODUITS

MANUFACTURER APPROVALS / COMPLIANCE - PRODUKT HOMOLOGATIONEN - PRODOTTI APPROVATI

		Volkswagen Group	Jeep	Mercedes smart EvoBus	Nissan	Renault	Dacia	Volvo	Tesla	GM	Suzuki	Tata	Eicher	Kia	Hyundai	Jaguar / Land Rover	Ford USA	Honda USA	NIO	XPENG	LYNK&CO	Geely	BYD
															(Meets the specifications)								
DENT PULLER	GYSPOT 26.02/27.02		●				●	●															
	GYSPOT 36-39.02/04, PRO230/400, EXPERT 200/230/400	●	●	●	●	●	●	●				●	●	●					●	●	●	●	●
	Workstations	●	●	●	●	●	●	●				●	●	●					●	●	●	●	●
	GYSPOT ALU FV	●	●	●	●	●	●	●													●	●	
	GYSPOT ARCPULL 200	●																	●	●			
RESISTANCE SPOT WELDER	GYSPOT 100R		●					●															
	GYSPOT BP-LX	●	●		●	●	●	●				●	●	●	●	●							
	GYSPOT BP-LC-s7	●	●		●	●	●	●						●	●	●			●				●
	GYSPOT BP GENIUS	●	●		●	●	●	●			●			●	●	●							
	GYSPOT PTI-s7		●	●	●	●	●	●	●	●	●	●	●		●	●			●	●			●
	GYSPOT PTI PREMIUM PRO					●									●	●							
	GYSPOT PTI GENIUS					●									●	●							
	VAS 821 101 - Spot Welder	●																					
RIVETING	GYSPRESS							10T							10TPP				10TPP	●	●	●	
MIG / MAG	CARMIG																				●		
	E1 GYS AUTO		●	●				●		●	●												
	E2 E3 GYS AUTO		●	●				●		●	●				●								
	AUTOPULSE 220-M1										●								●	●	●		
	AUTOPULSE 220-M2										●												
	AUTOPULSE 220-M3		●								●	●					●	●					
	AUTOPULSE 320-T1					●					●					●							
	AUTOPULSE 320-T3		●			●					●					●	●	●					
	VAS 821 005 - Pulse MIG	●																					
	VAS 821 00580 023	●																					
PLASMA	EASYCUT 40																		●				●
	CUTTER 25K/35KF			●						●													
	CUTTER 30FV/45CT			●		●				●											●		
	GYSDUCTION AUTO			●				●		●						●							

EMITECH · ISO 9001 · CESVI FRANCE · FOCWA · ktd · Thatcham Quality Assured

RANGE



		32 D	100 R	BP / BP GENIUS	PTI-s7	PTI PREMIUM PRO	PTI GENIUS
Mild - Doux		•	•	•	•		
HSS/VHSS - HLE/THLE →		X	•	•	•		
UHSS/BORON - UHLE/BORE		X	Difficult	•	•		
Number of spots - Nombre de points 10 spots/min	0.8 + 0.8 mm	100	150	no limit	no limit		
	2.5 + 2.5 mm	5	10	95	60		> 200
Inverter Technology		–	•	•	•		
EMF Directive 2013/35/UE		–	–	BODY PROTECT TECHNOLOGY	•		
Cooling system - Système de refroidissement		AIR	AIR	LIQUID	LIQUID		
Automated regulation - Régulation automatique	I (A)	–	•	•	•		
	daN	–	•	•	•		
	Ø	irregular	constant	constant	constant		
MODE AUTO		–	–	• (LC, LG)	•		
Pince - Clamp	X	• (32DX)	–	• (BP.LX)	–		
	C	–	–	• (BP.LG)	•	G clamp	
	X+C	–	• (100R-CX)	–	–		
Transformer Inside Clamp		–	–	–	•		
Cables (L)		2.5 m	2.5 m	2.5 m	4 or 6 m	6 m	
Includes gun		•	•	•	option		
Max welding frequency (spots/min) - Cadence de soudage maximale (points/min)	0.8 + 0.8 mm	10	10	BP-LG : 20	10		20
	2.5 + 2.5 mm	6	2 / 6 / 10	2 / 6 / 10	10		20
Fuse	400 V	32 A	32 A / 40 A / 50 A	32 A / 60 A / 80 A / 100 A	20 A	25 A	
	200/208-240 V	–	– / – / –	40 A			50 A


SPOT WELDING

PORTASPOT 230

6 300 A 120 daN

Air cooled






230 V
022256





Youtube

ARMS Ø 23 mm

 l = 110 mm PX1 (included) 047945	 l = 220 mm PX2 047938	 l = 220 mm PX3 047921
 l = 350 mm PX4 047914	 82 138 Ref 051614 PX5 048690	

ELECTRODES

EX40 Short electrode 40 mm 047884	EX60 Medium electrode 60 mm 047891	EX80 Long electrode 80 mm 047907

CAPS & ACCESSORIES

 Caps type F (x 6) 049970	 Caps remover 050846
Blade - Lame 052857 	Cap grinder - Afffuteur de caps 048966
	

	AM	RMS	MAX		Uo	Cable		100% CU	
50/60 Hz	A		A	mm	V	↔ m	Ø mm²		LxWxH cm / kg
1 x 230 V	**16(D)**	**6 300**	8 900	2+2	2.45	2.5	3x2,5 H05VVF	OK	41 x 18 x 22 / 11.3

GYSPOT 32D-X

7 500 A 500 daN

Air cooled

2 x 400 V
019881




	included
Monopoint/Spot 049291	▪
Inertia hammer 049482 + 049802	▪
Spotter box pro 050075	▪
Top support box	▪
Contact grease 050440	▪
Caps remover 050846	▪
Cable support	▪
RX1 051034	▪
RX2 051041	▪

GYSPOT 100R-CX

10 000 A 550 daN (X) 350 daN (C)

For mild steel,HSS, UHSS



Air cooled

Traceability software
Save spot welding configuration and export data

3 x 400 V
022317




	included
Monopoint/Spot 049291	▪
Inertia hammer 049482 + 049802	▪
Spotter box pro 050075	▪
Top support box	▪
Contact grease 050440	▪
Caps remover 050846	▪
Cable support	▪ × 2
RX1 051034	▪
RX3 051058	▪
RC1 051065	▪
RC2 051072	▪
RC3 051089	▪

OPTIONS 100R-CX


RC4
8 bar/120 daN,
for 100R-CX
052253


051614


X5
8 bar/200 daN
050549
049253

OPTIONS


050068
x10 (x20 : 052239)
x18 (x6 : 049987)
x6 (x6 : 049994)
x18 (x6 : 049970)


048935
x40 (x6 : 049987)


050914


Protection cover - Housse de protection - Schutzhaube
052260

MADE IN FRANCE CE NORM. 62135		AM	Spots/min (max)	RMS	MAX	mm		Uo	Cables				100% CU	
	50/60 Hz	A **D curve**	⁘ 2.5+2.5	A	A			V		Air Cooled	↔ m	Ø mm²		LxWxH cm / kg
GYSPOT 32D.X	400 V	**32** (13 kVA)	**6**	**7 500**	10 500	3 + 3	1,2 + 3	11		▪	2,2	200	OK	79 x 57 x 54 / 111
										▪	2,5	150		
										—	8	3 x 6 H07RNF		
GYSPOT 100R.CX	3 x 400 V	**v** **40** (28 kVA) **50** (35 kVA)	**2** **6** **10**	**10 000**	—	2.5+2.5+2.5	1,5 + 3	16		▪	2,5	200	OK	61 x 79 x 71 / 137
										▪	2,5	150		
										—	8	4 x 6 H07RNF		

GYSPOT
BP-LX
13 000 A
550 daN

For mild steel, HSS, UHSS	Boron steel




Double pressure
Ø 10 mm
6.5 kg (included X1)

Liquid cooled

BODYPROTECT
Unique electro-magnetic field protection by GYS
2013/35/UE

Traceability software
Save spot welding configuration and export data

019652



Youtube





	019652	058804
		400 V
Gyspot BP-LX		
Monopoint/ Spot 049291	▪	▪
Spotter box pro (p.10) 050075	▪	▪
Inertia hammer 049482 + 049802	▪	▪
X1 050501	▪	▪
X4A (x2) + X4B + X4C + X2 020733		▪
Liquid cooling (10l) 052246		▪ (x3)

GYSPOT
PTI-s7
14 500 A
550 daN

For mild steel, HSS, UHSS	Boron steel




FUSE 20 A
Double pressure
Ø 10 mm
9.9 kg (included C1)

TRANSFORMER INSIDE

Liquid cooled

Traceability software
Save spot welding configuration and export data

020894



	6M 022195	4M 020894 / 6M 020900	4M 067998
	220 V	400 V	
Gyspot PTI-s7			
Contact grease 050440	▪	▪	▪
Caps remover 050846	▪	▪	▪
Arm panel	▪	▪	▪
C1 021402	▪	▪	▪
C2 + C3 + C4 060821			▪
C6 022409			▪
Gyro 360° 051720			▪
Complete gun kit 067318			▪
Liquid cooling (10L) 052246			▪ (x3)



CONVERT PTI S-7 > PTI PREMIUM PRO WITH G ARMS

KIT RENOV PTI PREMIUM PRO
220V 072367


400V 072541

C ARMS ▶ G ARMS

OPTION



supports



Complete gun kit
067318



GYRO 360° for PTI
051720

OPTIONS



050068

x10 (x20 : 052239) | x18 (x6 : 049987)
x6 (x6 : 049994) | x18 (x6 : 049970)



Caps type A box 048935 — x40 (x6 : 049987)
Caps type F box 077119 — x40 (x6 : 049970)

SD CARD 050914



Cooling liquid - Liquide de refroidissement - Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida



2 L 082212
5 L 062511
10 L 052246

Protection cover
- Housse de protection
- Schutzhaube

for BP & PTI
050853



Mandrels for gun - Mandrins pour pistolets
- Pistole & Anschlußstücke, Zubehör



S1 < nov 2010 048171



S2 > nov 2010 048188



MADE IN FRANCE	CE NORM. 62135	50/60 Hz	AM A D curve	Spots/min (max) 2.5+2.5	RMS A	Uo V	mm		Cables			100 % CU	cm	kg
GYSPOT BP.LX		3 x 400 V	**32** (22 kVA) **40** (28 kVA) **50** (35 kVA)	**2** **6** **10**	**13 000**	16	2.5+2.5+2.5	1.5 + 3	2.5, liquid	2.5	8 m, 4x6 H07RNF	OK	65 x 80 x 205	164.5
GYSPOT PTI-s7		3 x 400 V	**20** (14 kVA)	**10**	**14 500**	7.3	2.5+2.5+2.5	1.5 + 3	4 m, liquid 6 m, liquid	OPTION 067318 : 1.6 m, Ø 200 mm²	8 m, 4x4 H07RNF	OK	65 x 80 x 230	105.3
GYSPOT PTI-s7 220 V		3 x 200 / 208 / 220 / 240	**40** (14-16 kVA)	**10**	**12 500** **13 000** **14 500** **14 500**	6.5 6.7 7.4 7.7	2.5+2.5+2.5	1.5 + 3	4 m, liquid 6 m, liquid	OPTION 067318 : 1.6 m, Ø 200 mm²	8 m, 4xAWG8 (500W)	OK	65 x 80 x 230	115.7

X ARMS

FOR GYSPOT 32D-X, 100R-CX, BP-LX

550 daN


6,5 kg including X1

DOUBLE PRESSURE


LIQUID COOLED REFROIDISSEMENT LIQUIDE

Ø 10 mm


MADE IN FRANCE




X Arms - Caps Ø13 mm




X1 8 bar/550 daN
050501




X2 8 bar/400 daN
050518




X4 8 bar/120 daN
050532




X5 8 bar/200 daN
050549




X4A 8 bar/150 daN
020702



X4B 8 bar/150 daN
020719





X4C 8 bar/150 daN
020726



X6 8 bar/400 daN
050587

X4 (A, B & C) combinations







X11 3 bar/150 daN
051607
051614

X ARMS PANELS

X4A (**x2**) + X5 + X2
022324



X4A (**x2**) + X4B + X4C + X2
020733



Remote control (BP)




Digital screen control
Change Mode & Parameters



X clamp control



C clamp control



C ARMS PANELS



C2
+ C3
+ C4
060821

ALL IN 1 BOX



C2 +
C3 +
C6 +
C12 +
C9
=
061316

2 BOXES



C10 +
C3 +
C5 +
C6 +
C9
=
076495

NEW

C ARMS

FOR GYSPOT PTI

550 daN

Transformer inside

9,9 kg including C1

DOUBLE PRESSURE

AIR COOLED + LIQUID COOLED

DOUBLE REFROIDISSEMENT AIR + LIQUID

Ø 10 mm




Youtube

C Arms - Caps Ø13 mm


Classic arms



Bras isolés - Isolated arms - Isolierte Bügel




PTI arm support kit
077577




BP arm support kit 080089




Arm lock pin
062405






C1 8 bar/550 daN
021402




C5 8 bar/550 daN
022393




C8 8 bar/550 daN
021440


X Arms - Caps Ø13 mm




C11 8 bar/550 daN
053649




C2 8 bar/550 daN
022386




C6 8 bar/300 daN
022409




C9 8 bar/550 daN
020078




C12 8 bar/550 daN
022997



C3 8 bar/550 daN
021419




C7 8 bar/550 daN
021433




5,7 kg
22% saved

C14 8 bar/400 daN
023543




C4 8 bar/550 daN
021426



C10 4 bar/150 daN
051638

Option for C7

C7-SA (Small Access)
067684



Option for C9 & C14

C9/C14-SA (Small Access)
067660



SPOT WELDING

BP GENIUS

MADE IN FRANCE

G-clamp front body + protection
078765

NEW



ULTRA LIGHT & COMPACT
6.5 kg
(Gyro & G1 included)


550 daN

LIQUID COOLED
REFROIDISSEMENT LIQUIDE
Ø 10 mm

6.5 kg
(Gyro & G1 included)

Youtube

FAST OPEN XL



EASY




GYRO INTEGRATED



PERFECT ELECTRICAL CONNECTION



AUTO



GYSPOT
BP GENIUS

13 000 A
550 daN

For mild steel, HSS, UHSS | Boron steel

BODYPROTECT
Unique electro-magnetic field protection by GYS

Traceability software
Save spot welding configuration and export data

SD CARD MEMORY

023451

NEW

	023550	023451	082250
	220 V	400 V	
Gyspot BP GENIUS			
Monopoint/Spot 049291	▪	▪	▪
Spotter box pro (p.10) 050075	▪	▪	▪
Inertia hammer 049482 + 049802	▪	▪	▪
Caps remover 050846	▪	▪	▪
Arm support	▪	▪	▪
G1 022768	▪	▪	▪
G2 + G3 + G4 022898			▪
Liquid cooling (10L) 052246			▪ (x3)
Caps type A box 048935			▪
Protection cover 050853			▪



MADE IN FRANCE	CE NORM. 62135	50/60 Hz	AM A D curve	Spots/min (max) 2.5+2.5	RMS A	Uo V	mm		Cables			100 % CU	cm	kg
GYSPOT BP GENIUS 220 V		3 x 200 / 208 / 220 / 240	**60** (21-25 kVA) **80** (28-33 kVA) **100** (35-41 kVA)	**2** **6** **10**	**10 500** **11 000** **12 000** **12 500**	15 15,5 17 18	2.5+2.5+2.5	1.5 + 3	2.5 m, Ø 200 mm², Liquid	2.5 m, Ø 150 mm² air	8 m 4x16 mm² (4AWG) SOOW	OK	65 x 80 x 205	178
GYSPOT BP GENIUS 400V		3 x 400 V	**32** (22 kVA) **40** (28 kVA) **50** (35 kVA)	2 6 10	**13 000**	16	2.5+2.5+2.5	1.5 + 3	2.5 m, Ø 200 mm², Liquid	2.5 m, Ø 150 mm² air	8 m 4x6 mm² H07RNF	OK	65 x 80 x 205	171

OPTIONS



Caps type A box
048935
x40 (x6 : 049987)

Caps type F box
077119
x40 (x6 : 049970)



x20 (x6 : 049987)
x6 (x6 : 049970)
x2 (x1 : 050617)
073449



SD CARD
050914



Cooling liquid - Liquide de refroidissement
- Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida

2 L 082212
5 L 062511
10 L 052246

Protection cover
- Housse de protection
- Schutzhaube

for BP & PTI
050853





10-14 kg
059696

SPOT WELDING

PREMIUM PRO

MADE IN FRANCE

FULL ERGONOMIC
10.3 kg
(Gyro & G1 included)

550 daN
LIQUID COOLED
REFROIDISSEMENT LIQUIDE
Ø 10 mm

10.3 kg
(Gyro & G1 included)




TRANSFORMER INSIDE


GYRO INCLUDED



PERFECT ELECTRICAL CONNECTION




AUTO



Ergonomy & Security



XL Balancer



G-arms storage



G Arms p.60

OPTIONS



Caps type A box 048935 — x40 (x6 : 049987)
Caps type F box 077119 — x40 (x6 : 049970)

x20 (x6 : 049987)
x6 (x6 : 049970)
x2 (x1 : 050617)

073449





SD CARD 050914

Cooling liquid
2 L 082212
5 L 062511
10 L 052246



GYSPOT
PTI PREMIUM PRO

14500 A
550 daN


For mild steel, HSS, UHSS	Boron steel



FUSE 20 A
Double pressure
Ø 10 mm
10.3 kg (included G1)

TRANSFORMER INSIDE
Liquid cooled

Traceability software
Save spot welding configuration and export data





	6M		
	220 V	400 V NEW	
GYSPOT INVERTER PTI PREMIUM PRO	072206	072183	082243
Caps remover 050846	▪	▪	▪
Arm panel	▪	▪	▪
G1 022768	▪	▪	▪
G2 + G3 + G4 022898			▪
Liquid cooling (10L) 052246			▪ (x3)
Caps type A box 048935			▪
Protection cover 050853			▪

OPTIONS

G11
for PTI PREMIUM PRO only
071766

Kit gun 067226



MADE IN FRANCE	CE NORM. 62135	50/60 Hz	AM A D curve	Spots/min (max) 2.5+2.5	I RMS A	Uo V	mm		Cables			100 % CU	cm	kg
GYSPOT PTI PREMIUM PRO 220V		3 x 200 208 220 240	**30** (10-12 kVA) **40** (14-16 kVA) **50** (17-21 kVA)	**10**	**12500** **13000** **14500** **14500**	6.6 6.9 7.3 7.9	2.5+2.5+2.5	1.5 + 3	6 m, liquid	OPTION 067226 : 1.8 m, Ø 300 mm²	8 m, 4x4 H07RNF	OK	65 x 100 x 230	118.7
GYSPOT PTI PREMIUM PRO 400V		3 x 400 V	**25** (14 kVA)	**10**	**14500**	7.3	2.5+2.5+2.5	1.5 + 3	6 m, liquid	OPTION 067226 : 1.8 m, Ø 300 mm²	8 m, 4x4 H07RNF	OK	65 x 100 x 230	109.2

SPOT WELDING
GENIUS

Youtube

MADE IN FRANCE

550 daN

LIQUID COOLED
REFROIDISSEMENT LIQUIDE

Ø 10 mm

11.3 kg
(Gyro & G1 included)



G-clamp front body + protection
078765

NEW

TRANSFORMER INSIDE


Control command
- Contrôle de commande

Motorised cable support
- Potence électrique
- Elektrisch verstellbarer Kabelsupport






FAST OPEN XL




GYRO INTEGRATED



PERFECT ELECTRICAL CONNECTION



AUTO



OPTIONS



Caps type A box
048935
x40 (x6 : 049987)

Caps type F box
077119
x40 (x6 : 049970)



073449

x20 (x6 : 049987)
x6 (x6 : 049970)
x2 (x1 : 050617)



SD CARD
050914

Kit WIFI Compatibility : Gyspot Inverter PTI-GENIUS
070691



Cooling liquid

2 L 082212
5 L 062511
10 L 052246



for PTI GENIUS
077126

GYSPOT
PTI GENIUS

14 500 A
550 daN

For mild steel, HSS, UHSS | Boron steel

TRANSFORMER INSIDE

Liquid cooled

Traceability software
Save spot welding configuration and export data

NEW

	024854	024878	082267	024892
Gyspot PTI-GENIUS	220V	400V		480V
Caps remover 050846	•	•	•	•
Arm support	•	•	•	•
G1 022768	•	•	•	•
G2 + G3 + G4 022898			•	
Liquid cooling (10L) 052246			• (x3)	
Caps type A box 048935			•	
Protection cover 077126			•	

Included
Cable support
ULTRA RESISTANT

ELECTRIC MOTOR

Control Commande


Electrode storage - Rangement pour électrodes

6 m



High stability - Grande stabilité

Ergonomic



MADE IN FRANCE	CE NORM. 62135	50/60 Hz	AM A D curve	Spots/min (max) 2.5+2.5	I RMS A	Uo V	mm		Cables		cm	kg
GYSPOT PTI GENIUS 220 V		3 x 200 / 208 / 220 / 240	50 (17-21 kVA)	20	12 500 / 13 000 / 14 500 / 14 500	6.6 / 6.9 / 7.3 / 7.9	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	8 m 4xAWG8 (SOOW)	71 x 90 x 200	136.2
GYSPOT PTI GENIUS 400V		3 x 400 V	25 (17 kVA)	20	14 500	7	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	8 m 4x4 mm² H07RNF	71 x 90 x 200	185.5
GYSPOT PTI GENIUS 480V		3 x 480 V	20 (17 kVA)	20	14 500	7	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	8 m 4xAWG12 (SOOW)	71 x 90 x 200	128.7

OPTIONS

Kit gun
067226




G ARMS

FOR GYSPOT BP GENIUS, PTI PREMIUM PRO & PTI GENIUS

G Arms - Caps Ø13 mm


Bras isolés - Isolated arms - Isolierte Bügel

Reversible for **G1, G3, G4, G5, G8, G10** & **G12**







Kit de maintenance connecteurs pince G - Connectors maintenance kit for G clamp
067295




G2
8 bar/300 daN
022775



G6
8 bar/550 daN
022812




G7
4 bar/150 daN
022829



G11
8 bar/550 daN
for PTI PREMIUM PRO only
071766




G arms protections
067288




G4
8 bar/550 daN
022799

Option for G4

G4-SA (Small Access)
064478
(for arms < 01/2021)







G5
8 bar/550 daN
022805

Option for G5

G5/G10-SA
(Small Access)
067660







G8
8 bar/550 daN
022836

Option for G8


G8-SA (Small Access)
067677






G1
8 bar/550 daN
022768


Option for G1 & G3



G3
8 bar/550 daN
022782


G1/G3-SA (Small Access)
067653
(for arms > 02/2021)






G10
8 bar/400 daN
067165

5 kg
20% saved




G12
8 bar/300daN
075238



G14
8 bar/550 daN
080942

Option for G10 & G12

G5/G10/G12-SA
(Small Access)
067660



G X UNIQUE SYSTEM

PATENTED BREVETÉ / PATENTED n° US 11,618,097


AUTOMATIC WELDING FOR X1, X2 & X6

Youtube

G9 | 8 bar/550 daN
not for PTI PREMIUM PRO


G9 with X1 Included
022881

X1
050501




Option for G9

X2
050518



G9 with X6 Included
072275

X6
050587



90284 + 55121
for BP-G < Oct. 2019

Option SD card 050914

Option PCB 97449C

G ARMS PANELS

G2 + G3 + G4	G2 + G3 + G5
022898	063297

KIT SMALL ACCESS GENIUS

for PTI GENIUS
077072

included **SA** 073579

+ **G1/G3-SA** (Small Access)
+ **G4-SA** (Small Access)
+ **G5/G10/G12-SA** (Small Access)
+ **G8-SA** (Small Access)

ACCESSORIES & CONSUMABLES

X/C/G CONSUMABLES - Consommables X/C/G

Type A
C or X clamp
Ø 13 mm (x6)
049987

Type B
C or X clamp
Ø 13 mm / Ø 5 mm (x6)
055506

Type D
C or X clamp
Ø 13 mm (x10)
058507

TYPE F
For single sided gun
Ø 13 mm (x6)
049970

TYPE G
Ø 13 mm (x10)
059672

Caps inclinés - Beveled
X2, X4,C11 arms
Ø 13 mm (x6)
049994



Caps type A box
048935
x40

Caps type F box
077119
x40

073449





Contact grease
Graisse contact
050440

Caps remover
050846




Anti-corrosion welding primer - Primaire de soudage anti-corrosion
076822



Spot / Monopoint
049291

050068




CAP GRINDER - Affuteur de caps

Lame - Blade
052857

048966

Optimal speed : 400~800 rpm

Youtube



GYRO 360°

for PTI
051720



STEEL SHEET TRACTION BENCH
- Banc de traction arrache tôle - Blech-Zugbank zur Festigkeitsprüfung



052420



WELD TEST KIT - Valise test soudure HLE / THLE
- Schweißtestkit im Hartschalenkoffer

050433



Barre d'arrachage / Traction bar
+ **Acier doux / Mild steel** 0.65 (x25) + 1.0 (x25)
+ **Acier HSLA 360 - HLE** 0.8 (x25) + 1.5 (x25)
+ **Acier DP600 - THLE/UHLE** 1.0 (x25)
+ **Acier FB560 - THLE/UHLE** 2.5 (x25)

ANTI-ARC PROTECTION 12V
- Protection anti–arc 12 V
- Lichtbogenschutz 12 V- Protección anti-arco 12V

041318



PROTECTION COVER
- Housse de protection
- Schutzhaube



for BP & PTI
050853



for PTI GENIUS
077126

SHEETS SET
- Echantillons de tôles

Acier standard / Standard steel
0.8 (x65) + 1 (x55) + 1.5 (x35) + 2 (x25)
+ **Alu**
1 (x45) + 1.5 (x30) + 2 (x20)

055841



ELECTRODE FORCE SENSOR
- Capteur d'effort

052314



TANK DRAINING KIT - Kit de purge réservoir
- Kit zur Tankentleerung

058286



SD MEMORY CARD
- Carte mémoire SD



SD CARD 050914

KIT WIFI

for Gyspot Inverter PTI GENIUS
070691



COOLING LIQUID
- Liquide de refroidissement
- Kühlmittel - Enfriamiento líquido
- Refrigeração líquida

2 L	082212
5 L	062511
10 L	052246



RIVETING

GYSPRESS 10T 71
GYSPRESS PREMIUM 10T PP 73
WORKSTATION 74

ADAPTERS 76
DIES BOXES & RIVETS 78

ACCESSORIES 81





Youtube

GYSPRESS 10T


6.5 bar	100 kN
10 t	

063303

070653







Discharge lever
- Levier de décharge - Auslösehebel



Speed control - Contrôle de la vitesse - Regelung Werkzeuggeschwindigkeit



Pressure control
- Contrôle de la pression - Druckregelung

US version
070653



Pressure gauge
Psi

HYDRAULIC SYSTEM fermé - closed - geschlossen

UNIQUE
100%
No air inclusion
maintenance free, no oil refill

GYSPRESS 10T COMPLETE PACKS


					
GYSPRESS 10T 063303 / 070653	✓				
GYSPRESS 10T pack 1 066441		✓			
GYSPRESS 10T pack 2 082991		✓			
GYSPRESS 10T pack 3 064744		✓			✓

MADE IN FRANCE	AIR BAR	PRESSURE CONTROL	SPEED CONTROL	cm	kg	LxWxH cm / kg	
GYSPRESS 10T	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+ –	39.5 x 180	6.2 (HR110 included)	58 x 50 x 15 / 12.1	

BRAS DE RIVETAGE - RIVETING ARMS - STANZNIETBÜGEL







	HR110 063310	HR210 063327	HR310 8T PP/10T/10T PP 063334
GYSPRESS 8T	✓	✓	—
GYSPRESS 10T	✓	✓	✓
GYSPRESS 8T PUSH PULL	✓	✓	✓
GYSPRESS PREMIUM 10T PUSH PULL	✓	✓	✓
GYSPRESS 10T PUSH PULL	✓	✓	✓
GYSPRESS 10T CONNECT	✓	✓	✓

included **XT31-78** (78 mm)
058637




KIT WITH HR210 + HR310
064089


CASE & FOAM WITHOUT ARMS
- Valise et mousses sans bras
077546

XT31-40
Rallonges bras HR310 pour point millieu
- HR310 arm extension for middle point

Compatible 8T PP/10T/10T PP
x2
066335



OPTIONS



Riveting machine support for changing accessories (arms & dies)
- Support Riveteuse pour changements d'accessoires (bras & matrice)
- Supportständer

28 x 40 x 21,5 cm
45 x 39 x 20 cm / 7.2 kg
054158



Trolley - Chariot

74 x 51 x 81 cm
80 x 123 x 15 cm / 44 kg
054233



Trolley + Support
Chariot + Support

51 x 74 x 122 cm
51.2 kg
055391



Pressure sensor
- Capteur d'effort
062115



Hydraulic body wrenches (x 2)
067325



Temporary - Serre-tôles - fasteners manual mounting

(×10)
Ø 2,4 mm
069664



(×10)
Ø 4,0 mm
069671



(×10)
Ø 4,8 mm
069688



(×10)
Ø 6,4 mm
069695



GYSPRESS 10T PREMIUM PUSH PULL COMPLETE PACKS







HR210 + HR310
064089



24kN adapter
063822



Trolley+support
055391

	GYSPRESS 10T PREMIUM PUSH PULL 077065	 070660	GYSPRESS 10T PPP pack 1 082519	GYSPRESS 10T PPP pack 2 082526	GYSPRESS 10T PPP pack 3 082533
HR110 + HR210 + HR310	✓	✓	✓	✓	✓
Trolley+support					✓

PREMIUM
PUSH PULL

GYSPRESS PREMIUM 10T PUSH PULL

6.5 bar	100 kN
10 t	

077065
070660





US version
070660




Pressure gauge
Psi

HYDRAULIC SYSTEM fermé - closed - geschlossen


UNIQUE
100%
No air inclusion
maintenance free, no oil refill

UNIQUE
PUSH PULL SYSTEM by GYS



LARGE OPENING

MORE ACCESS



48.5 mm
(no dies)
23.5 mm with B1/B2 dies

ERGONOMIC WITH QUICK SELECTION

WORK FASTER




Push/Pull selection
- Sélection Push/Pull

MANUAL PULL MODE



Manual/Automatic selection
- Sélection Manuel/ Automatique

OPENING CONTROL





Pressure control
- Contrôle de la pression
- Druckregelung



Speed control
- Contrôle de la vitesse
- Regelung Werk-zeuggeschwindigkeit

MADE IN FRANCE	AIR BAR	PRESSURE CONTROL	SPEED CONTROL	cm	kg	kg
GYSPRESS 10T PREMIUM PUSH PULL	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+↶–	39.5 x 180	6.7 (HR110 included)	59 x 50 x 16 / 13.1

SYNERGIC
RIVETING WORKSTATION
PNEUMATIC HYDRAULIC

HYDRAULIC SYSTEM fermé - closed - geschlossen

UNIQUE
100% No air inclusion
maintenance free, no oil refill

SYNERGIC RIVETS SETTINGS

Main panel



ACCESSIBILITY
16 languages

FR GB DE IT ES PR CZ NL SE RU CN JP VN FI TR

Youtube

UNIQUE PUSH PULL SYSTEM by GYS

PUSH PULL SYSTEM by GYS



Sélection Push/Pull - Push/Pull selection



Gyspress support



Arms support







REGULATED PRESSURE CONTROL

POWER 10t



Discharge lever
- Levier de décharge
- Auslösehebel


3 MODES

MANUAL
SYNERGIC
CAR MANUFACTURERS


CAR MANUFACTURERS COMPATIBILITY

✓ VW GROUP	✓ FERRARI
✓ MERCEDES-BENZ	✓ FORD
✓ BMW	✓ RENAULT ALPINE
✓ TESLA	✓ GM


CONNECTIVITY



TRACEABILITY
History data export



SOFTWARE UPDATE
Gyspress evolutions



WORKSTATION GYSPRESS 10T PP CONTROL

6.5 bar	100 kN
10t	

063860


included



HR110
063310



XT11.21 - Extension for HR110 & HR210
058644



Standard 10T PushPull tool box
058361



6 x 50 rivets RAP - Nieten SPR
048706



Strap-Sangle-Gurt



HR arm locker



Poignée-Handle-Griff

MADE IN FRANCE		AIR BAR	PRESSURE CONTROL	SPEED CONTROL	LxWxH cm / kg	LxWxH cm / kg
WORKSTATION GYSPRESS 10T PP CONTROL	230 V	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+~−	74 x 50 x 116 / 54	76 x 42 x 94 / 64.4

OPTIONS

Pressure gauge - Capteur d'effort
10T PP CONTROL
071759




Youtube

Hydraulic body wrenches
for GYSPRESS 10T, 10T PushPull, 10T PP CONTROL
(x 2)
067325



BLIND RIVET ADAPTERS - ADAPTATEURS POUR RIVETS AVEUGLES



Compatibility
- GYSPRESS 10T
- GYSPRESS 10T PUSH PULL
- GYSPRESS 10T PUSH PULL PREMIUM
- GYSPRESS 10T CONNECT

Youtube

BLIND RIVET ADAPTER 24 KN - Adaptateur 24 kn pour rivets aveugles - Blindnietadapter 24 kN

HIGH ACCESSIBILITY



SPECIFIC STORAGE



24 kN STANDARD 600 mm 063822

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8



INCLUDED


058446

for standard rivets :




Ø 3.2 x 1 059221
Ø 3.6 x 1 059238
Ø 4.0 x 1 059245
Ø 4.5 x 1 059252

24 kN COMPACT 600 mm 077164

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 6.4
Alu: Ø 6.4 → 7.8

COMPACT HEAD





INCLUDED


058446

for standard rivets :



Ø 4.5 x 1 081222
Ø 5.2 x 1 079939

OPTION

for extraction of self piercing rivet :
Rivet-extraction insert
- Buse d'extraction 24kN compact
Ø 5
079946

PERFECT COMBO WITH ARCPULL


SPECIAL TEARING RIVETS
- Spécial arrachage de rivets
- Spezial-Zugnieten

① **Stainless steel rod welding with GYSPOT Arcpull 350/700**



② **Extraction of self piercing rivet with GYSPRESS adapters**







OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARC PULL RIVET BOX1 350 - 24kN
064584

Stainless steel nail - Tige inox Ø 4 x 50 mm 064607	Barrel for stainless steel nail welding - Canon pour pose de tige inox	Mandrel support - Support porte-goujon 059634	Nozzle + pad - Buse + patin 059641	mandrel Ø4mm 049000	Buse d'extraction 24kN Ø 4 064683
					
×100	×1	×1	×1	×1	×1

BLIND RIVET ADAPTER 50 KN - Adaptateur 50 kn pour rivets aveugles - Blindnietadapter 50 kN



For BLIND rivets - Pour rivets POP - Für Blindniet
Steel / Acier : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

INCLUDED

Kit Standard


included 058446

Complete kit 065987




Ø 3.2 065994	Ø 3.5 066007	Ø 4.0 066014	Ø 4.5 066021	Ø 5.0 066038

OPTIONS


Steel / Acier : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

160 mm extension - Extension 160 mm - Verlängerung 160 mm
066144




Ø 8.0 → 9.8

Ø8.0/9.8mm noze-piece kit - Kit Rivets Ø8.0/9.8mm - Mundstückkit 8,0/9,8 mm
066045



M5 → M14
M5 → M8

Blind rivet nut pulling, Blind rivet bolt adapter kit - Kit 6 tirants pour pose d'écrous à sertir et goujons à sertir - Blindnietmuttern, Blindnietgewindebolzen-Kit
066076



included

M5 066083
M6 066090
M8 066106
M10 066113
M12 066120
M14 066137

OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARCPULL RIVET BOX2 350 - 50kN
073388

Ø 5 x 50 mm 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 070738	Mandrel support - Support porte-goujon 059634	Buse + pad 059641	Buse d'extraction 50Kn Ø 5 066151
				
×100	×1	×1	×1	×1

for GYSPOT ARCPULL 700

ARCPULL RIVET BOX 700
068452

Ø 5 x 50 mm 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 070738	Buse d'extraction 50Kn Ø 5 066151	Mandrel support - Support porte-goujon 071377	Buse + pad 059641		Ring holder 059610	Rod for pulling rings - Fourche pour anneau 071384	Vis de butée
								
×100	×1	×1	×1	×1	×2	×1	×1	×1

CONSUMABLES BOX FOR 50KN ADAPTER - Boîte consommables pour adaptateur 50kN - Zubehörbox für 50 kN Adapter

066168



+ demo metal sheet - plaque de démonstration

Blind rivet nuts - Écrous à sertir						
	M5	M6	M8	M10	M12	M14
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0	1.0 → 3.5	1.0 → 4.0	4.5 → 6.0
	x 50 066175	x 50 066182	x 50 066199	x 50 066205	x 50 066212	x 10 066229
+	× 10	× 10	× 10	× 10	× 10	× 5

Blind rivet bolts - Goujons à sertir			
	M5	M6	M8
mm	22.5 → 27	24 → 28.5	23.5 → 28
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0
	X 50 066236	X 50 066243	X 50 066250
+	× 10	× 10	× 10

Blind rivets - Rivets aveugles		
	Ø 6.4	Ø 9.8
mm	2.8 → 4.8	3.0 → 14.0
	x 50 066267	x 50 066274
+	× 10	× 10

Application of self-piercing rivets
- Pose de rivets auto-perçants
- Stanzniet-Verpressen



2.0 < 6.5 mm 3 < 5,8 bar

Application of solid rivets
- Pose de rivets pleins
- Vollniet-Verpressen




2.3 < 8.3 mm 5,3 < 8 bar

Application of Flow-form rivets
-Pose de rivets Flow-Form
- Setzen v. Fließformnieten



2.3 < 8.3 mm

Extraction de rivets
- Extraction of rivets
- Niet-Auspressen



2.3 < 8.3 mm 8 bar

Metal sheet punching and shaping - Perçage et formage des tôles pour rivets pleins - Vollniet-Lochstanzen/Prägen



2.3 < 8.3 mm 8 bar

DIES BOXES - Boîtes matrices - Matrizensätze

STANDARD



STANDARD 8T/10T
for 8T 10T
053694
Included **XT11-21** 058644

×1	×1	×1	×1	×1	×1	×2	×1	×1	×1	×1	×2	×4	×1
A1	A2	B1	B2	F1	F2	D17	E1	E2	T1	T2	key - clé	seals - joints	
Self-piercing rivets				Flow-form rivets		Extraction			Punching				
Ø 3.2 › 3.5	Ø 3.3	Ø 5 › 5.3	Ø 5.3	Ø 6 - A1/2/3 S0/1/2/3/4/5/6		—	Ø 3.3 › 4.8	Ø 3.9 › 5.3	Ø 6				



STANDARD 8T/10T PUSH PULL
for 8T PP 10T PP 10T CONTROL
058361
Included **XT31-60** - 60 mm extension for HR310 (use with ST1, T5, T7) 057135
+ **XT11-21** 058644

×1	×1	×1	×1	×1	×1	×2	×1	×1	×1	×1	×1	×2	×4	×1
A1	A2	B1	B2	F1	F2	D17	E1	E2	ST1	T5	T7	key - clé	seals - joints	
Self-piercing rivets				Flow-form rivets		Extraction			Punching					
Ø 3.2 › 3.5	Ø 3.3	Ø 5 › 5.3	Ø 5.3	Ø 6 - A1/2/3 S0/1/2/3/4/5/6		—	Ø 3.3 › 4.8	Ø 3.9 › 5.3	Ø 6					

Ideal for aluminum & mild steel
- Idéal aluminium et aciers doux

Low pressure



Ø 6.4 mm

KIT RMB PP05
for 10T PP 10T CONTROL
066366

×1	×1	×1
ST3	T12	T13
Punching		
	Ø 6.7	

Ideal for UHSS, Boron - Idéal aciers durs, Boron

BREVET GYS / GYS PATENT n° US 11,712,732

Ne pas utiliser avec une Gyspress 8T & 8T PP - Do not use with Gyspress 8T & 8T PP

HIGH pressure



Ø 6.4 mm

KIT RMB 08 PREMIUM
for 10T 10T PP 10T CONTROL
066403

×1	×1	×1
T14	T15	T16
Punching		
	Ø 6.7	

Flow-Form Ø 6 mm

KIT RMB 14 PREMIUM
for 10T 10T PP 10T CONTROL
071186

×1	×1	×1
T17	T18	T19
Punching		
	Ø 6	

Flow-Form Ø 8 mm

KIT RMB 15 PREMIUM
for 10T 10T PP 10T CONTROL
071193

×1	×1	×1
T20	T21	T22
Punching		
	Ø 8	

Punching Ø 10 mm holes

KIT RMB 16 PREMIUM
for 10T 10T PP 10T CONTROL
080867

×1	×1	×1
T23	T24	T25
Punching		
	Ø 10	

GM



RMB 11 for 10T
071087
RMB PP04 for 10T PP 10T CONTROL
071063
Included **XT31-60** - 60 mm extension for HR310

RMB 11 ➔ / RMB PP04 ➔	×1 F1	×1 F2	×1 F6	×1 E9	×1 E11	×1 T1 —	×1 T2 —	×1 — ST1	×1 — T5	×1 — T7	×1 T17	×3 T18	×1 T19	×1 D18	×2 D17	×2 key - clé	×4 seals - joints
	Flow-form rivets			Extraction		Punching											
	Ø 6			Ø 6 › 8		Ø 6											

FERRARI



RMB 06
for 8T 10T 8T PP 10T PP 10T CONTROL
059009

×1	×1	×1	×1	×1	×1	×2	×1	×1	×1	×2	×4
B4	B5	B6	S3	S7	S8	D17	E1	E2	E13	key - clé	seals - joints
Self-piercing rivets						Extraction					
Ø 3.9	Ø 4.75		Ø 3.9	Ø 4.75		—	Ø 3.3 › 4.8	Ø 3.9 › 5.3	Ø 4.75		

VW GROUP



RMB 03 for 8T 10T 8T PP 10T PP 10T CONTROL
054257

×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×2	×4
A1	B1	S3	S7	S8	D8	D9	D17	D1	D2	D3	D4	D13	E2	S1	S4	S5	D5	D6	D7	D10	D11	D12	D15	D16	key - clé	seals - joints
Self-piercing rivets					Solid rivets			Extraction									Punching									
Ø 3.2 › 3.5	Ø 5 › 5.3	Ø 3.9	Ø 4.75		Ø 4	Ø 6		Ø 3.2				Ø 5.3	Ø 3.9 › 5.3	Ø 3.2		Ø 5.3	Ø 8	Ø 4.8	Ø 4 › 8	Ø 4	Ø 8	Ø 6				

NIO



RMB PP08 for 10T 10T PP 10T CONTROL
072404
Included **XT31-60** - 60 mm extension for HR310

×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×3	×1	×2	×1	×2	×4
B1	B2	F1	F2	F6	E2	E3	E9	E11	T5	ST1	T7	T17	T18	T19	D17	D18	key - clé	seals - joints
Self-piercing rivets		Flow-form rivets			Extraction				Punching									
Ø 5.3	Ø 5.3	Ø 6			Ø 5.3		Ø 6		Ø 6									

MERCEDES-BENZ



RMB 07 for 10T
064454

RMB 07 ➔	×1 F1	×1 F2	×1 F3	×1 F4	×1 F5	×1 —	×1 —	×1 —	×1 E9	×1 E10	×1 E11	×1 T1	×1 T2	×1 T3	×1 T4	×2 clé -key
	Flow-form rivets					Extraction						Punching				
	Ø 6 - A1/2/3 S0/1/2/3/4/5/6		S28/38/48/58/68		S08/18	Ø 5.3 › 8	Ø 6		Ø 8	Ø 6 › 8	Ø 8	Ø 6		Ø 6	Ø 8	

Included **XT31-60** - 60 mm extension for HR3 (use with E3, E4, E5, E9, E10, E11) 057135



RMB PP01 for 8T PP 10T PP 10T CONTROL
058378

×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×2	clé -key
F1	F2	F3	F4	F5	E9	E10	E11	ST1	ST2	T5	T7	T8	T10		
Flow-form rivets					Extraction			Punching							
Ø 6 - A1/2/3, S0/1/2/3/4/5/6		S28/38/48 /58/68		S08/18	Ø 6 › 8	Ø 8	Ø 6	Ø 6	Ø 8	Ø 6	Ø 6	Ø 8	Ø 8		

Included **XT31-60** - 60 mm extension for HR3

FORD



RMB PP02 for 10T 8T PP 10T PP 10T CONTROL
058835

RMB PP02 ➔	×1 B1	×1 G1	×1 G2	×1 G3	×1 G4	×1 G5	×1 G6	×1 E7	×1 E12	×2 key - clé	×4 seals - joints
	Self-piercing rivets							Extraction			
	Ø 5 › 5.3							Ø 5 › 5.3			

Included **XT31-60** - 60 mm extension for HR3 (use with E7 & E12) 057135

JAGUAR / LAND ROVER



RMB 02
for 8T 10T 8T PP 10T PP 10T CONTROL
054271

×1	×1	×1	×1	×2	×1	×1	×2	×4
B1	B2	B3	S8	D17	E1	E6	clé -key	seals - joints
Self-piercing rivets				Extraction				
Ø 5 › 5.3	Ø 5.3	Ø 4.8	Ø 4.75	—	Ø 3.3 › 4.8	Ø 3.3 › 4.8		

BMW



RMB 01
for 8T 10T 8T PP 10T PP 10T CONTROL
054240

×1	×1	×1	×1	×1	×1	×2	×4
A1	A2	B1	B2	E1	E2	key - clé	seals - joints
Self-piercing rivets				Extraction			
Ø 3.2 › 3.5	Ø 3.3	Ø 5 › 5.3	Ø 5.3	Ø 3.3 › 4.8	Ø 3.9 › 5.3		

TESLA



RMB 09 for 8T 10T 8T PP 10T PP 10T CONTROL
059931

×1	×1	×1	×1	×1	×1	×1	×1	×1	×2	×4
B1	H1	H2	H3	H4	H5	H6	H7	H8	key - clé	seals - joints
Self-piercing rivets										
Ø 5 › 5.3	Ø 5.3									



RMB 13 for 10T
071100
RMB PP03 for 8T PP 10T PP 10T CONTROL
059092

RMB 13 ➔ / RMB PP03 ➔	×1 B1	×1 S7	×1 S8	×1 F3	×1 F4	×1 F5	×2 D17	×1 E2	×1 E3	×1 E9	×1 E10	×1 — ST2	×1 — T8	×1 — T10	×1 T3 —	×1 T4 —	×2 key - clé	×4 seals
	Self-piercing rivets			Flow-form rivets			Extraction					Punching						
	Ø 5 › 5.3		Ø 4.75		S28/38/48/58/68	S08/18	—	Ø 3.9 › 5.3	Ø 5.3 › 8	Ø 6 › 8	Ø 8	Ø 8			Ø 8			

Included **XT31-60** - 60 mm extension for HR3 (use with E2, E3, E9, E10) 057135

PORSCHE



RMB 10 for 10T
069299
RMB PP06 for 10T PP 10T CONTROL
069305

RMB 10 ➔ / RMB PP06 ➔	×1 B3	×1 F2	×1 E9	×1 E11	×1 T1 —	×1 T2 —	×1 — T5	×1 — ST1	×1 — T7	×1 T17	×3 T18	×1 T19	×1 D17	×2 key - clé	×4 seals - joints
	Flow-form rivets		Extraction		Punching										
	Ø 6		Ø 6 › 8		Ø 6										

Included **XT31-60** - 60 mm extension for HR310

DIES - Matrices - Matrizen

Application of self-piercing rivets
- Pose de rivets auto-perçants
- Stanzniet-Verpressen




Application of solid rivets
- Pose de rivets pleins
- Vollniet-Verpressen




Pose de rivets Flow-Form
- Application of Flow-form rivets
- Setzen v. Fließformnieten




Extraction of rivets
- Extraction de rivets
- Niet-Auspressen




Metal sheet punching and shaping
- Perçage et formage des tôles pour rivets pleins - Vollniet-Lochstanzen/Prägen






								Ø 8												
×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
A1	A2	B1	B2	B3	B4	B5	B6	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12	D13
055698	055704	055711	055728	055735	059016	059023	059030	055971	055988	055995	055742	056008	056015	056022	056039	056046	055674	056060	056053	055759

A1+A2	B1+B2
054295	054301




×1	×1	×1	×1	×1	×5	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
D15	D16	D17	D18	E1		E2	E3	E6	E7	E9	E10	E11	E12	E13	F1	F2	F3	F4		
056077	056084	055681	071155	055865	054288	055766	057005	057142	057159	058606	058613	058620	058828	059085	055773	055780	055797	055803		

E1+E2	F1+F2
054318	054714




×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
F5	F6	G1	G2	G3	G4	G5	G6	H1	H2	H3	H4	H5	H6	H7	H8	I1	I2	I3	J1	J2
055810	071148	057173	057180	057197	057203	057210	057227	068230	068247	068254	068261	068278	068285	068292	068308	071117	071124	071131	071674	071902




									Ø 6	Ø 6				Ø 6		Ø 8			Ø 6.7	
×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×5	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
S1	S3	S4	S5	S7	S8	ST1	ST2	ST3	T1		T2	T3	T4	T5	T7	T8	T10	T12	T13	
057036	057043	057050	057067	057074	057081	058071	058088	066397	057098	059078	057104	055827	055834	058019	058033	058040	058064	066373	066380	

T1+T2
054707

BREVET GYS / GYS PATENT
n° US 11,712,732



	Ø 6.7				Ø 6				Ø 8					Ø 10						
×1	×1	×5	×1	×1	×1	×5	×1	×1	×1	×5	×1	×1	×1	×1	×5	×1				
T14	T15		T16	T17	T18		T19	T20	T21		T22	T23	T24			T25				
066410	066427	068964	066434	069312	069329	071254	069336	070936	070943	071261	070950	082830	082847	082861	082854					



SELF PIERCING RIVETS (SPR)
- Rivets autoperçants (RAP) - Stanznieten



Steel - Acier - Stahl

Complete box
048706

Ø 3,3 x 3,5 mm x 50	Ø 3,3 x 4 mm x 50	Ø 5,3 x 4 mm x 50	Ø 5,3 x 5 mm x 50	Ø 5,3 x 6 mm x 50	Ø 5,3 x 8 mm x 50	Ø 5,3 x 7 mm	Ø 5,3 x 9 mm
x 200 048232	x 200 048249	x 100 048256	x 100 048263	x 100 048270	x 100 048225	x 100 048638	x 100 048645

SPECIAL CENTER PUNCH
- Pointeau centreur
- Spezialkörner

048379



HYDROPNEUMATIC TOOL FOR BLIND RIVETS
- Riveteuse hydro-pneumatique - Hydro-pneum. Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



HR21

max 21 000 N (6 bar)

055407





MADE IN ITALY

included (x3)
058446

For standard rivets
Ø 4.0
51508

For Magnarive rivets
Ø 4.5
51507



Option HR21 extension
100 mm
063105

CORDLESS RIVETER - Riveteuse sur batterie
- Akku-Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



TWO ER20

max 20 000 N (6 bar)
10-20 V universal fast charger (30 min)
2.0 kg

064461



2 x



20V/2Ah Li-ion battery

HYDROPNEUMATIC TOOL FOR BLIND RIVETS - Riveteuse
hydro-pneumatique - Hydro-pneum. Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



Steel / Acier	Ø 4.0/4.8/6.4
Alu	Ø 4.0/4.8/6.4

HR14

max 14 000 N

057241



Made in Taiwan

MANUAL TOOL FOR BLIND RIVETS
- Riveteuse manuelle - Manueller Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



Steel / Acier	Ø 3.2/4.0/4.8/6./6.4
Alu	Ø 3.2/4.0/4.8/6./6.4

061323

Made in Taiwan



HYDROPNEUMATIC TOOL FOR BLIND RIVETS
- Riveteuse hydro-pneumatique - Hydro-pneum. Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



Steel / Acier	Ø 3.2/4.0/4.8
Alu	Ø 3.2/4.0/4.8

HR9

max 9 000 N

057234



Made in Taiwan

HYDROPNEUMATIC TOOL FOR RIVET NUTS - Sertisseuse
hydro-pneumatique riv 998 - Hydro-pneum. Blindnietmutterngerät

Sealing nuts
- Ecrous à sertir
- Blindnietmuttern

RIV 998



For sealing nuts from M3 to M12

Pour la pose d'écrous à sertir M3 à M12

max 19 000 N (6 bar)
included accessories for sealing nuts :
- livré avec accessoires pour écrous à sertir:

✓ M3 ✓ M4
✓ M5 ✓ M6
✓ M8 ✓ M10
✓ M12

MADE IN ITALY

055414





MIG-MAG
GMAW-FCAW

TRADITIONAL

GYS AUTO 84


INVERTER

E GYS AUTO 86
AUTOPULSE 88

ACCESSORIES & CONSUMABLES 92


MIG/MAG
TRADITIONAL SYNERGIC

15→200 A
Ideal 0,6 mm



Capacitor

M1GYS AUTO, M3GYS AUTO
> PERFECT WELD





SYNERGIC - EASY TO USE
Réglage automatique de la vitesse \ Auto adaptative wire speed
Automatische Einstellung der Drahtgeschwindigkeit

M1 GYS AUTO

15◢160 A — **Capacitor** — 6 m
230 V • 1 ~
032903

208/240 V • 1 ~ — 2 m
032088

with accessories

T1 GYS AUTO DV

15◢200 A
400 V • 3 ~ / 230 V • 3 ~
032927


with accessories — 3 m

M3 GYS AUTO

15◢160 A — **Capacitor** — 6 m
230 V • 1 ~
032880










ACCESSORIES BOX













ACCESSORIES BOX

Protection gas
Argon+CO_2 (Steel, Inox)
Argon (ALU/CuSi3/CuAl8)
CO_2 PUR (Steel)

OPTIONS

Spool Gun Torch
- Torche motorisée Spool Gun
- Spool Gun Brenner



041486
Ø 100
Ideal for
· Steel / Acier / Stahl
· Stainless steel / Inox
· Alu

included **045699**

SPOOL GUN + Support for M3 GYS AUTO
038554



059276

15L / min
(FR) **041998**
(UK) **040274**
(NL) **040267**
(IT) **038691**

OPTIMAPRO 30L / min
(FR) **043619**
(UK) **043626**
(DE) **043633**
(NL) **043640**

30L / min
(FR) **041622**
(UK) **041646**
(DE) **041219**
(NL) **041615**
(IT) **038707**

MB 15 (150 A)
041226



x3 — x5 — x5 (M6-Ø0,6) x5 (M6-Ø0,8) x5 (Alu - M6-Ø0,8) — x3

041332

041806



M3GYS : Protection cover
- Housse de protection
- Schutzhaube

052260

MADE IN FRANCE	MADE IN GYS CHINA	CE NORM. 60974/1	50/60 Hz	AM	A min→max	Reg	Ø mm 100 (spoolgun)	200	300	Electronic Control	EN60974-1 (40°C) IA (60%)	X% (I2 max)	Ø mm	Original equipement Equipement d'origine Originalausstattung Equipamiento de fabrica		LxWxH cm / kg	Protected & compatible power generator (+/-15%)
	▪	**M1 GYS AUTO**	230 V 1~	16	15→160	6	option	▪	▪		90	140A@15%	0.6→1	0.6/0.8	0.8	78 x 38 x 67 / 56	4,5 kVA
▪			208/240 V 1~													37 x 79 x 67 / 57.5	
▪		**T1 GYS AUTO DV**	230 V 3~/400 V 3~	10	15→200	7	option	▪	▪		110	150A@25%	0.6→1	0.6/0.8	0.8	37 x 78 x 67 / 62	5.2 kVA
▪		**M3 GYS AUTO**	230 V 1~	16	15→160	6	▪	▪	▪		90	140A@15%	0.6→1	0.6/0.8 0.8/1.0	2 x 0.8	74 x 40 x 85 / 77.5	4,5 kVA

MIG/MAG INVERTER SYNERGIC

Lastest generation colour screen 3.5"

16 languages

- French
- English
- German
- Italian
- Spanish
- Portuguese
- Czech
- Polish
- Dutch
- Swedish
- Russian
- Chinese
- Japanese
- Vietnamese
- Finnish
- Turkish

EASY



EXPERT
Pre-gas / Creep speed/ Hotstart / Crater filler / Burnback / Post-gas



EASY TO SETUP



Screen protection - Protection d'écran - Bildschirmschutz
079885

MODES

- MANUEL
- SYNERGIC EASY / EXPERT
- 2T
- 4T
- SPOT
- DELAI

FONCTIONS

- TRACEABILITY
- PORTABILITY
- +500 JOBS can be saved

SYNERGIES

- STEEL
- AlSi
- AlMg
- Cu Si 3 / CuAl 8
- CrNi

UPDATES

gys.fr

EASY USB UPDATE

USB key 16 Gb
062344

E1 GYS AUTO

10 ◢ 200 A | 230 V 1~ | PFC

with accessories :

3 m, 25 mm² + Steel 150 A, 3 m, air Ø 0.6 / Ø 0.8 063754

075122

E2 GYS AUTO

10 ◢ 200 A | 230 V 1~ | PFC

with accessories :

3 m, 25 mm² + Steel 150 A, 3 m, air Ø 0.6 / Ø 0.8 063754 + Alu 250 A, 3 m, air Ø 1.0 / Ø 1.2 072138

075139

E3 GYS AUTO

10 ◢ 200 A | 230 V 1~ | PFC

with accessories :

3 m, 25 mm² + CuSi 150 A, 3 m, air Ø 1.0 072121 + Steel 150 A, 3 m, air Ø 0.6 / Ø 0.8 063754 + Alu 250 A, 3 m, air Ø 1.0 / Ø 1.2 072138

075160



E1 GYS AUTO **200 A** • ×1



E2 GYS AUTO **200 A** • ×2



E3 GYS AUTO **200 A** • ×3

E1 GYS AUTO | E2 GYS AUTO | E3 GYS AUTO

1	Ø 200 / 300	–
2	–	–
3	–	–

1	Ø 200	
2	Ø 200 / 300	
3	–	–

1	Ø 200	
2	Ø 200	
3	Ø 200	

µC ELECTRONIC

10 → 200 A
Ideal 0.6 mm

PFC **POWER FACTOR CORRECTION**

195 V — 265 V
110 V — 230 V
100 m

Helmet not included

MADE IN FRANCE	CE NORM. 60974/1		50/60 Hz	AM A		min→max A	Ø mm 200	Ø mm 300	Electronic Control	EN60974-1 (40°C) IA (60%)	EN60974-1 (40°C) X% (12 max)	Ø mm	Original equipement Equipement d'origine Originalausstattung Equipamiento de fabrica	LxWxH cm / kg	Protected & compatible power generator (+/-15%)
▪	E1 GYS AUTO		230 V 1 ~	16	6 m	10→200	▪	▪		145	20	0.6→1	Acier Type B 0.6/0.8	79 x 37 67 / 42.6	9KVA
▪	E2 GYS AUTO		230 V 1 ~	16	6 m	10→200	▪	▪		145	20	0.6→1	Acier Type B 0.6/0.8 Alu Type B 0.8/1	72 x 37 x 105 / 59.5	9KVA
▪	E3 GYS AUTO		230 V 1 ~	16	6 m	10→200	▪			145	20	0.6→1	Acier Type B 0.6/0.8 Acier Type B 0.8/1 Alu Type B 0.8/1	73 x 38 x 108 / 64	9KVA

MIG/MAG

INVERTER DOUBLE PULSE

Youtube

ACCESSIBILITY

3 interface levels

- EASY
- EXPERT
- ADVANCED

16 languages

- French
- English
- German
- Italian
- Spanish
- Portuguese
- Czech
- Polish
- Dutch
- Swedish
- Russian
- Chinese
- Japanese
- Vietnamese
- Finnish
- Turkish

Latest generation colour screen 5"
800 x 480 (WVGA)

EASY

EXPERT
Pre-gas / Hot Start / Upslope / Downslope / Crater filler / Post-gas

ADVANCED
Arc length adjustments



3 INTERFACE LEVELS


500+ JOBS can be saved



TRACEABILITY



PORTABILITY



MODES

DYNAMIC STANDARD
PULSE
PULSE IN PULSE
MANUAL
COLD PULSE

FULLY DIGITAL

4 MICROPROCESSORS

DSP

65+ SYNERGIES

Find all the synergies:
Retrouvez toutes les synergies :
Finde alle Synergien :

STEEL
Cu Si 3 / Cu Al 8
ALU

UPDATES

EASY USB UPDATE

gys.fr

USB key 16 Gb
062344

OPTIONS

PUSH PULL TORCH 24 V
Motor inside
MB 25
4 m
046283

MB 15 / MB 25 (250 A)
077089

x5 (M6-Ø 0.6)
x5 (M6-Ø 0.8)
x5 (M6-Ø 1.0)

x5 (M6-Ø 0.8)
x5 (M6-Ø 1.0)
x5 (Alu - M6-Ø 1.0)
x5 (Alu - M6-Ø 1.2)

Torch gas flow-meter
- Débimètre de bout de torche
053939

Protection cover
- Housse de protection
- Schutzhaube
052260

AUTOPULSE 220-M1				AUTOPULSE 220-M2			
1	Ø 200 / 300		PP	1	Ø 200 / 300		PP
–	–	–	–	2	Ø 200 / 300		–

µC ELECTRONIC

AUTOPULSE 220-M1

10 ◢ 220 A | 230V 1~ | PFC

with accessories :

4 m, 35 mm² 043817 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

065024

AUTOPULSE 220-M1 208-240V

10 ◢ 220 A | 208>240V 1~ | PFC

with accessories :

4 m, 35 mm² 043817 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

070868

BODYSHOP SPECIFIC
COLD PULSE
CuSi3 Ø 0.8 / 1

AUTOPULSE 220-M2

10 ◢ 220 A | 230V 1~ | PFC

with accessories :

4 m, 35 mm² 043817 + Steel 150 A, 3 m, air Ø 1.0 072121 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

069855

AUTOPULSE 220-M2 208-240V

10 ◢ 220 A | 208>240V 1~ | PFC

with accessories :

4 m, 35 mm² 043817 + Steel 150 A, 3 m, air Ø 1.0 072121 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

069862

2 x 4 m³ (20L)

10 m³ (50L)

1 x

2 x

8 m

8 m



PFC POWER FACTOR CORRECTION

185 V — 265 V

110 V 230 V

100 m

220 A • ×1

220 A • ×2

MADE IN FRANCE	CE NORM. EN60974-1	50 / 60 Hz		AM	A	Ø	Ø mm	min→max	A	SPOOLGUN	PUSHPULL	Ø mm 200	Ø mm 300	Cooling system	Original equipement Equipement d'origine Originalausstattung Equipamiento de fabrica	ELECTRONIC CONTROL	EN60974-1 (40°C) IA (60%)	EN60974-1 (40°C) X% (12 max)	LxWxH cm / kg	Protected & compatible power generator (+/-15%)
AUTOPULSE 220-M1		230 V - 1 ~	8 m		16		0.6→1.2	10→220	–		OPTION	■	■	Air		ALU : Type B 1.0 / 1.2	150	220 A @ 20%	75 x 41 x 94 / 65.5	10 kVA
AUTOPULSE 220-M1 208-240V		208>240 V - 1 ~																	75 x 41 x 94 / 62.6	
AUTOPULSE 220-M2		230 V - 1 ~	8 m		16		0.6→1.2	10→220	–		OPTION	■	■	Air		ACIER : Type B 0.8 / 1.0 mm ALU : Type B 1.0 / 1.2	150	220 A @ 20%	74 x 41 x 93 / 78.8	10 kVA
AUTOPULSE 220-M2 208-240V		208>240 V - 1 ~																	74 x 40 x 93 / 79.8	

MIG/MAG

INVERTER DOUBLE PULSE

BODYSHOP SPECIFIC
COLD PULSE
CuSi3 Ø 0.8/1



AUTOPULSE 220-M3

1	Ø 200		PP
2	Ø 200		–
3	Ø 200		–

µc ELECTRONIC

TESLA APPROVED EQUIPMENT

AUTOPULSE 220-M3

10 ◢ 220 A | 230 V 1~ | PFC

with accessories :

4 m, 35 mm² 043817 + CuSi 150 A, 3 m, air Ø 1.0 072121 + Steel 150 A, 3 m, air Ø 0.8 063754 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

036703

AUTOPULSE 220-M3 208-240V

10 ◢ 220 A | 208>240 V 1~ | PFC

with accessories :

4 m, 35 mm² 043817 + CuSi 150 A, 3 m, air Ø 1.0 072121 + Steel 150 A, 3 m, air Ø 0.8 063754 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

062481

OPTIONS

PUSH PULL TORCH
24 V

MB 25
4 m
046283





MB 15 / MB 25 (250 A)
077089

x5 (M6-Ø 0.6)
x5 (M6-Ø 0.8)
x5 (M6-Ø 1.0)

x5 (M6-Ø 0.8)
x5 (M6-Ø 1.0)
x5 (Alu - M6-Ø 1.0)
x5 (Alu - M6-Ø 1.2)

Torch gas flow-meter
- Débimètre de bout de torche
053939



Protection cover
- Housse de protection
- Schutzhaube
052260



PFC POWER FACTOR CORRECTION

185 V — 265 V
110 V 230 V
100 m

220 A • ×3

MADE IN FRANCE	EN60974-1	50 / 60 Hz		A	Ø mm	min→max A	SPOOLGUN	PUSHPULL	Ø mm 200	Cooling system	Equipement d'origine / Original equipement / Originalausstattung / Equipamiento de fabrica — ELECTRONIC CONTROL	EN60974-1 (40°C) IA (60%)	X% (I2 max)	LxWxH cm / kg	Protected & compatible power generator (+/-15%)
AUTOPULSE 220-M3		230 V - 1 ~	8 m	16	0.6→1.2	10→220	–	OPTION	■	Air	ACIER : Type B 0.6 / 0.8 ACIER : Type B 0.8 / 1.0 ALU : Type B 1.0 / 1.2	150	220 A @ 20%	75 x 41 x 94 / 80	10 kVA
AUTOPULSE 220-M3 208-240V		208>240 V - 1 ~	8 m	16	0.6→1.2	10→220	–	OPTION	■	Air	ACIER : Type B 0.6 / 0.8 ACIER : Type B 0.8 / 1.0 ALU : Type B 1.0 / 1.2	150	220 A @ 20%	75 x 41 x 94 / 80	10 kVA

1	Ø 200 / 300		PP
2	–	–	–
3	–	–	–

AUTOPULSE 320-T3

1	Ø 200		PP
2	Ø 200		
3	Ø 200		–

AUTOPULSE 320-T3 208-240V

1	Ø 200		PP
2	Ø 200		–
3	Ø 200		–

µc ELECTRONIC

AUTOPULSE 320-T1

15 ◢ 320 A | 400 V 3~

with accessories :

4 m, 35 mm² 043817 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

069831



AUTOPULSE 320-T3

15 ◢ 320 A | 400 V 3~

with accessories :

4 m, 35 mm² 043817 + Steel 250 A, 3 m, air Ø 1.0 072152 + Steel 250 A, 3 m, air Ø 0.8 072145 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

067615

AUTOPULSE 320-T3 208-240V

15 ◢ 320 A | 208>240 V 3~ | PFC

with accessories :

4 m, 35 mm² 043817 + Steel 250 A, 3 m, air Ø 1.0 072152 + Steel 250 A, 3 m, air Ø 0.8 072145 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

036970

OPTIONS

for AUTOPULSE 320-T3 (400 V) only

SPOOLGUN TORCH
Ideal Alu
Ø 0,8
Ø 100
4 m
041486



320 A • ×1

320 A • ×3

MADE IN FRANCE	EN60974-1	50 / 60 Hz		A	Ø mm	min→max A	SPOOLGUN	PUSHPULL	Ø mm 200	Ø mm 300	Cooling system	Original equipement / Equipement d'origine / Originalausstattung / Equipamiento de fabrica — ELECTRONIC CONTROL	EN60974-1 (40°C) IA (60%)	X% (I2 max)	LxWxH cm / kg	Protected & compatible power generator (+/-15%)
AUTOPULSE 320-T1		400 V - 3 ~	5 m	16	0.6→1.2	15→320	–	OPTION	■	■	Air	ALU : Type B 1.0 / 1.2	260	320 A @ 35%	74 x 41 x 94 / 65.1	16 kVA
AUTOPULSE 320-T3		400 V - 3 ~	5 m	16	0.6→1.2	15→320	OPTION	OPTION	■	–	Air	ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260	320 A @ 35%	75 x 40 x 94 / 82	16 kVA
AUTOPULSE 320-T3 208-240V		208-240 V - 3 ~	5 m	25	0.6→1.2	15→320	—	OPTION	■	–	Air	ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260	320 A @ 35%	74 x 41 x 95 / 82	16 kVA

MANUAL TORCHES - Torches manuelles - Brenner - Antorcha - Lastoort - Tocha


CLASSIC



CLASSIC



GRIP



FUME EXTRACTION

Fume Extraction Torches - Torches aspirantes - Rauchgas-Absaugbrenner - Antorcha con aspiración de humos



Complete systems (p. 121)

BINZEL

PUSH PULL

for AUTOPULSE — MADE IN FRANCE



Rollers - Galets - Drahtführungsrollen - Rollen - Rodillos - Wielen - Roletes

0.6/0.8/1.0	046290
0.8/1.0/1.2	038752

Connector Push Pull 10 pts 064393

SPOOL GUN

Special CAR BODY REPAIR MACHINES



COMPLETE TORCHES

	Steel/Stainless steel - Acier / Inox - Stahl/Edelstahl						ALU - Aluminium - Aluminio					PUSH PULL	SPOOL GUN
	AIR					LIQUID	AIR				LIQUID	AIR	AIR
	150 A	150 A	250 A	250 A	350 A	300 A	150 A	250 A	250 A	350 A	300 A	220 A	150 A
X % 40°C, $ArCo_2$	150 A 60 %	150 A 60 %	150 A 60 %	200 A 60 %	290 A 60 %	270 A 100 %	150 A 60 %	200 A 60 %	230 A 60 %	290 A 60 %	270 A 100 %	220 A 20 %	150 A 60 %
	A1 + A2	A1 + A2	B1 + B2	B1 + B2	D1 + D2	C1 + C2	A1 + A2	B1 + B2	B1 + B2	D1 + D2	C1 + C2	B1 + B2	A1 + A2
	M6 Ø0.8	M6 Ø1.0	M6 Ø0.8	M6 Ø1.0	M8 Ø1.2	M6 Ø1.2	M6 Ø0.8	M6 Ø1.0	M6 Ø1.2	M8 Ø1.2	M6 Ø1.2	M6 Ø 1.2	M6 Ø0,8
	3 m 063754	3 m 072121	3 m 072145	3 m 072152	4 m 063792	3 m 040694	3 m 063761	3 m 063785	3 m 072138	3 m 063808	3 m 040748	4 m 046283	4 m 041486
	3 m Flexible 063754 NEW			4 m 063778	3 m 040687	4 m 043275	3 m 041462	3 m 040724		3 m Carbon liner 040731	4 m 043282		
	3 m 041424			3 m 040700	4 m 040946			4 m 040939		4 m Carbon liner 040953			
	3 m 043268			4 m 040922	4 m 040557								
	3 m 043251			3 m 040540									

Anti-spatter spray (without silicone)
- Spray protecteur sans silicone
- Antihaftspray (Ohne Silicon)

041806




MIG torch stand with magnetic base
- Support torche magnétique

041653



CONSUMABLES - Consommables



Tip adaptors & diffusers - Supports tube contact & diffuseurs

	Steel/Stainless steel - Acier / Inox - Stahl/Edelstahl				ALU - Aluminium - Aluminio				PUSH PULL	SPOOL GUN
	AIR			LIQUID	AIR			LIQUID	AIR	AIR
	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A
	A1 (x5)	B1 (x5)	D1 (x3)	C1 (x3)	A1 (x5)	B1 (x5)	D1 (x3)	C1 (x3)	A1 (x5)	B1 (x5)	A1 (x5)
	042902	042995	043008	043589	042902	042995	043008	043589	042902	042995	042902
	+	+	+	+	+	+	+	+	+	+	+
	A2 (x10)	B2 (x5)	D2 (x5)	C2 (x5)	A2 (x10)	B2 (x5)	D2 (x5)	C2 (x5)	A2 (x10)	B2 (x5)	A2 (x10)
	042988	042919	042926	043541	042988	042919	042926	043541	042988	042919	042988

Contact tips - Tubes contacts - Kontaktrohre - Tubo de contacto - Contactbuis - Pontas de contacto

	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A
Ø0.6	A (x10) 041905	A (x10) 041905	—	A (x10) 041905	—	—	—	—	—	—	—
Ø0.8	A (x10) 041912	B (x10) 041950	C (x10) 041790	B (x10) 041950	B (x10) 041059	A (x10) 041059	—	B (x10) 041059	B (x10) 041059	B (x10) 041059	B (x10) 041059
Ø1.0	A (x10) 041929	B (x10) 041967	C (x10) 419803	B (x10) 041967	B (x10) 041066	B (x10) 041066	C (x10) 419766	B (x10) 041066	B (x10) 041066	B (x10) 041066	B (x10) 041066
Ø1.2	A (x10) 040144	B (x10) 041974	C (x10) 419810	B (x10) 041974	B (x10) 041073	B (x10) 041073	C (x10) 419773	B (x10) 041073	B (x10) 041073	B (x10) 041073	B (x10) 041073
Ø1.4	—	—	C (x10) 419827	—	—	—	—	—	—	—	—
Ø1.6	—	—	C (x10) 419834	—	—	—	C (x10) 041080	—	—	—	—
Ø2.4	—	—	C (x10) 040533	—	—	—	—	—	—	—	—

Gas nozzles - Buses - Düsen - Tubo - Nippel - Bicos

	150 A	250 A	350 A	300 A	150 A		250 A	350 A	300 A		150 A	250 A	150 A
A	53 mm Ø12 (x3) 041875	57 mm Ø15 (x3) 041882	84 mm Ø16 (x3) 041783	63.5 mm Ø12 (x3) 043534	53 mm Ø12 (x3) 041875	53 mm Ø16 (x3) 046214	57 mm Ø15 (x3) 041882	84 mm Ø16 (x3) 041783	63.5 mm Ø12 (x3) 043534	63.5 mm Ø17 (x3) 046221	53 mm Ø12 (x3) 041875	57 mm Ø15 (x3) 041882	53 mm Ø12 (x3) 041875
B	53 mm (x1) 041851	—	—										
C	53 mm (x1) 041523	—	—										
D	(x1) 041868	—	—										
E	(x1) 043084	(x1) 040571	(x1) 040588										


Boxes
- Coffrets - Verschleißteilebox
- Cajas - Kistjes - Estojos



x 3	x 5	M6 - Ø0.6 x 5 M6 - Ø0.8 x 5 **Alu** - M6 - Ø0.8 x 5	x 3	=	**MB 15 (150 A)** 041226
M6 - Ø0.6 x 5 M6 - Ø0.8 x 5 **Alu** - M6 - Ø1.0 x 5	M6 - Ø0.8 x 5 M6 - Ø1.0 x 5 **Alu** - M6 - Ø1.0 x 5 **Alu** - M6 - Ø1.2 x 5	—	—	=	**MB 15 / MB 25** 077089
x 5	x 3	M6 - Ø0.8 x 5 M6 - Ø1.0 x 5 **Alu** - M6 - Ø1.0 x 5	x 3	=	**MB 25 (250 A)** 041233
x 2	x 3	M6 - Ø1.0 x 5 M6 - Ø1.2 x 5 **Alu** - M6 - Ø1.0 x 5 **Alu** - M6 - Ø1.2 x 5	x 2	=	**MB 36 (350 A)** 041417

CONSUMABLES - Consommables

TORCH LINERS - Gaines - Mantel - Funda - Drahtseelen - Folha



STEEL - Acier - Stahl - Acero - Staal - Aço

Ø 0.6 / 0.8	3 m	041592
	4 m	041837
Ø 1.0 / 1.2	3 m	041608
	4 m	041844
	5 m	062276
Ø 1.2 / 1.6	3 m	418417
	4 m	418424
	5 m	062283
Ø 1.6 / 2.4	4 m	040526
	5 m	062290

TEFLON

Ø 0.6 / 0.8	3 m	041578
	4 m	044050
Ø 1.0 / 1.2	3 m	041585
	4 m	044067
	8 m	038677
Ø 1.2 / 1.6	4 m	044074



Guide gaine téflon pour motodévidoir
079601

CARBON

Ø 0.6 / 0.8	4 m	039834
	5 m	062306
Ø 1.0 / 1.2	4 m	039827
	5 m	062313
Ø 1.2 / 1.6	4 m	039810

PUSH PULL TORCH

Ø 1.0 / 1.2	8 m	038172

ROLLERS - Galets - Vorschubrollen - Rollen - Rodillos - Wielen - Roletes

TYPE A

For : Carmig



Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 1	042339
	Ø 0.8 / 1.0	x 1	041189
Alu	Ø 0.8 / 1.0	x 1	041196
Cored wire - Fil fourré	Ø 0.8 / 0.9	x 1	046856
	Ø 0.9 / 1.2	x 1	042346

TYPE B

For : Autopulse 220, Autopulse 320-T1, M1 GYS Auto, M3 GYS auto, T1 GYS Auto, T3 GYS Auto, E1/E2/E3 GYS Auto



Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 1	042087
		x 2	042353
	Ø 0.8 / 1.0	x 1	042100
		x 2	042360
	Ø 1.0 / 1.2	x 1	042179
		x 2	046849
	Ø 1.2 / 1.6	x 2	042384
Alu	Ø 0.8 / 1.0	x 1	042155
		x 2	042377
	Ø 1.0 / 1.2	x 1	042186
		x 2	040915
	Ø 1.2 / 1.6	x 2	042391
Cored wire - Fil fourré	Ø 0.9 / 1.2	x 1	042131
		x 2	042407

TYPE C

For : Neopulse - Autopulse 320-T3



Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 2	041738
	Ø 0.8 / 1.0	x 2	042094
	Ø 1.0 / 1.2	x 2	042117
	Ø 1.2 / 1.4	x 2	039780
	Ø 1.2 / 1.6	x 2	041752
Alu	Ø 0.8 / 1.0	x 2	042148
	Ø 1.0 / 1.2	x 2	042162
	Ø 1.2 / 1.6	x 2	041776
Cored wire - Fil fourré	Ø 0.9 / 1.2	x 2	042124

NO GAS WELDING KIT Ø 0.9 - Kit soudage sans gaz Ø 0.9

041240



= Ø 0.9 1.0 / 1.2 (x1) Type A

+ M6-Ø0.9 (x3)

+ Isolated Nozzle No Gas - 150 A (x1)


For : Easymig 150/160/160XL, Smartmig 142/152/162/3P/182/183, Multipearl 200-2

SPECIAL MIG-MAG PLIER - Pince spéciale MIG/MAG - Spezial MIG/MAG Zange - Pinza especial MIG/MAG

PRO (x1)

041332





GAS CONNECTORS - Raccords gaz - Gasanschlüsse



x2 045712



x1 046245



x1 067936



Tuyau caoutchouc- Rubber hose Ø 6.3 X 13 (EN ISO 3821)

1.5 m 066670
4 m 046269
✂ x m 046276

Anti-spatter spray (without silicone)

- Spray protecteur sans silicone
- Antihaftspray (Ohne Silicon)

041806



Torch gas flow-meter

- Débimètre de bout de torche


053939



WELDING WIRE REELS - Bobines de fil - Drahtrollen - Rollos de hilo- Draadbobijn - Bobines de fio

100 mm





ECO Ecological wire reel - Bobine écologique



STEEL - Acier - Stahl - Acero - Staal - Aço

SG2

Norms : AWS 5.18 : ER 70S-6 ; EN ISO 14341-A : G46 4MG3Si1 ; DIN 8559 : SG2

100 mm 0.9 kg	Ø 0.6	086593
	Ø 0.8	086609
200 mm 5 kg	Ø 0.6	086111
	Ø 0.8	086128
	Ø 1.0	086135
300 mm 15 kg 18 kg ECO	Ø 0.6	086166
	Ø 0.8	086227
	Ø 0.8 ECO	086272
	Ø 1.0	086234
	Ø 1.0 ECO	086289
	Ø 1.2	086241
	Ø 1.2 ECO	086296
300 mm EXCELLIUM 15 kg	Ø 1.0 ECO	086302
	Ø 1.2 ECO	086319

SG1

Norms : AWS 5.18 : ER 70S-3 ; EN ISO 14341-A : G42 2MG2Si1 ; DIN 8559 : SG1

200 mm 5 kg	Ø 0.6	086418
	Ø 0.8	086401

CrMO2Si

Norms : AWS 5.28 : ER 90S-B3 ; EN ISO 2195L-A : Cr CrMo25i

300 mm 15 kg	Ø 0.8	086258

UHSS

Norms : AWS ASME SFA-5.28 : ER 120 S-G ; EN ISO 12534 : G Mn4Ni2, 5CrMo

200 mm 5 kg	Ø 0.8	086203

Hardfacing - Rechargement Acier 60 HRC

Norms : EN 14700 : TZ Fe 2 ; DIN 8555 : MSG 6-CF-60

300 mm 16 kg	Ø 1.2 ECO	086173

Cored wire - Fil fourré - Fülldraht - Hilo tubular

Norms : AWS 5.20 : E71T-GS ; EN ISO 17632-A T42 Z W N 1 H15

100 mm 0.9 kg	Ø 0.6	086425
	Ø 0.9	086104
200 mm 4.5 kg	Ø 0.9	086265
	Ø 1.0	086623
	Ø 1.2	086630
300 mm 15 kg	Ø 1.0	086388
	Ø 1.2	086395

Galva (G2Ti)

Norms : AWS 5.18 : ER 70S-2 ; EN ISO 14341-A : G42 2 M G2Ti ; DIN 8559 : SG2

200 mm 5 kg	Ø 0.6	086760
	Ø 0.8	086777

STEEL - Acier - Stahl - Acero - Staal - Aço

CuAl8 HLE - UHTS (Boron Steel)

Norms : AWS 5.7 : ER CuAl-A1 ; EN ISO 14640 : S Cu 6100 ; DIN 1733 : SG-CuAl8

200 mm 5 kg	Ø 0.8	086661
	Ø 1.0	086197
300 mm 15 kg	Ø 1.0	086180

CuSi3 HLE - UHTS (Boron Steel)

Norms : AWS 5.7: ER CuSi-A ; EN ISO 14640 : S Cu 6560 ; DIN 1733 : SG-CuSi3

100 mm 1 kg	Ø 0.8	086692
200 mm 5 kg	Ø 0.8	086647
	Ø 1.0	086654
200 mm EXCELLIUM 5 kg	Ø 0.8	086210

STAINLESS STEEL - Inox - Edelstahl

CrNi (316LSi)

Norms : AWS 5.9 : ER 316L Si ; EN ISO 14343-A : G19 12 3 L Si ; DIN 8556 : SG X2 CrNiMo 19 12

200 mm 5 kg	Ø 0.8	086326
	Ø 1.0	086364
300 mm 15 kg	Ø 1.0	086371

CrNi (308LSi)

AWS 5.9 : ER 308L Si ; EN ISO 14343-A : G19 9 L Si ; DIN 8556 : SG X2CrNi 19 9

100 mm 1 kg	Ø 0.8	086616
200 mm 5 kg	Ø 0.8	086579
	Ø 1.0	086340
300 mm 15 kg	Ø 1.0	086357

ALUMINIUM

AlSi5

Norms : AWS 5.10 :ER 4043 ; EN ISO 18273 : S Al 4043-A ; DIN 1732 : SG-AlSi5

100 mm 0.5 kg	Ø 0.8	086685
200 mm 2 kg	Ø 1.0	086142
	Ø 1.2	086159

AlSi12

Norms : AWS 5.10 : ER 4047 ; EN ISO 18273 : S Al 4047 ; DIN 1732: SG-AlSi12

100 mm 0.5 kg	Ø 0.8	086678
200 mm 2 kg	Ø 0.8	077140
	Ø 1.0	086067
	Ø 1.2	086074
300 mm 7 kg	Ø 1.2	086043

AlSi10Cu4

Norms : AWS 5.10 : ER 4145 ; EN ISO 18273 : S Al 41

200 mm 2 kg	Ø 1.2	073432

AlMg5

Norms : AWS 5.10 : ER 5356 ; EN ISO 18273 : S Al 5356 ; DIN 1732 : SG-AlMg5

100 mm 0.5 kg	Ø 0.8	086548
200 mm 2 kg	Ø 0.8	086555
	Ø 1.0	086562
300 mm 7 kg	Ø 1.0	086524
	Ø 1.2	086531
300 mm EXCELLIUM 7 kg	Ø 1.0 ECO	086487
	Ø 1.2 ECO	086494

AlMg2.7Mn

Norms : AWS 5.10 : ER 5554 ; EN ISO 18273 : S Al 5554 ; DIN 1732 : SG-AlMg

200 mm 2 kg	Ø 1.2	086517
300 mm 7 kg	Ø 1.2	086500

ADAPTORS FOR WIRE REELS - Adaptateurs bobines - Korbspulenadapter

ALIGNER 200

042889



After sales



Professional 71608



Industrial 71613



PLASMA CUTTING

EASYCUT 98
CUTTER 99

PLASMA


1~



old design EASYCUT K35F

NEW DESIGN


COMPRESSOR COMPRESSOR INSIDE




AD ANTI-DUST VENTILATION CORRIDOR



PFC POWER FACTOR CORRECTION




FV FLEXIBLE VOLTAGE



Plasma torch TPT 25, 4m 068087
Plasma torch TPT 35, 4m 080775
Plasma torch TPT 40, 4m 060753



CNC COMPUTER NUMERICAL CONTROL



ULTRA LIGHT & COMPACT

INTEGRATED AIR FILTER



AUTOMATIC DRAIN

PFC EN 61000-3-12 POWER FACTOR CORRECTION



DIGITAL (PRESSURE SENSOR



INCLUDED : 8 mm



Youtube



IDEAL CARBODY REPAIR

POWER FACTOR CORRECTION PFC EN 61000-3-12 FV FLEXIBLE VOLTAGE

DIGITAL (PRESSURE SENSOR



INCLUDED : 8 mm



DIGITAL (PRESSURE SENSOR

COMPRESSOR Compressor inside

EASYCUT K25

230 V • 1 ~

25 A | Fe 8 mm Al/CrNi 6 mm

P400 COMPRESSOR



TPT 25, 4 m 068087 | 2 m, 10 mm²

068063

EASYCUT K35F

230 V • 1 ~

35 A | Fe 15 mm Al/CrNi 10 mm

P400 PFC AD COMPRESSOR



MT35K, 4 m | 2 m, 10 mm²

031036

EASYCUT K35 PFC NEW

230 V • 1 ~

35 A | Fe 15 mm Al/CrNi 10 mm

P400 PFC AD COMPRESSOR



TPT35, 4 m 080775 | 2 m, 10 mm²

080768



MT35K, 4 m | 2 m, 10 mm² | Box MT 35K 039964 | UNIVERSAL 800 051331

029804


TPT35, 4 m | 2 m, 10 mm² | Box TPT35 080782 | UNIVERSAL 800 051331

080805

EASYCUT 25

230 V • 1 ~

25 A | Fe 8 mm Al/CrNi 6 mm



TPT 25, 4 m 068087 | 2 m, 10 mm²

065543


072046

EASYCUT 30 FV

110 → 230 V • 1 ~

30 A | Fe 15 mm Al/CrNi 10 mm

P400 PFC FV



TPT 40, 4 m 060753 | 2 m, 10 mm²

013858

EASYCUT 40

230 V • 1 ~

40 A | Fe 18 mm Al/CrNi 15 mm



TPT 40, 4 m 060753 | 2 m, 10 mm²

029743

Youtube

CUTTER 45 CT

110 → 230 V • 1 ~

45 A | Fe 30 mm Al/CrNi 20 mm

P400 PFC FV GRID CUT AD IP 23 CNC ANALOGIC



2 m, 10 mm² | TPT 40, 4 m | 2 m, 10 mm²

014787 **013629**



MT 70, 6 m | 2 m, 10 mm² | Box 20-50A 061613


062962

OPTIONS

COMPAS
for TPT 40, TPT 25, TPT 35, MT 25K / MT 35K
x1
040199



040205



Consumables

	MT25K		TPT25		MT35K		TPT35		TPT40	
	x 4 040182	x1	x 4 040236	x1	x 4 040229	x1	x 4 040182	x1	x 4 040236	x1
	x 10 040151	x3	x 10 040212	x3	x 10 040212	x3	x 10 080799	x3	x 10 040212	x3
	x 2 040175	x1	x 2 040175	x1	x 2 040175	x1	x 2 040175	x1	x 2 040175	x1
	x 10 040168	x3	x 10 040168	x3	x 10 040168	x3	x 10 040168	x3	x 10 040168	x3
Boxes - Coffrets	039971		070721		039964		080782		039957	

Trolley - Chariot



PLASMA 600 040298
39 x 58 x 62 cm / 8.2 kg
63 x 30 x 11 cm / 8.8 kg

Universal 800 051331
48 x 62 x 81 cm / 17.6 kg
81 x 52 x 15 cm / 18.1 kg

Jobsite XL 039568
60 x 59 x 115 cm / 18.4 kg
66 x 47 x 20 cm / 19.6 kg

Compressed air cleaning filter for Plasma Cutter 40 - Filtre déshumificateur spécial Plasma 039728




Filter cartridge - Cartouche pour filtre 039735

EN60974-1				AM	I_2	mm Coupe max Severance cut Fe	Coupe max Severance cut Al/CrNi	Coupe propre Clean cut Fe	Coupe propre Clean cut Al/CrNi	Perçage Piercing Fe	Perçage Piercing Al/CrNi	INTEGRATED TECHNOLOGY P400	PFC	FV	GRID CUT	AD	IP23	CNC	COMPRESSOR	AIR SYSTEM min	ideal	max	EN 60974-1 (40°C) I 60%	X% I2 max	100%	LxWxH cm / kg	Protected & compatible power generator (+/-15%)	
			50/60 Hz	A	A	Fe	Al/CrNi	Fe	Al/CrNi	Fe	Al/CrNi																	
MADE IN FRANCE	**EASYCUT K25**		230V 1~	16	10 → 25	8	6	6	4	—	—	■	—	—	—	—	—	—	■	included			15 A	35%	—	53 x 31 x 48 / 19	6.5 kW	7.5 kVA
	EASYCUT K35F		230V 1~	16	10 → 35	15	10	10	8	—	—	■	■	—	—	■	—	—	■	included			28 A	30%	20 A	62 x 33 x 57 / 27	8 kW	10 kVA
	EASYCUT K35 PFC		230V 1~	16	10 → 35	15	10	10	8	—	—	■	■	—	—	■	■	—	■	included			26 A	30%	—	45 x 26 x 36 / 27	8 kW	10 kVA
MADE IN GYS CHINA	**EASYCUT 25**		230V 1~	16	10 → 25	8	6	6	4	—	—	—	—	—	—	—	—	—	—	2.5 bar	4.5 bar 115 L/min	6.5 bar	15 A	30%	10A	45 x 25 x 35 / 9.7	—	—
MADE IN FRANCE	**EASYCUT 30FV**		230V 1~	16	10 → 30	15	10	10	8	—	—	■	■	■	—	—	—	—	—	2.5 bar	5 bar 115 L/min	9 bar	23 A	30%	20 A	51 x 29 x 37 / 14.3	6.5 kW	6 kVA
			110V 1~	32	10 → 30																		19 A	25%	15 A			
MADE IN GYS CHINA	**EASYCUT 40**		230V 1~	16	10 → 40	20	15	15	10	—	—	—	—	—	—	—	—	—	—	2.5 bar	4.5 bar 115 L/min	6.5 bar	10 A	20%	—	45 x 25 x 35 / 11.5	—	—
MADE IN FRANCE	**CUTTER 45CT**	*TPT 40*	230V 1~	16	15 → 45	20	15	15	10	8	6	■	■	■	■	■	■	analogic	—	5 bar	5.2 bar 115 L/min	7 bar	41 A	50%	32 A	51 x 31 x 47 / 16.4	10.5 kW	8 kVA
			110V 1~	32	15 → 30	15	10	10	8	—	—												21 A	25%	17 A			
		MT 70	230V 1~	32	15 → 45	30	20	25	15	12	10									5 bar	5.2 bar 185 L/min	7 bar	41 A	50%	32 A			
			110V 1~	32	15 → 30	15	10	10	8	—	—												21 A	25%	17 A			









INVEST IN THE FUTURE

INDUCTION HEATING

1 200 › 22 000 kW

GYSDUCTION	102
COMBIDUCTION	103
POWERDUCTION	104
ACCESSORIES & CONSUMABLES	108

INDUCTION

HEATING

CAR BODY

PFC POWER FACTOR CORRECTION

185 V ⇔ 265 V

110 V 230 V

100 m

Youtube





GYSDUCTION AUTO

2 400 W | 230 V • 1 ~

PFC AIR





COMBIDUCTION AUTO 50LG

5 200 W | 230 V • 1 ~

PFC LIQUID

065901



PACKS - GYSDUCTION AUTO

	PROLINER AUTO 048775	COMPLETE AUTO 053380	COMPLETE AUTO + 056978	MECA AUTO 048812	MECA AUTO + 056961	BODY SHOP AUTO 048799	GLASS AUTO 048805	DENT REPAIR AUTO 054981	SMART REPAIR AUTO 079847
	=	=	=	=	=	=	=	=	=
GYSDUCTION AUTO	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plastic wedges 051294	✓	✓	✓	—	—	✓	✓	—	✓
Burn off Inductor 053373	✓	✓	✓	—	—	✓	✓	—	✓
Body Inductor 053359	✓	✓	✓	—	—	✓	1 box	—	✓
Bolt Inductor 053366	✓	✓	✓	✓	✓	—	—	—	—
Remote control 055490	✓	✓	✓	✓	✓	✓	—	—	✓
Universal 800 051331	✓	1 box	—	1 box	—	—	—	—	—
Cable support 052284	✓		—		—	—	—	—	—
Dent pulling Inductor 054776	3 boxes		—		—	✓	✓	—	—
Spiral inductor 054783			✓		✓	1 box	1 box	1 box	✓
			1 box		1 box				1 box

CONSUMABLES

for	for	for
		
Protection (x5) + Colle - Stick 053854	**Protection** (x1) + Colle - Stick 059108	**Protection** (x10) + Colle - Stick 053847

INCLUDED COMBIDUCTION



Glass - Décapage - Entfernen 053373



Decal - Décollage - Entkleben 053359




OPTIONS

Spiral inductor
- Inducteur spirale
- Spiralinduktor
054783





800 mm 054813




800 mm 054868



SIDE


Ø 18 mm	≤ M8	054806
Ø 24 mm	≤ M12	054790
Ø 30 mm	≤ M16	055469

Complete with - Completez avec - Vervollständigen mit :



SIDE

Ø 21 mm	≤ M10	079953
Ø 27 mm	≤ M14	079960



FRONT

Ø 18 mm	≤ M8	079977
Ø 21 mm	≤ M10	079984
Ø 24 mm	≤ M12	079991
Ø 27 mm	≤ M14	080003
Ø 30 mm	≤ M16	080010

PDR : Paintless Dent Repair
- Débosselage sans peinture
- Lackschadenfreies Ausbeulen
054776

Licensed by BETAG innovation




3 m

Freezer spray
- Spray refroidisseur

-50 °C
400 ml

(x 12)
048898



Adhesive for logo (x10)
051492




CE NORM. EN-60 335/1	MADE IN FRANCE		AM	A	W	Freq. kHz	Tech. PFC	Liquid Cooling	Cable L (m)		Heating			LxWxH cm / kg	LxWxH cm / kg	Protected & compatible power generator (+/-15 %)
										Inductor						
GYSDUCTION AUTO		230 V, 1~, 50/60 Hz	16 mini	2400	35 ➔100	▪	—	2	2.5	M10 ➔ 1 s	2 mm ➔ 5 s	Ø8 ➔ 10 s	37 x 21 x 37 / 7.5	52 x 30 x 37 / 12.9	3 kW
COMBIDUCTION AUTO 50LG		230 V, 1~, 50/60 Hz	25 mini	5 200	20 ➔80	▪	▪ 7 l	8	3	M14 ➔ 1 s	2 mm ➔ 3 s 4 mm ➔ 5 s	Ø10 ➔ 10 s	46 x 43 x 75 / 60	v	6 kW

INDUCTION HEATING
1.2 → 5.2 kW



MAINTENANCE / MECHANIC / INDUSTRY




Youtube





	10R	10R PRO
 POWERDUCTION 10R	✓	✓
 Flexible 800 mm | 054813	✓	✓
 Straight 800 mm | 054868	✓	✓
SIDE 		
Ø 18 mm | ≤ M8 | 054806	✓	✓
Ø 21 mm | ≤ M10 | 079953	—	✓
Ø 24 mm | ≤ M12 | 054790	✓	✓
Ø 27 mm | ≤ M14 | 079960	—	✓
Ø 30 mm | ≤ M16 | 055469	✓	✓
FRONT 		
Ø 18 mm | ≤ M8 | 079977	—	✓
Ø 21 mm | ≤ M10 | 079984	—	✓
Ø 24 mm | ≤ M12 | 079991	—	✓
Ø 27 mm | ≤ M14 | 080003	—	✓
Ø 30 mm | ≤ M16 | 080010	—	✓





1 200 W | 230 V • 1 ~ | AIR

POWERDUCTION 10R (5 inductors)
062504
GB: 068643
AU: 080966
NEW

POWERDUCTION 10R PRO (12 inductors)
080195
GB: 080300





POWERDUCTION 37LG

3 700 W | 230 V • 1 ~

LIQUID

056992
GB: 072510
AU: 080959
NEW

PFC **POWER FACTOR CORRECTION**

185 V ⇔ 265 V

110 V 230 V

100 m



included	39LG C20/B1	39LG S90
C20/B1 | 056862	✓	—
28S | 064485	—	✓
S90 | 058927	—	✓



POWERDUCTION 39LG (C20/B1)

3 700 W | 230 V • 1 ~

PFC LIQUID

058583

POWERDUCTION 39LG (S90)

3 700 W | 230 V • 1 ~

PFC LIQUID

080027

POWERDUCTION 50LG

5 200 W | 230 V • 1 ~

PFC LIQUID

055599

OPTIONS 10R

Decal - Décollage - Entkleben
066601



Loosening - Dégrippage - Lockerung
079472



B5
079489

OPTION 37LG



Cable hanger - Cable support
052284



Trolley - Chariot
UNIVERSAL 800
051331

OPTION 50LG



Protection cover
- Housse de protection
- Schutzhaube
062733

MADE IN FRANCE		AM A	W	Freq. kHz	INTEGRATED TECHNOLOGY P400	PFC	Liquid Cooling	Cable L (m)	Inductor	Heating			Protected & compatible power generator (+/-15 %)	L × W × H cm / kg	L × W × H cm / kg
POWERDUCTION 10R / 10R PRO	230 V, 1~ 50/60 Hz	10 mini	1 200	45 → 80	—	—	—	2	1.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	1.5 kW	062504 - 42 × 17 × 37 / 5.4 080195 - NF	062504 - 21 × 10 × 15 / 3.3 080195 - NC
POWERDUCTION 37LG	230 V, 1~ 50/60 Hz	16 mini	3 700	15 → 30	—	—	■ 1.5 l	2	2	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	4 kW	60 × 34 × 33 / 14.5	56 × 26 × 29 / 13
POWERDUCTION 39LG (C20/B1) / (S90)	230 V, 1~ 50/60 Hz	16 mini	3 700	20 → 60	■	■	■ 7 l	6	3	M12 → 1 s	2 mm → 5 s	Ø10 → 15 s	4 kW	058583 - 81 × 38 × 59 / 52 080027 - NF	058583 - 46 × 36 × 70 / 46.5 080027 - NC
POWERDUCTION 50LG	230 V, 1~ 50/60 Hz	25 mini	5 200	20 → 60	■	■	■ 7 l	8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	6 kW	80 × 60 × 60 / 71	46 × 43 × 75 / 58

INDUCTION HEATING
11 → 22 kW







POWERDUCTION 110LG

11 000 W	400 V • 3 ~
LIQUID	

058590

POWERDUCTION 110LG 208-240V

11 000 W	208-240 V • 3 ~
LIQUID	

065246

POWERDUCTION 160LG

16 000 W	400 V • 3 ~
LIQUID	

057814

POWERDUCTION 160LG 208-240 V

16 000 W	208-240 V • 3 ~
LIQUID	

065253

POWERDUCTION 220LG

22 000 W	400 V • 3 ~
LIQUID	

6 m cable : 066861
10 m cable : 074576

OPTIONS



Removable handle
- Poignée de lance
- Abnehmbarer Griff
for POWERDUCTION 110 - 160 - 220 LG
068599



Cooling liquid for POWERDUCTION
2 L 082212
5 L 062511
10 L 052246



Protection cover
- Housse de protection
- Schutzhaube
for POWERDUCTION 160 - 220 LG
050853



Protection cover
- Housse de protection
- Schutzhaube
for POWERDUCTION 110LG
062733



055490

OPTION

Powerduction 160/220 LG over hanging arm-pulley
- Équilibreur Powerduction 160/220 LG

079441




t° POWER HEAT CONTROLLER

t° CONTROL
80>350°C (210>660°F)



POWER HEAT CONTROLER
061644

Included
T° sensors thermocouple type K x2



Compatibility
POWERDUCTION 110LG
POWERDUCTION 110LG 208-240 V
POWERDUCTION 160LG
POWERDUCTION 160LG 208-240 V
POWERDUCTION 220LG

OPTION



Pyrometer IR
for inductor L90
1.1 m
064119



MADE IN FRANCE		AM		Freq.		Cable L (m)		Heating					Protected & compatible power generator (+/-15%)
		A	W	kHz	Liquid Cooling		Inductor				LxWxH cm / kg	LxWxH cm / kg	
POWERDUCTION 110LG	400 V, 3~,50/60 Hz	16 mini	11 000	20→60	■ 7 l	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	42 x 42 x 76 / 66.5	59 x 80 x 60 / 86	15 kW
POWERDUCTION 110LG 208-240V	208-240 V, 3~, 50/60 Hz	35 mini	11 000	20→60	■ 7 l	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	42 x 42 x 76 / 78	59 x 80 x 60 / 90	15 kW
POWERDUCTION 160LG	400 V, 3~,50/60 Hz	32 mini	16 000	20→60	■ 30 l	4	6	M20 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 5 s	78 x 58 x 118 / 128	80 x 61 x 120 / 140	22 kW
POWERDUCTION 160LG 208-240V	208-240 V, 3~,50/60 Hz	45 mini	16 000	20→60	■ 30 l	4	6	M20 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 5 s	78 x 58 x 118 / 113.5	80 x 60 x 120 / 126	22 kW
POWERDUCTION 220LG	400 V, 3~, 50/60 Hz	32 mini	22 000	20→60	■ 30 l	4	6	M45 → 3 s	4 mm → 3 s 8 mm → 9 s	Ø10 → 4 s	70 x 60 x 120 / 98	80 x 60 x 132 / 139	22 kW
POWERDUCTION 220LG 10M	400 V, 3~, 50/60 Hz	32 mini	22 000	20→60	■ 30 l	4	**10**	M45 → 3 s	8 mm → 9 s 4 mm → 3 s	Ø10 → 4 s	70 x 60 x 120 / 132.5	80 x 60 x 120 / 144.5	22 kW

SMALL Ø16
INDUCTORS

*= original equipment	S90 058927	S70 061569	S180 059269	S20/B1 (20°) 064874	S180/B1 064881	S180/B2 064928	S180/B3W 067899
37 LG	✓*	✓				–	✓
39 & 50 LG	✓ with adapter 28S						
110,160 & 220 LG	✓ with adapter 32S						

	S20/D20	S90/D20	S180/D20
Ø 20	078796	078871	069985
Ø 25	S20/D25 078802	S90/D25 078888	S180/D25 069992
Ø 30	S20/D30 078819	S90/D30 078895	S180/D30 070592
Ø 35	S20/D35 078826	S90/D35 078901	S180/D35 070608
Ø 40	S20/D40 078833	S90/D40 078918	S180/D40 070615
Ø 45	S20/D45 078840	S90/D45 078925	S180/D45 070622
Ø 50	S20/D50 078857	S90/D50 078932	S180/D50 070639
Ø 55	S20/D55 078864	S90/D55 078949	S180/D55 070646
37 LG	✓ S20/D20~D35, S90/D20~D35, S180/D20~D35		
39 & 50 LG	✓ with adapter 28S		
110, 160 & 220 LG	✓ with adapter 32S		

Protection kit for L180/D inductors
- Kit de protection pour inducteurs boucle
077386

	S180 HEAT TUBE D37 078604	S180 HEAT TUBE D40 078611	S180 HEAT TUBE D50 078628
39 & 50 LG	✓ with adapter 28S		
110, 160 & 220 LG	✓ with adapter 32S		

DIFFICULT ACCESS ADAPTERS

90°-S 082663	✓ compatible with 180/B1 ✓ compatible with 180/B2 ✓ compatible with 180/B3W

ADAPTERS

28S M28 Ø16 064485	
32S M32 Ø16 064508	
39 & 50 LG	✓ 28S M28 Ø16
110, 160 & 220 LG	✓ 32S M32 Ø16

Boxes - Boîtes

28S/B type W
for 39LG & 50LG
072497
included :
S20/B1 (x1)
S180/B1 (x1)
S180/B3 (x1)
28S (x1)
B1 (x1)
B3 (x1)

32S/B type W
ffor 110LG, 160LG & 220LG
072503
included :
S20/B1 (x1)
S180/B1 (x1)
S180/B3 (x1)
32S (x1)
B1 (x1)
B3 (x1)

L box
065796
included :
L70 (x1)
L180 (x1)

Trolley for inductor for adapter 32L
Chariot pour inducteur pour adaptateur 32L
075955
4 to 8 wheels

Ferrites - Ferrites - Ferritaufsatz

B1 053823		B3 067875	B4 053755	B5 079489	B1 056909	B2 056916	B3 072527	B4 054844	Spiral 069701
B1 (x5) 079380	B2 053458				B1 (x5) 079397				

Glue kit for inductor
Kit de colle pour inducteur
075948
Colle-Stick bi-composants Power Epoxy 150°C
054851

LARGE Ø32
INDUCTORS

*= original equipment	L90 (90°) 059788	L70 (70°) 059771	L180 059795	L180/Spiral 065000	L20/B4 067882	L180/B4 079786	L20 Alu Glove 069114
39 & 50 LG	✓ with adapter 28L						
110, 160 & 220 LG	✓ with adapter 32L*	✓ with adapter 32L			✓ with adapter 32L*	✓ with adapter 32L	✓ with adapter 32L

	Pre-heating - Préchauffe	Heating - Chauffe	L20/D60 078956	L90/D60 079106	L180/D60 069923
Ø 60					
Ø 70			L20/D70 078963	L90/D70 079113	L180/D70 069930
Ø 80			L20/D80 078970	L90/D80 079120	L180/D80 069121
Ø 90			L20/D90 078987	L90/D90 079137	L180/D90 069947
Ø 100			L20/D100 078994	L90/D100 079144	L180/D100 069954
Ø 110		✓	L20/D110 079007	L90/D110 079151	L180/D110 069961
Ø 120			L20/D120 079014	L90/D120 079168	L180/D120 069978
Ø 130	✓		L20/D130 079021	L90/D130 079175	Production on request
Ø 140			L20/D140 079038	L90/D140 079182	
Ø 150			L20/D150 079045	L90/D150 079199	
Ø 160			L20/D160 079052	L90/D160 079205	
Ø 170		–	L20/D170 079069	L90/D170 079212	
Ø 180			L20/D180 079076	L90/D180 079229	
Ø 190			L20/D190 079083	L90/D190 079236	
Ø 200			L20/D200 079090	L90/D200 079243	
39 & 50 LG	✓ with adapter 28L				
110, 160 & 220 LG	✓ with adapter 32L				

Protection kit for L180/D inductors
- Kit de protection pour inducteurs boucle
077386

ADAPTERS

28L M28 Ø32 064492	32L M32 Ø32 064515
39 & 50 LG	✓ 28L M28 Ø32
110, 160 & 220 LG	✓ 32L M32 Ø32

Pre-heating & Fretting - Préchauffage et Frettage

> Ø 200 & < Ø 300	Production on request
110, 160 & 220 LG	✓ with adapter 32L

Brasing - Brasage

*= original equipment	L90 BRAZ 16 Ø 1/2" / 16 mm 076907	L90 BRAZ 28 Ø 1" / 28 mm 076921	L180 BRAZ 16 Ø 1/2" / 16 mm 076914	L180 BRAZ 28 Ø 1" / 28 mm 076938
110, 160 & 220 LG	✓ with adapter 32L*			

Protection kit for BRAZ inductors
- Kit de protection pour inducteurs brasage
077515

Exchanger - Échangeur

L180R X
Production on request

110, 160 & 220 LG	✓ with adapter 32L

COMPLETE Ø28 INDUCTORS

	C20/B1 056862	C180/B1 056879	C180/B2 056886
37 LG	–		
39 & 50 LG	✓*	✓	
110, 160 & 220 LG	–		

TRUCK TOOLS & MOBILE LIFTS

TRUCK TOOLS

TROLLEY IW1	111
MULTITOOL TRUCK	111

CAR LIFTS

SPOT LIFT	112
QUICK LIFT / AIR JACKS	114
MANUAL WHEEL LIFT	114
ERGO LIFT	115



TRUCK TOOLS

TROLLEY IW1

Impact wrench trolley - Support de clé à choc

max 6.5 bar

max 20 kg

063136


Youtube


OPTIONS



Huile hydraulique - Hydraulic oil 1 l
053397











MULTITOOL TRUCK


SAFE EN 14238 + A1

max 200 kg

067158

SAFE
EN 14238 + A1





INCLUDED



Lifting tool for brake caliper - Outil de levage pour étrier de frein - Hebewerkzeug für Bremssattel



Brake caliper



Lifting tool for battery - Outil de levage pour batterie - Hebewerkzeug für Batterie




Truck batteries




Lifting tool for wheels - Outil de levage pour roues - Hebewerkzeug für Räder



HEALTH CARE






MOBILE LIFTS

SPOT LIFT EASY

max Air 8 bar	SAFE EN 1494
max 2.2 t	

064843

HEALTH CARE



High stability - Haute stabilité





Included
220 bar
053588


SAFE EN 1494

SECURITY


Youtube

OPTIONS

Hydraulic oil 1L
- Huile hydraulique
1 L
053397



Rocker panel lifting tool
- Outil de levage pour bas de caisse
- Auflage für Seitenschweller
053236




AUTO ROLL




2.5 t max

min 500 mm
max 1700 mm (AUTOROLL 1.0m)
max 2240 mm (AUTOROLL 1.55m)




1.0 m (AUTOROLL 1.0m)
1.55 m (AUTOROLL 1.55m) > ideal straightening table - idéal table de redressage

AUTO ROLL 1.0 m / 1.2 t
059047



AUTO ROLL 1.55 m / 1.2 t
063839







Included
059054

Option
059061

AFTER LIFT AUTO ROLL






067967

45 Kg

Included



WHEEL TROLLEYS - Tabourets de manutention - Radhocker

048768



kg 650 kg max










MECHANICAL LIFTING JACKS - Chariots de manutention prise sous roue - Kfz-Montagelift, fahrbar

071995






Made in China

SPOT LIFT PRO


max Air 8 bar	SAFE EN 1494
max 2.2 t	

053557





Youtube



OPTIONS

Height adjuster for 4x4 & utility vehicles
- Réhausseur pour 4x4 et utilitaires
- Erhöhung f. 4x4 und Leicht-LKW




048751

Pads - Patins
for Audi & BMW
(x 2)
053717



Ramps - Rampes
700 x 200 x 80 mm
(x 2)
056787



SPOT LIFT PRO MOB

max Air 8 bar	SAFE EN 1494
max 2.2 t	

055896

Youtube





OPTIONS

SPOT LIFT PRO MOB
Réhausseur pour 4x4 et utilitaires
- Height adjuster for 4x4 & utility vehicles
- Erhöhung f. 4x4 und Leicht-LKW




061248

Patins - Pads
for Audi & BMW
(x 2)
061606



Rampes - Ramps
700 x 200 x 80 mm
(x 2)
056787




QUICK LIFT L520E

062184




Included
Hydraulic oil 5 L
- Huile hydraulique 5 L
062160




SAFE EN 1493

2.5 t max



Youtube






Made in China

OPTIONS

Extensions 1680 mm x 2
066328



x4 Patins à rainures
071933



Pads for SUV x4 - Patins pour SUV x 4
065017



Wall mount - Support mural
071926




AIR JACKS

MADE IN HIGH QUALITY ITALY



AIR JACK VAN 2T


058330






AIR JACK CAR 2T

058323



MANUAL WHEEL LIFT


Wheel lift trolley
- Lève roue à treuil
- Radmontage-Heber
061385



ERGO LIFT 1000 ROLL

Air 7-8 bars	SAFE EN 1493
max 2.5 t	

Without accessories :
067950





PATENT PENDING


Handle for adjusting the automatic locking support arms
- Poignée de positionnement des bras porteurs avec verrouillage automatique

SAFE EN 1493

included :
(x 4) 4 cm + (x 4) 6 cm








OPTIONS

Pads for SUV x4
- Patins pour SUV x 4
065017






NEW

Ergo Lift ramps x2
- Rampes Ergo Lift x2
082717

Capacity : max 3.5 t



for Electric Vehicles > 2 tons

Pack ERGO LIFT 1000 ROLL + wheels

076792 =



ERGO LIFT 1000 ROLL
067950

Pump
082977



Wheel kit
076778

NEW

Pack ERGO LIFT 1000 ROLL + wheels + ramps

082984 =




ERGO LIFT 1000 ROLL
067950

Pump
082977



Wheel kit
076778




Ramps
082717

QUICK LIFT L520E

062184




Included
Hydraulic oil 5 L
- Huile hydraulique 5 L
062160




SAFE EN 1493

2.5 t max



Youtube






Made in China

OPTIONS

Extensions 1680 mm x 2
066328



x4 Patins à rainures
071933



Pads for SUV x4 - Patins pour SUV x 4
065017



Wall mount - Support mural
071926




AIR JACKS

MADE IN HIGH QUALITY ITALY



AIR JACK VAN 2T


058330






AIR JACK CAR 2T

058323



MANUAL WHEEL LIFT


Wheel lift trolley
- Lève roue à treuil
- Radmontage-Heber
061385



ERGO LIFT 1000 ROLL

Air 7-8 bars	SAFE EN 1493
max 2.5 t	

Without accessories :
067950






PATENT PENDING


Handle for adjusting the automatic locking support arms
- Poignée de positionnement des bras porteurs avec verrouillage automatique

SAFE EN 1493

included :
(x 4) 4 cm + (x 4) 6 cm








OPTIONS

Pads for SUV x4
- Patins pour SUV x 4
065017






NEW

Ergo Lift ramps x2
- Rampes Ergo Lift x2
082717

Capacity : max 3.5 t





Pack ERGO LIFT 1000 ROLL + wheels

076792 =



ERGO LIFT 1000 ROLL
067950
+ Pump
082977
+ Wheel kit
076778

NEW

Pack ERGO LIFT 1000 ROLL + wheels + ramps

082984 =



ERGO LIFT 1000 ROLL
067950
+ Pump
082977
+ Wheel kit
076778
+ Ramps
082717





ACCESSORIES


WELDING HELMETS 118
FUME EXTRACTION 121

WINDSCREEN REPAIR 122
BUMPER REPAIR 124
HAND TOOLS 126
PNEUMATIC TOOLS 128
SANDING & DUST EXTRACTION 130
WORKING LIGHTS 132
WORKING SUPPORTS 134
SAFETY PROTECTION 137

HELMETS
TECHNOLOGIES


	Intensity (A)															
	1.5	70	100	125	150	175	200	225	250	300	350	400	450	500	600	
MAG	8	9	10		11				12				13			
MIG		9		10		11				12		13		14		
MIG light alloys				10		11		12			13		13			
PLASMA			9	10	11		13									

Teinte initale - Initial shade



Classic | **ULTRA CLEAR**


Spectre de couleur - Spectrum view



Classic | **TRUECOLOR**

Sensitivity sensors - Capteurs sensibles

Classic | **HIGH SENSIBILITY**



Classification - X=/X=/X=/X=

1/1/1/1 = PERFECT QUALITY

(1) Optical quality (distortion). (2) Light diffusion (contrast). (3) Variation of light transmission (homogeneities of the dark shade). (4) Angular light (diagonal light ray filter).

(1) Qualité optique (distorsion). (2) Diffusion de la lumière (contraste). (3) Variation de la transmission lumineuse(homogénéités de la teinte foncée). (4) Lumière angulaire (filtre de rayons lumineux diagonaux).

Headgear - Serre-tête



Simple | Multi | **Multi Pro** | **Multi Premium**

Comfortable back

WELDING HELMETS
9-13



GYSMATIC 9-13 G
043909

100 x 60 mm | 0.08 ms

GRIND | ×4 | TRUECOLOR

WELDING HELMETS
5-9/9-13



Multi Premium

ALIEN XXL +
068698

100 x 93 mm
0.08 ms

GRIND | ×4
CLASS 1/1/1/1 | ULTRA CLEAR 3 | TRUECOLOR



DIGITAL | **MEMORY & REGULATIONS ELECTRONIC**



Multi Pro

GYSMATIC 5-13 G XXL
037236

100 x 93 mm
0.04 ms

GRIND | ×5
ULTRA CLEAR 2 | DIGITAL | TRUECOLOR

PANORAMIC

APOLLO +



APOLLO + 3/5-13 G
068681

100 x 67 mm
0.08 ms

GRIND | ×4 | PANORAMIC
CLASS 1/1/1/1 | ULTRA CLEAR 3 | TRUECOLOR



Multi Premium



PANORAMIC 3XL
037281

114 x 85 mm
0.04 ms

GRIND | ULTRA CLEAR 3 | CLASS 1/1/1/1
PANORAMIC | ×4 | ULTRA CLEAR 3 | TRUECOLOR

OPTIONS



Carry bag
for helmet welding
- Sac pour masque de soudage
043299




066656






Antiperspirant-headband
- Bandeau anti–transpiration
043466
for Multi Premium, Multi Premium Pro, Multi, Simple
062627
for Multi Pro
070844
for Gysmatic 9/13 Air, Gysmatic 5/13 Air XXL



Magnifying glass - Loupe
for Zeus, Ergotech & Alien True Color
x1
zoom x2
042780
zoom x3
064140

LENSES
- Verres
- Schutzgläser



114 x 133 (x10)	043893	G : 106 x 66 (x10)	043886
114 x 133 (x10)	043893	104 x 96 (x5)	043596
114 x 133 (x10)	043893	106 x 89,5 (x10)	046825
114 x 133 (x10)	043893	103.7 x 69.5 (x5)	077102
390 x 150 (x3)	037311	special kit (x1)	037304

		TRUECOLOR		HF	DELAY							MASK BRAND
GYSMATIC 9-13 G	4 - 9>13	■	0.08 ms	✓	0.1 > 0.9s	1/1/1/2	4 HIGH SENSITIVITY	XL : 100x60 mm	■	✓	+ 2 (CR 2450)	Simple	580 g	Gys
ALIEN XXL +	**3** - 5>9 / 9>13	■	0.08 ms	✓	0.15 > 0.8 s	1/1/1/1	4 HIGH SENSITIVITY	XXL : 100x93 mm	■	✓	+ 2 (CR 2032)	**Multi Premium**	540 g	Gys
GYSMATIC 5-13 G XXL	2 - 4>9 / 9>12	■	0.04 ms	✓	0.06 > 1.2 s	1/1/1/2	5 HIGH SENSITIVITY	XXL : 100x93 mm	■	✓	+ 2 (CR 2032)	**Multi Pro**	550 g	Gys
APOLLO + 3/5-13 G	**3** - 5>9 / 9>13 + 2x : 5	■	0.08 ms	—	0.15 > 0.8 s	1/1/1/1	4 HIGH SENSITIVITY	XL : 100x67 + 2x103.7x69.5 mm	■	✓	+ 2 (CR 2032)	**Multi Premium**	585 g	Gys
PANORAMIC 3XL	**3** - 4>8 / 8>12 + 2x : 3>10	■	0.04 ms	✓	0.15 > 0.8 s	1/1/1/1	4 HIGH SENSITIVITY	114x85 + 2x(68x80) mm	■	✓	+2 (CR 2045)	Multi	610 g	Gys

HELMETS
VENTILATED

IDEAL





DIGITAL

MEMORY &
REGULATIONS
ELECTRONIC



GYSMATIC 3/9-13 G AIR
065727
: 069602

100 x 60 mm
0.08 ms

GRIND | ×4 | ULTRA CLEAR 3 | TRUECOLOR

GYSMATIC 5-13 G AIR XXL
047846
: 028852

100 x 83 mm
0.1 ms

GRIND | ×4 | CLASS 1/1/1/1 | DIGITAL | TRUECOLOR



included with
GYSMATIC 5/13 G
AIR XXL

Filtration class
EN 12941 : TH2 P R SL
Air 165 / 200
220 L/min
Battery included

OPTION
Filter TH3
065734



Battery charger
037472
: 028869



Battery included
037465




x1
038424



x5
038417

LENSES
- Verres
- Schutzgläser



				TRUE COLOR		HF	DELAY							L×W×H cm / g	MASK BRAND
114 x 133 043893 (x10)	G : 106 x 66 046825 (x10)	**GYSMATIC 3/9-13 G AIR**	3 - 9>13	■	0.08 ms	✓	0.10>0.90 s	1/1/1/2	4 HIGH SENSITIVITY	XL : 100x60 mm	■	✓	☼ + 2 (CR 2450)	Simple	28 × 25 × 28 / 1230	Gys
114 x 133 043893 (x10)	106 x 89,5 046825 (x10)	**GYSMATIC 5-13 G AIR XXL**	4 - 5>9 / 9>13	■	0.10 ms	✓	0.1 > 0.9 s	1/1/1/1	4 HIGH SENSITIVITY	XXL : 100x83 mm	■	✓	☼ + 2 (CR 2450)	**Multi Pro**	27 × 25 × 28 / 1000	Gys

FUME EXTRACTION SYSTEMS - Aspirateurs de fumée - Rauchgasabsauggerät

UNI 2.0 RE

- 400 V 3 ~
- 50 Hz
- 1 100 W
- 1 500 m³/h max
- arm 3 m
- no plug
- 100 kg
- extraction 0.5 m/s

122 x 67 x 145 cm / 111.5 kg

061545



EVO 2.1 RE

- 230 V 1 ~
- 50 Hz
- 1 100 W
- 1 200 m³/h max
- occasionnal
- arm 3 m
- included
- 85 kg

96 x 95 x 162 cm / 114 kg

061552

Patented - Breveté



Included
Pré filtre, treillis Aluminium
Class of filtration G3 EN 779
+ Filtre - Coal Filter EPA E12
EN 779, Filtration >99.5 %

046467

Options

Filtre à charbon actif - Coal filter
✓ UNI 2.0 RE

064522

Extraction flexible
10 m, Ø 152 mm
✓ UNI 2.0 RE
✓ EVO 2.1 RE

062139



Included
Pré filtre, treillis Aluminium
Class of filtration F15 G2 EN 779
+ Filtre - Coal Filter HEPA H13
EN 779, Filtration >99.95%

046498

FUME EXTRACTION TORCHES - Torches aspirantes - Rauchgas-Absaugbrenner - Antorcha con aspiración de humos





	Steel/Stainless steel - Acier/Inox - Stahl/Edelstahl			
	AIR			LIQUID
	150 A	250 A	350 A	500 A
original equipment	M6	M6	M8	M8
	Ø 0.8	Ø 1.0	Ø 1.2	Ø 1.2
X % 40°C - $ArCo_2$	150A - 60%	200A - 60%	290A - 60%	380A-100%
GRIP	GRIP	GRIP	GRIP	GRIP
L	3 m	3 m	4 m	4 m
Ref.	043251	040540	040557	040564

BINZEL



For fume Extraction Torches - Pour torches aspirantes

BINZEL

073715




- 230 V / 1 ~ , 1 100 W
- 230 m³/h max
- 190 mbar max
- 25 kg, 590 x 425 x 825 mm
- 76 db
- Filter auto cleaning system - Système de nettoyage automatique du filtre - Automatische Filterabreinigung

Filtre Classe M, EN 60335-2-69

included :
5 m, Ø50



- External evacuation Ø50 (hose not included) - Évacuation extérieure Ø50 (tuyau non inclus)



PROFESSIONAL BOX SET FOR WINDSCREEN REMOVAL - Coffret de découpe pare–brise - Frontscheiben-Trennsystem für Akkuschrauberbetrieb

MADE IN HIGH QUALITY GERMANY



057654

included
Axe enrouleur
068100



included
65 m
resistance 170 kg
Ø 0.79 mm
058125



optional
65 m
resistance 190 kg
Ø 0.92 mm
069275





OSCILLATING PNEUMATIC SAW FOR WINDSCREEN REMOVAL - Couteau pneumatique de découpe pare–brise - Druckluft-Trennmesser für Windschutzscheiben

057623





Included
57 mm
057845

90 mm
057852



8 mm
057876



35 mm
057838



U
36 mm
057869

REMOVAL TOOL FOR WINDSCREEN WIPER ARMS - Extracteur d'essuie–glace - Wischerarm-Abzieher

UNIVERSEL
057630





30 mm
max

EXPERT

Accès difficile
- Difficult access
057647






40 mm
max

SUCTION LIFTING PADS - Ventouses - Saugnapfwerkzeug für Spiegelgläser


056695



Ø 70 mm








051966



x2

x 6
057609





COMPRESSED AIR POLISHER - Renov'Polycarbonate - Druckluftpolierer

Complete pack

1 orbital sander
+ 1 polisher
- 1 ponceuse orbitale
+ 1 lustreuse


052086



2 SPEED



sander Ø75
057494



052055



052062



052079



polisher Ø75
058224



Ø 76
P 500 (x 10)
P 800 (x 10)
P 1500 (x 10)
P 3000 (x 10)





P 500 x 50 052017
P 800 x 50 052024
P 1500 x 50 052031
P 3000 x 50 052048


WINDSHIELD CUTTING KIT - Système de découpe pare–brise à cliquet - Set zum Lösen von Windschutzscheiben

054738



DASHBOARD PROTECTOR - Protections tableau de bord - Armaturenbrett Schutz

053120



45 cm

27 cm

45 cm

27 cm

WINDSHIELD CUTTING TOOL - Outil découpe pare–brise - Windschutzscheiben Demontage-Set

051935



WINDSCREEN JOINT–CUTTING KIT - Kit découpe joint de pare-brise - Scheibentrenn-Werkzeug-Set

051898





Corde à piano torsadé (22 m)
- Windscreen seal cutting wire (twisted)
- Piano-Schneiddraht, gedrillt, 22 m Rolle

051911



Corde à piano carré (50m)
- Windscreen seal cutting wire (square)
-Vierkant-Draht, 50 m Rolle

051881

HOT STAPLER FOR BUMPER REPAIR - Agrafeuse pour réparation pare-chocs - Stoßstangen Reparatur Kit

052925



INCLUDED :

x20 x20 x20 x20 x20



MADE IN TAIWAN



PORTABLE

Battery operated - Sur batterie

058118

included
Li-ion battery 3.7 V
048669
included adapters :
EUR, UK, USA & AUS

Charger included
048652

MADE IN TAIWAN





INCLUDED :

Ø 0.6, x100 Ø 0.8, x100

Ø 0.6, x100

Staples - Agrafes



052413

V	U	N	W	M
Inside corner - Angle interne étroit Ø 0.7 mm	Crack alignment - Alignement de fissure Ø 0.7 mm	Large crack - Fissure importante Ø 0.7 mm	Internal angle - Angle interne Ø 0.7 mm	External angle - Angle externe Ø 0.7 mm
x 100 047990	x 100 047983	x 100 047976	x 100 047969	x 100 047952
= x 50	+ x 50	+ x 50	+ x 50	+ x 50

PIERCING KIT FOR BUMPER SENSORS - Coffret de perçage pare-chocs pour détecteurs - Lochwerkzeug für Stoßfänger



PRO +
059139

Ø 17-18-18,2
19-20-22,5-24
26-26,7-32 mm



FREEZER

Freezer spray
- Spray refroidisseur

-50 °C
400 ml

(x 12)
048898



TOOL FOR REMOVING BUMPER - Outil de déclipsage pare-chocs




076518



x15
076525

HAND SEAMER FOR PLASTIC REPAIR - Pince de serrage pour réparation des plastiques

082014



PLASTIC WELDING STATION - Station de soudage des plastiques - Kunststoff-Schweißset



320 W - 230 V, 1~50 Hz
Temperature : 160 < 480°C
3.4 kg
Length of hose : 1 m
Air flow : 24 l/min

Station seule
- Station only
064072



Ø 5 mm 066694
Ø 8 mm 066700

Youtube

plastic rods - baguettes plastique 440 mm	PP / EPDM	▲ 4 mm	x 10	066304
		▬ 6 mm	x 10	067622
		▬ 8 mm	x 10	066298
	ABS	▲ 4 mm	x 10	071322
		▬ 8 mm	x 10	071339

	Station	PP/EPDM 4mm (x10)	PP/EPDM 6mm (x10)	PP/EPDM 8mm (x10)	Pressure wheels	Mini milling machine	Scraper
064072	✓						
070974	✓						



Scraper - Grattoir
068032



Pressure wheels
- Roulette de compression
058231

Tungsten drill
Ø 5 mm
included
063235



Mini milling machine
- Mini fraiseuse
063228

WELDING KIT FOR PLASTICS - Kit de soudage des plastiques - Kungstoff-Schweißset



1 600 W - 230V - 50/60 Hz
max. 230 l/mn
1.3 kg / Ø100 x 300mm,
poignée Ø 56mm.

057678



3m

20mm




x10
052956


x1
25 x 12.5 cm
052949



Options



BRAZING AUTOMOTIVE PLASTICS REPAIR KIT - Coffret de réparation des plastiques automobiles - Kungstoff Reparatur Set



052932
=

MADE IN BELGIUM



HAND TOOLS - Ausbeulwerkzeug

MADE IN HIGH QUALITY GERMANY

● **FULL PACK =**
061637

MADE IN GERMANY



● 053311 ● 053298 ● 061309 ● 053335 ● 053342 ● 053328 ● 053281

\+ ● **MEDIUM PACK**
051133



●● 051430 ●● 051416 ●● 051454 ●● 051447 ●● 051409

●● 051423

(9 dents/pouce - 9 teeth/inch)
062351

(15 dents/pouce - 15 teeth/inch)
062368

●● 0.70 kg
051485

●● 0.95 kg
051478

●● 1.33 kg
051461

PLANISHING HAMMER BLACKTEC®

077270

Rubberised gripping
- Manche en caoutchouc




MADE IN GERMANY

Corrosion resistant



BURR REMOVER
- Outil d'ébavurage - Gratentferner

079854



ALU HAMMERS
- Marteaux alu

020986



FORMING TOOLS - Outils de forme - Formgebungswerkzeuge

051195



PLANISHING KIT FOR CAR BODY (SET OF 3 HAMMERS + 4 DOLLYS) - Kit marteaux et tas - Karosseriehammer & Handfaust Kit

057579






SET OF 30 TOOLS FOR SCRAPING/SANDING AND PAINT REMOVAL - Outils de dégarnissage et raclage - Polster & Schaber Kit

057616




HAND CHISEL FOR CAR BODY
- Burins
- Meißel für Karosserie



SET OF 4 NYLON CHISELS
- Jeu de 4 burins en nylon - 4 Kunststoffmeißel

054745



SET OF PLIER + 10 STAPLES
- Coffret princes à agrafes

082175

NEW





0 - 2.5 mm (x10)
082182

2,5 - 5 mm (x 10)
082199

SET OF 3 SCRAPING KNIFES
- Couteaux racloirs

061439



SET OF 3 CHISELS
- Lot de 3 burins de séparation éléments collés - 3 Meißel

076754




CONTOUR GAUGE - Jauges de profil - Kontourenlehre

052840




057265




GAPPING GAUGES - Jauges de positionnement - Spaltmaßlehre

x2
054752




FENDER ROLLER TOOL SET - Outil de remise en forme passage de roue

060791



BODY LINE TOOL - Traceur de ligne carrosserie - Markierhilfe für Kanten

078758



FIXED HINGE BENDING TOOL - Redresseur de charnière de porte




051102

Door hinge straightener
- Redresseur de charnière de porte
- Türgelenkausrichter


LIP PLIER - Pince à lèvres - Falzzange gebogen

079649




POSITIONING CLAMP
- Pinces de maintien bord à bord
- I-Stoß-Lehre

043190
(x4)



MICRO-GRIP CLAMPS - Pinces micro-grip

061330
(x4)




MICRO-WELDING CLAMPS
- Micro-brides de soudage

079373
(x4)



FLAT NOZE LOCK-GRIP PLIERS - Pinces étau à bec plat

062719



TEMPORARY-FASTENERS MANUAL MOUNTING
- Serre-tôles

(x10)
Ø 2,4 mm
069664


(x10)
Ø 4,0 mm
069671

(x10)
Ø 4,8 mm
069688

(x10)
Ø 6,4 mm
069695

AXIAL-GRIP PLIERS - Pinces axiales


050242



280 mm
061378



610 mm
061354



460 mm
061361




Flat noze - 610 mm
061347




LOCK-GRIP PLIERS - Pinces étau mono serrage

Flat noze - 460 mm
050112



KIT :
050266



MINI DISC SANDER - Mini-meuleuse - Druckluftschleifer

051829







Included
(x1)
052468

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
18000	200	83	171	6.2	12	0.7

058248






Speed		Air consumption	Air pressure			
rpm	dB	l/min	bar	cm	cm	kg
15000	84	91	6.2	10	10	0.6



MINI-FLEXIDISC LAMELLES ZIRCON
Ø 50 mm
K 40 (x10) 058255
K 60 (x10) 058262
K 80 (x10) 058279

AIR BELT SANDER - Ponceuse à bande à tête orientable - Druckluft Bandschleifer

060906



Grain 60 (x 5) 060913
Grain 80 (x 5) 060920
Grain 100 (x 5) 060937
Grain 36 céramique (x 5) 062535

Speed	Air consumption	Air pressure		
rpm	l/min	bar	cm	kg
16 000	171	6.3	34	1.2

LONG HANDLED ANGLE GRINDER - Meuleuse d'angle - Druckluft-Winkelschleifer

057753



± 1.6 mm, x5
057883


± 0.8 mm, x5
058217

Speed		Air consumption	Air pressure		
rpm	dB	l/min	bar	cm	kg
14000	84	113	6.2	37	1.7

MINI ANGLE GRINDER - Mini-meuleuse à renvoi d'angle - Mini-Druckluftwinkelschleifer geräuschgedämpft

051867





(x1) 052772

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
15000	200	86	85	6.2	18	0.75


SAW FOR STRAIGHT CUT AND FILE - Scie coupe tôle droite et lime - Druckluftsäge und Feile



051805

(x5)
052789






included
058750

Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
5000	—	85	255	6.2	10	0.8

AIR BELT SANDER - Ponceuse à bande à tête orientable - Druckluft Bandschleifer

052819



Grain 80 (x 10) 052833
Grain 36 céramique (x 20) 062528

Speed	Air consumption	Air pressure		
rpm	l/min	bar	cm	kg
16000	171	6.3	26	0.9

MINI ANGLE MILLING MACHINE - Mini-fraiseuse à renvoi d'angle - Mini-Winkelschleifer

051836



Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
18000	500	81	85	6.2	18	0.7

AUTOMATIC MANDREL DRILL - Perceuse mandrin automatique - Druckluftbohrmaschine m. Schnellspannfutter

051799



Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
800	300	92	170	6.2	18	0.9

PNEUMATIC SURFACE REMOVER KIT - Coffret décapeuse pneumatique - Druckluftentroster-Box inkl. Zubehör

051775





Roue gomme
115 x 14 mm
051874



Roue à décaper
115 x 14 mm
051843



Adaptateur pour brosse
051768



Brosse souple
Brins droits
0.5 mm
103 x 23 mm
052598



Brosse dure
Brins incurvés
0.7 mm
103 x 23 mm
051812




Brosse souple
Brins incurvés
0.5 mm
103 x 23 mm
051850


Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
4000	500	86	102	6.2	280	1.2

PNEUMATIC FLANGE / PUNCHING TOOL - Pince à soyer et à trouer, pneumatique - Pneumatische Loch- und Absatzzange

079892




052543





MINI MILLING MACHINE - Mini Fraiseuse - Mini-Schleifer

063228



Option
Tungsten drill Ø 6 mm
054172

LASER CORD METAL SHEET CUTTER (NIBBLER) - Dépointeuse pour cordon laser ACIER - Trennwerkzeug für Lasernähte

054165



Ø 6 mm




STEEL
Included
054172


PUNCHING TOOL FOR OVAL HOLES - Outil de poinçonnage oblongs - Langlochkarosserieblechzange



2.2 kg



052437



067264

BODY ZIPPER - Sertisseuse pneumatique - Pneumatic Crimper - Druckluftkantenformer


056930



Air pressure		
bar	cm	kg
5	28	2.1

SPOT REMOVER - Dépointeuse - Druckluft-Schweißpunktbohrer

SPOT DRILL
050464



Speed	Power		Air consumption	Air pressure		
rpm	W	dB	l/min	bar	cm	kg
800	400	85	140	6.5	35	2.3



Youtube

Ø 8

Included :
Tungsten Carbide Ø 8 for BORON/UHSS
(x1)

Spot remover drill - Forets de dépointage - Schweißpunktfräse
Tungsten Carbide for BORON/UHSS

3-edge		Ø 8 mm 053069	Ø 9 mm 069763	Ø 10 mm 053076
4-edge Efficiency ++ Durability ++		Ø 8 mm 059849	Ø 9 mm 069770	

PACK
SPOT DRILL + 140 mm
061460




3-edge Ø 8 mm
053069

140 mm
061453

FILM COATING THICKNESS GAUGE
- Détecteur épaisseur de peinture

059856


Measurement range : 0 – 1.80mm
Resolution : 0.01mm / 1mm
Measurement error : +/- 0.03 mm
Power Supply : 2x 1.5V AAA batteries (included)
Overall dimensions : 62 x 30.5 x 105 mm





4 MAGNETIC PANEL EDGE PROTECTIONS
- 4 protections magnétiques de ponçage pour bord de panneau

082793





ELECTRIC SANDER & POLISHER
- Ponçeuse /polisseuse électrique - Elektro-Polier-Schleifer

057999

Orbital 5.0 mm
⚓ 27 x 15 x 10 cm / 1.5 kg
❄ 37 x 18 x 12 cm / 1.9 kg

Speed : 4000, 7000, 9000 10000 rpm
AC-in 220V - 230V / 50 - 60Hz

Light weight & Compact

Speed control

((No vibration))





058293

Power supply : 230V / 50Hz
Power : 1400W (max 2000W)
Max. vacuum : 170 mbar
Air flow : 2700 l/mn
Drum capacity : 30 L
Drum material :
stainless steel

⚓ 33 x 33 x 63 cm / 4.9 kg
❄ 38 x 38 x 67 cm / 7.8 kg

Manual
or
automatic



4m
Input Ø 32 mm
Mains cable length 4.5m

PNEUMATIC ALUMINIUM DUST ATEX VACUUM CLEANER
- Aspirateur pneumatique pour poussieres alu (atex)

058866

Dust container capacity : 25 l
Working compressed air pressure : 7 bar
Compressed air consumption at 6 bar : 800 l/min
Suction connection diameter size : 50 mm
Max suction capacity : 150 m^3/h
Max vacuum level : 2000 mm H_2O
Recommended compressor power : 7.5 HP

⚓ 74 x 45 x 45 cm / 22.5
❄ 78 x 58 x 97 cm / 25 kg





included
Filtre - Filter
075405



included
Sac à poussieres - Filter bag
Capacity 5 kg
x5
058880



5 m
Output Ø 29 mm
Input Ø 35 mm

GYSDUST EXTRACTOR - Pneumatic dust vacuum cleaner for sander

INNOVATIVE SUCTION SYSTEM

BREVET GYS
GYS PATENT

Depression 1150 mm H2O
Air flow 600 l/min
Air consumption 340 l/min

Adjustable sander pressure - Pression ponçeuse ajustable
5 bar max

⚓ 49 x 48 x 88 cm / 21.5 kg
❄ 81 x 40 x 49 cm / 24.1 kg

ATEX norm
Group II - Category 3

EN 60335-2-69 : 2012

- ROBUST
- QUICK & SAFE
- LOW AIR CONSUMPTION (5 bar)
- NO ELECTRIC MOTOR
- ENERGY SAVING

PRO

Ponceuse non fournie
- Sander not included



5 m
Ø 29 mm

Option :
10m
Ø 29 mm
076013

Included
Earth clamp
safety

Sanding discs box*
- Rangement pour disques de ponçage*
** discs box not included - disques de ponçage non inclus*




Grande maniabilité et stabilité
- High maneuverability and stability

EASY ACCESS

Maintenance free
- Aucune maintenance



Consumables



Sac à poussieres - Filter bag
Capacity 5 kg

Included x1

x 5
058880



Pneumatic Sander
- Ponceuse pneumatique
MIRKA PROS 650CV

Ø 150 mm
071346

2 MODELS

GYSDUST EXTRACTOR

MANUAL

Manual start
- Démarrage manuel

071353



GYSDUST SELF EXTRACTOR

BREVET GYS
GYS PATENT

AUTOMATIC

Automatic start
- Démarrage automatique

077058



HAND LAMPS - Lampes baladeuses - Handleuchte

PORTABLE TRIPOD HAND LAMP 250 L

100-250 lumens (x3)

3 × 1 W COB LED
3 × 3.6 V - 300 mAh
AAA rechargeable, Ni-MH
USB charging (6h)
operating time
High position : 1 h
Low position : 3 h
Flashing : 5 h

×3

10 x 10 x 26 cm / 0.6 kg
21 x 11 x 27 cm / 1 kg

059955



PORTABLE HAND LAMP 400 L

400 lumens

COB LED
Li-ion
Charging time : 8h
operating time
High position : 2.5 h
Low position : 5 h
Top light (1 W) : 6 h

7 x 4 x 23 cm / 0.3 kg
14 x 7 x 24 cm / 0.5 kg

059153



PRO PORTABLE LAMP 600 L

250-600 lumens

COB LED, 80 CRI
3.7 V - 2200 mAh Li-ion
micro USB charging (3.5 h)
operating time :
High position : 1.5 h,
Mid position : 4.5 h,
Top light (100 lumens) : 10 h

IP 54
3 x 6 x 19 cm / 0.3 kg
9 x 13 x 24 cm / 0.6 kg

060883



INSPECTION LAMPS
- Lampes d'inspection - Inspektionslampen

INSPECTION HEADTORCH 280 L

100-280 lumens

3 W COB LED, 80 CRI+, 6500 K
3.7 V - 1500 mAh Li-po
micro USB charging
mains charger not incl.
operating time
High position : 2 h
Low position : 6 h
IP 65
8 × 5 × 4 cm / 0.1 kg
5 x 11 x 18 cm / 0.2 kg

060845



360° PORTABLE WORKSPACE LAMP 1000 L

60-1000 lumens

>80 CRI SMD LED
6500 K
3.7 V - 5200 mAh Li-ion
USB charging (4.5h)
USB power supply
operating time 2 > 27 h

IP 54
26 x 7 x 7 cm / 0.5 kg
8 x 8 x 35 cm / 0.7 kg

059764



MINI INSPECTION LAMP 200 L

120-200 lumens

COB LED, 80 CRI, 6500 K
3.7 V - 700 mAh Li-ion
micro USB charging (2.5 h)
mains charger not included
operating time
High position : 1.5 h
Low position : 4 h
Top light : 3.5 h
IP 20
18 x 3 x 3 cm / 0.1 kg
18 x 5 x 3 cm / 0.2 kg

060852



MINI INSPECTION LAMP 350 L


0-350 lumens

COB LED
3.7 V - 1100 mAh Li-ion
USB charging (3 h)

operating time
3 > 6.5 h

IP 20

075894



PRO INSPECTION LAMP 600 L

0-600 lumens

COB LED
6500 K
3.7 V - 2600 mAh Li-ion
operating time
1.5 > 15 h

38 × 4 × 5 cm / 0.3 kg
40 x 9 x 6 cm / 0.4 kg

057760
058309



PRO INSPECTION LAMP 800 L


120-800 lumens

COB LED
3.7 V - 2600 mAh Li-ion
USB charging (4 h)

operating time
2.5 > 9 h

IP 54

075900



UNDER BONNET LAMPS - Lampes sous capot - Leuchte für Motorhaube

UNDER BONNET HAND LAMP 600 L

500-1000 lumens

120 COB LED
3.7 V - 4000 mAh Li-ion
charging time : 10/12 h

operating time
High position : 4 h
Low position : 8 h

22 x 11 x 68 cm / 1.8 kg
24 x 12 x 70 cm / 2.3 kg

059962



UNDER BONNET LAMP AND TRIPOD 800 L


250-800 lumens

120 COB LED
3.7 V - 4000 mAh Li-ion
charging time : 10/12 h

operating time
High position : 3 h
Low position : 6 h

60 x 10 x 7 cm / 1.2 kg
61 x 15 x 12 cm / 2 kg

058002
058316



LED WORKLIGHTS WITH TRIPOD - Projecteurs led sur trépied - LED-Arbeitsleuchte mit Standfuß


TRIPOD LAMP 1800 L

1800 lumens

3× 55 COB LED
total 165 LED
1.8 m power cord

059146

95 x 15 x 14 cm / 3.2 kg



TRIPOD LAMP 3000 L

3000 lumens

35 W COB LED
2 m power cord
IP 44

059979

100 x 20 x 9 cm / 3.6 kg
103 x 22 x 10 cm / 4.1 kg




TRIPOD LAMP 4000 L

4000 lumens

3× 20 COB LED,
total 60 LED
3 m
power cord


059986

21 x 15 x 114 cm / 5.7 kg
22 x 116 x 117 cm / 6.4 kg



DETAILING & COLOUR MATCH - Contrôle des couleurs - Fabnpassung & Aufbereitung





4500 K

400 lumens

SUNCOLOR 1

COB LED, CRI > 95, 1100 lux
3.7 V - 2600 mAh Li-ion
USB charging
operating time : 3 h
6 x 3 x 19 cm / 0.6 kg
22 x 14 x 10 cm / 0.7 kg
IP 65

058477



3 COLORS

2700 - 4500 - 6500 K

350-420-450 lumens

SUNCOLOR 3

COB LED, 96 CRI+
3.7 V - 2600 mAh Li-ion
micro USB charging (4 h)
operating time : 2.5/4 h
IP 65
4 x 6 x 9 cm / 0.3 kg
9 x 13 x 24 cm / 0.6 kg

060838



5 COLORS


2700 - 3500 - 4500 - 5500 - 6500 K

500-1000-2000 lumens

SUNCOLOR 5

COB LED, 96 CRI+
11.1 V - 4400 mAh Li-ion
charger 110/240 V, 5 m cable, 15 V, 1.5 A
charging time : 3.5 h
operating time
High position : 2 h, Mid : 4 h, Low : 8 h
IP 65
7 x 23 x 20 cm / 1.2 kg
9 x 25 x 24 cm / 1.9 kg

060876



5 COLORS

2500-3500-4500-5500-6500 K

50-200-500 lumens

SUNMATCH 4

COB LED, 96 CRI +, 700-1400 lux
3.7 V - 2600 mAh Li-ion, USB charging
operating time :
High position : 2 h, Low position : 4 h
IP 65
4 x 6 x 19 cm / 0.3 kg
8 x 9 x 21 cm / 0.5 kg

061651

SCANGRIP COLOUR MATCH



UV CURING - SÉCHAGE UV

UV LED λ 395-400 nm

Irradiance 6-15 mW/cm²

NOVA-UV S

3.7 V - 5400 mAh Li-ion
USB charger, 1 m cable, 5 V, 2 A
charging time : 3.5 h
curing area : Ø 20 cm
operating time 1.5 h
IP 67
7 x 17 x 16 cm / 0.9 kg
7 x 17 x 18 cm / 1 kg

061620



SCANGRIP

FRAMES SUPPORT - Tréteaux - Klappböcke



040601

105 x 33 x 9 cm / 6.3 kg
107 x 35 x 10 cm / 6.7 kg

Bent feet for grating
- 4 pieds coudés
Idéal sur caillebotis
- Abgewinkelte Standfüße :
Sicherer Stand auf Gittern u.ä.



040311

106 x 31 x 6 cm / 6.6 kg
106 x 31 x 11 cm / 9.7 kg

Suction pad for glazing
- 4 ventouses
Dépose vitrages
- Gummiteller zur Fixierung von Glasscheiben



040250

100 x 105 cm - 7.1 kg
104 x 10 x 32 cm / 7.5 kg



040304

105 x 109 cm / 7.2 kg
107 x 32 x 10 cm / 7.8 kg

Light and easy to handle
Ideal for horizontal works
- Léger et très maniable
Spécial travaux à l'horizontal
- Speziell geeignet für Arbeiten in horizontaler Position




Adjustable catenary
- Chainette réglable



Protecting foam -
Mousse de protection



Non-slip base
- Antidérapants



070677

PREMIUM MASKING MACHINE
- Chariot de luxe marouflage
- Abdeckpapier-Ständer

057333

150 x 133 x 62 cm
31 kg
152 x 30 x 18 cm
/ 31.5 kg



MADE IN HIGH QUALITY POLAND

x 5 (not included)

Paper roll
- Rouleaux de papier
- Papierständer

30 > 120 cm




MASKING MACHINE
- Chariot de marouflage - Abdeckpapier-Ständer




056954

150 x 62 x 110 cm
/ 11 kg
154 x 30 x 19 cm
/ 12 kg



OPTION



Ø 40 mm
x 6
058897

x 3 (not included)

Paper roll
- Rouleaux de papier
- Papierständer

30, 60, 90 cm



STORAGE TROLLEY - Chariot de stockage - Lagerrollwagen


040243

71 x 90 x 197cm
41 kg
x2 :
90 x 6 x 147 cm
+ 97 x 74 x 24 cm



FLAP LOCK
- Tiges de blocage

056732





ROTARY ELEMENT SUPPORT - Support pare-chocs - Lackierständer für Stoßstange, einstellbar

052376

50 x 70 x 10 cm / 7.3 kg
60 x 77 x 12 cm / 8.3 kg




Adapted to wing mirror covers -
Adapté aux coques de rétroviseurs
- Geeignet für Außenspiegel

059825



106 x 104 x 215 cm - 32.5 kg
112 x 31.5 x 21.5 cm
+ 12 x 9.5 x 194.5 cm

059832




50 x 150 cm - 11.3 kg
155 x 18 x 12 cm / 13.8 kg

WHEELS PAINTING SUPPORT - Support de peinture pour 2 jantes

NEW

082168



25 kg

ROUND STOOL WITH TOOL STORAGE
- Tabouret - Werkstatt-Rollhocker

057555

38 x 38 x 44 cm - 5.2 kg
41 x 19 x 41 cm / 5.6 kg



MECHANICS CREEPER WITH TILTING HEADREST - Chariot de visite - Werkstatt-Rollliege

057548

102 x 43 x 11 cm / 5.3 kg
104 x 45 x 13 cm / 6 kg



ROUND STOOL WITH STORAGE - Tabouret d'atelier 3 tirroirs

079878

47 x 35 x 43 cm
38.5 x 37 x 38.5 cm - 13 kg



2 IN 1 MECHANICS CREEPER
- Chariot de visite 3 en 1 - Werkstatt-Rollliege

079861

102 x 40 x 14 cm
40 x 13 x 63 cm - 7,6 kg



080041

7.3 kg
100 x 39.5 x 19 cm / 8.1 kg

150 kg
ALU



ROTARY ELEMENT SUPPORT - Support élément rotatif - Lackierständer für Stoßstange, einstellbar



1.5 mm



2 mm

052611

200 x 101 cm - 19 kg
112 x 35 x 13 cm / 23 kg
Made in China

PRO
056725

200 x 105 x 81 cm - 21.5 kg
120 x 26 x 18 cm / 22 kg

MADE IN HIGH QUALITY POLAND


UNIVERSAL SUPPORT
- Chariot pour éléments de carrosserie
- Universelle Ständer

066281

MADE IN HIGH QUALITY POLAND

120 x 80 x 13 cm / 24 kg

max 80 kg




EXTENDABLE SUPPORT
- Chariot extensible pour éléments de carrosserie - Ausziehbarer Wagen

061507

MADE IN HIGH QUALITY POLAND

29.4 kg
112 x 42 x 14 cm / 30 kg

max 150 kg




FOLDING STEP STOOL - Marche pied (Aluminium) - Arbeitspodest klappbar

057562

7.9 kg
102 x 39 x 19 cm / 8.5 kg


150 kg
ALU



058552

113 x 41 x 16 cm / 16 kg
117 x 42 x 17 cm / 17 kg

150 kg
ALU



WORKSTATION PREMIUM 5 DRAWERS - Servante premium 5 tiroirs

64 kg
Capacity 320 kg



Complete carbody workstation
080119




Workstation only
076143

included






Set of 30 Tools for scraping/sanding and paint removal
057616



Set of 4 nylon chisels
054745



Contour Gauge
052840





Mini disc sander
051829



Air belt sander
052819

MOBILE WORKSTATION
- Table de travail mobile

079465
120 x 82 x 18 cm / 40.3 kg




WORKSTATION 3 SHELVES
- Servante 3 plateaux


068056
77 x 53 x 21 cm / 18.2 kg



HEAT COVER - Couverture anti-chaleur - Hitzeschutzdecke - Manta anti-calor - Protecção anti-aquecimento



PROTEC 550
550°C/1000°F - **Class M0**
2 m x 2 m - 580 g/m²
050495



PROTEC 1200
1200°C/2200°F - **Class M0**
1.75 m x 1.5 m - 1200 g/m²
050204



PROTEC 1300
1300°C/2400°F - **Class M0**
XL : 2 m x 1.8 m 620 g/m²
053595



PROTEC 1300L
1300°C/2400°F
XL : 2 m x 1.8 m 427 g/m²
060500

SET OF 2 MAGNETS
- Jeu de 2 aimants
- Schweißmagnet




(x2)
052291

MAGNETIC COVER - Couverture magnétique - Magnetschutzdecke



1.06 m x 0.6 m
061446

RIDEAU DE SOUDAGE - Welding curtain and frame - Schweißerschutzwand



OPTI 215.O
Orange CE - 2 x 2.15 m
EN 25980 - 2015/01
060470



OPTI 200G
Green T9 - 2 x 2 m
EN 25980 - 2015/01
060463

RESPIRATORY MASKS - Masques respiratoires - Atemschutzmaske - Máscaras respiratorias





FFP3 - EN 140 / EN 143 / EN 166
(x1) Size M/L
037021



FFP3 - EN 140 / EN 143
(x1) Size M/L
037014



Étui / Case
037045



FFP3 - EN 143 : 2000 P3
Anti poussières
/ Anti odeurs
037038

PROTECTION GOGGLES
- Lunettes de protection - Schutzbrillen

EN 166



Shade/IR0
042810



Shade/IR0
042827



Shade/IR5
042841



Shade/IR0
047778



Shade/IR0
047792



Shade/IR0
042865



Shade/IR0
047839

GLOVES - Gants - Handschuhe - Guantes



Anti-cut
- Anti coupure
T9
045897

EN388
4342



✓ touch screen friendly
- écran tactile
High resistance anti-cut
Anti coupure haute résistance
EN 420
EN 388:4121
T9 : 045910
T10 : 045927



High dexterity anti-cut
- Anti coupure haute dextérité
EN 420
EN 388:1121
T9 : 045903
T10 : 045934



T10
064188

EN420
2003

Ultra Flexible

EN388
2003



Heavy Duty T10
(MMA - MIG - Plasma)
045101

EN388
4244

EN 407
424X4X
EN12477
Class : A1



Gants PRO TIG
T10
045194

EN388
2122

EN 407
322X2X
EN12477
Class : A1



Reinforced welding gloves
- Gants de soudage renforcés
T10
045873

EN388
4244

EN 407
424X4X
EN12477
Class : A1



Gants PRO TIG EXTRA
T10
045323

EN388
2011XX

EN 407
41313X
EN12477-B
EN 420

MULTI-USE LEATHER APRON
- Tablier cuir multi-usage
- Delantal de cuero multi-uso
- Mehrzweck-Lederschürze



PRO
045217

EQUIPMENT FOR OPERATIONS ON ELECTRIC AND HYBRID VEHICLES - Équipements pour opérations sur véhicules électriques & hybrides - Ausrüstung für den Betrieb von Elektro- und Hybridfahrzeugen

FACE SHIELD WITH HEADBAND
- ÉCRAN FACIAL AVEC SERRE-TÊTE
068018



INSULATING GLOVES (T10)
- GANTS ISOLANTS (T10)
068025



25 pieces insulated tools 1000V - Coffret de 25 outils isolés 1000V
- Box mit 25 isolierten Werkzeugen 1000V
066489

7/8/10/12/14/15/17/19/22 mm sockets - Douilles 7/8/10/12/14/15/17/19/22 mm	x 9
175 mm universal pliers in chrome vanadium - Pince universelle de 175 mm en chrome vanadium	x 1
Cutting pliers 150 mm in chrome vanadium - Pince coupante 150 mm en chrome vanadium	x 1
3/8" ratchet - Cluqiet en 3/8"	x 1
Extension 100 mm - Rallonge 100 mm	x 1
T-handle - Poignée en T	x 1
Open ended wrenches 7/8/10/12/14/17 mm - Clés plates à fourches 7/8/10/12/14/17 mm	x 6
Cable knife - Couteau pour câble	x 1
Philips PhH1x100/PhH2x100 mm screwdriver - Tournevis Philips PhH1x100/PhH2x100 mm	x 2
Flat screwdriver 5.5x125 / 4x100 mm - Tournevis plats 5.5x125/4x100 mm	x 2



Kit for marking the area of intervention
- Kit pour le balisage de la zone d'intervention
- Kennzeichnungsset für Hochvolt-Bereiche
064409

Red and white warning pole - Balise de signalisation rouge et blanche	x 4
Red and white bounding line - Chaîne de délimitation rouge et blanche	x 1
Sign board "*Danger, working area EHV*" - Pancarte de signalisation "*Danger, zone de travail VEH*"	x 2



TROUSER - Pantalon - Hose



EN ISO 11612 A1+A2-B1-C1-E3-F1
EN ISO 11611 Class 2-A1 & A2
EN 1149-5
IEC 61482-2 Class 1-4kA
EN 14404 +A1 Type 2

98% cotton, 2% antistatic

S (40/42) 046368
M (44/46) 046375
L (48/50) 046382
XL (52/54) 046399
XXL (56/58) 046412

JACKET - Veste - Jacke



IEC 61482-2 Class 1-4kA
EN ISO 11612 A1+A2-B1-C1-E3-F1
EN 14404 +A1 Type 2
EN ISO 11611 Class 2-A1 & A2
EN 1149-5

98% cotton, 2% antistatic

S (40/42)	046313
M (44/46)	046320
L (48/50)	046337
XL (52/54)	046344
XXL (56/58)	046351

GYS
MANUFACTURER SINCE 1964

★★★★★ THEY TRUST US ★★★★★

ILS NOUS FONT CONFIANCE

DACIA · NISSAN · PEUGEOT · VOLVO · LAND ROVER · JAGUAR · MERCEDES · smart · EvoBus · DODGE · VOLKSWAGEN GROUP · LANCIA · ALFA ROMEO · TESLA APPROVED EQUIPMENT · FIAT · ABARTH · Jeep · TATA · EICHER · GM · KIA · BYD · NIO · Li Auto · AITO · ZEEKR · LYNK&CO

INVEST IN THE FUTURE

French manufacturer
since 1964

2024

Car Body Welding Systems

Catalogue Carrosserie
Catalogo Carrozzeria
Karosserie-Schweißtechnik Katalog
Catálogo de Soldadura para Carrocería

LinkedIn
Youtube
WeChat
Facebook
Instagram

www.gys.fr

GYS FRANCE

HEADQUARTERS

1 rue de la Croix des Landes
CS 54159
53941 Saint-Berthevin - Cedex
Laval - France

Tel +33 2 43 01 23 60
E-mail service.client@gys.fr

ZI, 134 bd des Loges
53941 Saint-Berthevin
Laval - France

LOGISTIC CENTER

2 Rue Jean Dausset
53810 Changé - France

Tel +33 2 43 01 54 33

GYS GERMANY

Professor-Wieler
Straße 11
52070 Aachen
Deutschland

Tel +49 241/189-23-710
Fax +49 241/189-23-719
E-mail aachen@gys.fr

GYS UK

Unit 3 - Great Central Way
Rugby - Warwickshire
CV21 3XH
United Kingdom

Tel +44 1926 338 609
Fax +44 1926 429 764
E-mail uk@gys.fr

GYS ITALIA

Via Porta Est, 7
30020 Marcon - VE
Italia

Tel +39 041 53 21 565
E.mail italia@gys.fr

GYS IBÉRICA

Avenida Pirineos 31
Nave 9
San Sebastian de los Reyes
28703 Madrid
España

Tel +34 917 409 790
E.mail iberica@gys.fr

GYS CHINA

Lot N°15
6666 bd Songze
201706 Qingpu
Shanghai
China


Tel +86 6221 4461
Fax +86 5226 0067
www.gys-china.com.cn
E-mail
contact@gys-china.com.cn

MARKETING

Podium de présentation
- Display stand
- Podest

PODIUM 1
A : 45 cm
B : 50 cm
C : 50 cm
063204

PODIUM 2
A : 80 cm
B : 50 cm
C : 50 cm
063211






Oriflamme
- Flag
3 x 0,50 m
098015

Barnum 3 x 3 m
098022



Open barnum
2 x 2 m
098039





Linéaire de vente avec 2 étagères
- Retail display space with 2 shelves
- Lochwandregal mit 2 Böden (machines not included)
060784

Distributed by

095106 • Pour signaler des erreurs dans le catalogue, contactez : catalogues@gys.fr. Document non contractuel. GYS se réserve le droit de modifier sans préavis les spécifications de ses appareils. • To report errors in the catalog, contact: catalogues@gys.fr. Document not contractual. GYS reserves the right to modify the specifications of the machines without prior notice. Irrtümer und Änderungen vorbehalten. • I.P. - 365 g - printed on Dec. 2023